

REGISTERED
CHARITY

NUMBER 223106

RC
GP

Royal College of General Practitioners

Annual Report 2021-2022

Research & Surveillance Centre

Weekly Returns Service Annual Report 2021-2022

Report contents

Executive summary	4
1. Introduction	5
2. What we do	5
RSC's aim	5
Monitoring disease incidence	6
Collecting virology and serology samples	8
Measuring vaccine effectiveness	8
Identifying disparities in the clinical presentation of diseases	8
Helping to change clinical practice	9
3. What was new this year	9
4. The RSC dataset	9
Our data extraction process and information governance	9
The dataset used for the RSC annual report 21/22	10
Representativeness of the RSC sample population	10
5. COVID-19 and Influenza	12
Virology sampling programme	12
Serology sampling programme	13
Vaccine uptake	14
Vaccine effectiveness	14
6. Disease incidence	15
7. Episode typing	16
8. Research Projects	17
9. RSC Publications	19
10. Contributors	21
11. References	22
12. Appendices	23

List of tables

Table 1.	The 38 conditions / groups of conditions monitored by the Oxford-Royal College of General Practitioners (RCGP) Research and Surveillance Centre (RSC) network and their mappings to the World Health Organisation's (WHO) International Classification of Disease version 10 (ICD-10).....	7
Table 2.	Number of serology samples collected in the 2021/22 season.....	13
Table 3.	Influenza vaccine uptake in the RSC practices 2021-2022 season.....	14
Table 4.	Episode typing by disease in the 2021/22 season at the RSC.....	16

List of figures

Figure 1.	The age-sex profile of the RSC sample population compared with the England national population.....	11
Figure 2.	Distribution of RSC member practices among NHS regions in England in the 2021/22 season	12
Figure 3.	RSC's RSV, Influenza and SARS-CoV-2 Virology Swab Surveillance 2021/22 by viral strain	13
Figure 4.	Episode typing by disease in the 2021/22 season at the RSC shown by the percentage of appointments	17

Glossary of abbreviations

ARI	Acute Respiratory Illness
CMMS	Cambridge Multimorbidity Score
CMR	Computerised Medical Record
DSA	Data Sharing Agreement
DSP	Data Security and Protection
EMIS	Egton Medical Information Systems (a CMR provider)
EU	European Union
GDPR	General Data Protection Regulation
GP	General Practice
ICD	International Classification of Diseases
ILI	Influenza-like illness
IMD	Index of Multiple Deprivation
ISO	International Standards Organisation (week)
NHS	National Health Service
ORCHID	Oxford Royal College of General Practitioners Clinical Informatics Digital Hub
PCSC	Primary Care Sentinel Cohort
PHE	Public Health England (superseded by UKHSA on 1 st October 2021)
PRINCIPLE	Platform Randomised trial of treatmeNts in the Community for epldemic and Pandemic iLLnEsses
RCGP	Royal College of General Practitioners
RSC	Research and Surveillance Centre
RSV	Respiratory Syncytial Virus
SOP	Standard Operating Procedures
SQUIRE	Surveillance, quality improvement, research and education
TPP	The Phoenix Partnership, providers of the SystmOne CMR system
UKHSA	UK Health Security Agency
WHO	World Health Organisation

Executive summary

The Oxford-Royal College of General Practitioners (RCGP) Research & Surveillance Centre (RSC) has been collaborating with the UK Health Security Agency (UKHSA) on infectious disease surveillance in primary care for over 50 years. For over half a century, the RSC has produced a Weekly Return of respiratory diseases and other infectious disease surveillance, along with an Annual Report summarising network changes and surveillance highlights of the year. This annual report covers the activities of the RCGP RSC during the 2021/22 season, spanning from the 10th of May 2021 to the 8th of May 2022 (International Standards Organisation (ISO) Week 19 of 2021 to ISO Week 18 of 2022).

The COVID-19 pandemic persisted into the 2021/22 season, and the RSC continued to respond with a range of activities. While the incidence of the 38 RSC-monitored communicable and respiratory conditions remained below the 5-year average during the 2020/21 season, many conditions began returning to normal levels in the 2021/22 season, particularly in 2022.

For virological surveillance, the RSC progressively reintroduced testing for viruses other than COVID-19. We also continued asymptomatic COVID-19 testing through serology sampling through the 2021/22 season.

The Moderna COVID-19 vaccine was introduced in the UK as part of Phase 2 of the COVID-19 vaccination program on 13 April 2021. The RSC continued to support the vaccine effectiveness studies conducted by the UKHSA, particularly focusing on the effectiveness of COVID-19 vaccines during this season. The RSC continued its assessment of disparities in the clinical presentation of diseases, vaccine uptake and episode typing during this season.

The RSC's general practice network continued to expand during the 2021/22 season, reaching 5,127,735 registered patients from 499 practices in week 18 of 2022, compared to 4,525,159 registered patients across 462 practices by week 18 of 2021. We provided member practices with the opportunity to participate in research studies, including trials, particularly those related to COVID-19 during this season.

The RSC implemented a range of activities, for example, the reintroduction of virology sampling for influenza, in the 2021/22 season. We are committed to continuing our surveillance work and contributing to public health in England.

1. Introduction

Welcome to the Oxford-Royal College of General Practitioners (RCGP) Research and Surveillance Centre's (RSC) Annual Report for 2021-2022. This is our 55th year of infectious disease surveillance in primary care in England ¹. For over half a century, the RSC has produced a Weekly Return of respiratory diseases and other infectious disease surveillance, along with an Annual Report summarising network changes and surveillance highlights of the year. The network's primary area of interest was the surveillance of influenza,² which was extended to include COVID-19 after the outbreak of the pandemic in March 2020. The principal elements of RSC's work are infectious disease surveillance, virology and serology sampling and vaccine effectiveness studies.

Oxford-RCGP RSC reports the incidence rate of 38 monitored communicable and respiratory conditions in the member practices every week. This surveillance is facilitated by the routinely collected computerised medical records (CMRs) in participating general practices. We detect any abnormal trends in disease incidence and alert participating practices and the UK Health Security Agency (UKHSA) to the potential risk of a disease outbreak. Note that UKHSA formally took over from Public Health England (PHE) on 1st October 2021, at the start of the 2021/22 season. In addition to disease surveillance supported by CMR, RSC actively collects virology and serology samples from member practices to enhance its respiratory disease surveillance. RSC also shared CMR data to support the vaccine effectiveness analyses carried out by UKHSA and some other research projects.

The number of RSC's participating general practices continued to increase this year. RSC maintains a close relationship with member practices and benefits them in multiple ways. At the beginning of each surveillance season, a commissioning letter signed off by RSC and UKHSA, detailing the activities within RSC, is shared with all participating practices. Every week, RSC communicates network updates to member practices through a newsletter. RSC also provides publicly available virology and serology dashboards to inform member practices of circulating viruses.

We would like to thank all the member practices and their patients within our network. Without the support of our member practices and the use of their pseudonymised patients' data, we would not be able to carry out our crucial work of monitoring disease rates, assuring the effectiveness of national vaccination programmes, and participating in other research projects.

This report is based on the clinical data and testing results of the samples collected from 462 member practices and brings together the principal elements of our work. It covers the period from the 10th of May 2021 to the 8th of May 2022 (International Standards Organisation (ISO) Week 19 of 2021 to ISO Week 18 of 2022), which includes the entire 2021-2022 winter flu season. We summarise the key surveillance findings of the year and highlight the changes in the RSC surveillance network.

2. What we do

RSC's aim

RSC is dedicated to ensuring the health and safety of communities by implementing comprehensive disease surveillance and conducting advanced research.

RSC builds a nationally representative Primary Care Sentinel Cohort (PCSC) by recruiting member practices across England and Wales, ensuring a wide and balanced geographical distribution. The representativeness of the population was evaluated based on region, age, sex, ethnicity, socioeconomic status (measured by the Index of Multiple Deprivation, IMD), smoking status, obesity status, comorbidities (measured by the Cambridge Multimorbidity Score, CMMS), and frailty (Appendix A).³

RSC's pseudonymised patient-level primary care database captures clinical information of patients registered with RSC member practices through the CMR system. We are particularly interested in capturing clinical information on (1) the presentation of symptoms suggestive of respiratory infections such as influenza-like illness (ILI) or acute respiratory illness (ARI); (2) the diagnoses of respiratory infectious diseases, including influenza, COVID-19, and other pathogens; (3) the diagnoses of diseases caused by environmental factors, such as hay fever; and (4) detailed vaccination and some other treatment records of the patients. A subset of the PCSC collects virology swabs and/or blood samples for virological and/or serological analysis.

RSC's disease surveillance was conducted across the PCSC but reported separately for both the entire population and carefully curated risk groups, such as geographical areas and age groups. The purpose was to identify high-risk groups for the monitored conditions.

Monitoring disease incidence

The Oxford-RCGP RSC works in close collaboration with the UKHSA. The principal funding of the RSC is from the UKHSA, this collaboration with UKHSA and its predecessors has been running successfully for over 50 years ¹. The RSC is UKHSA's principal primary care surveillance system, working in collaboration with other sources of health service data. The RSC is recruited to be nationally representative (Appendix A).

Our data feeds into UKHSA's surveillance system, providing an early warning of epidemics or unusual patterns of disease. Our monitoring alerts health services to seasonal events that place pressure on resources, such as the start of seasonal influenza epidemics and allows services to be planned accordingly.

In the 2021/22 season, we monitored on a weekly basis the incidence rate of 38 communicable and respiratory diseases specified by UKHSA (Table 1). The incidence rate was based on the diagnoses recorded by general practitioners in our member practices during the week.

The legal basis of our work with UKHSA is The Health Service (Control of Patient Information) Regulations 2002 establish a legal basis in England and Wales for data to be disclosed for public health purposes without patient consent. Our surveillance work with UKHSA is under Regulation 3 and some health promotion work is under Regulation 5. The specific projects, including the extension to conduct COVID-19 surveillance, were individually approved by the UKHSA Caldicott Guardian, and then on an annual basis. All other studies obtain their own ethical approval.

Table 1. The 38 conditions / groups of conditions monitored by the Oxford-Royal College of General Practitioners (RCGP) Research and Surveillance Centre (RSC) network and their mappings to the World Health Organisation's (WHO) International Classification of Disease version 10 (ICD-10)

Condition Name	ICD-10
1. Water and Food Borne Disorders	
Intestinal Infections	A00-A0
Viral Hepatitis	B15-B19
Non-infective Enteritis / Colitis	K50-K52
2. Environmentally Sensitive Disorders	
Asthma	J45-J46
Conjunctivitis	H10-H13
Respiratory / Chest symptoms	R05-R07; R09
Hay fever / Allergic Rhinitis	J30
3. Respiratory Infections	
Acute Bronchitis	J20-J21; J4
Laryngitis / Tracheitis	J04
Respiratory disorders	J00-J99
Tonsillitis / Pharyngitis	J02-J03
Infectious Mononucleosis	B27
Common Cold	R05 - R07; R09
Pleurisy	R091
Acute Sinusitis	J01
Upper Respiratory Tract Infection	J00-J06
Lower Respiratory Tract Infection	J20-J22
Influenza-like illness	J09-J11
Pneumonia / Pneumonitis	J12-J18
Strep throat / peritonsillar abscess	A38; J020; J36
Pertussis	A37
Acute Otitis Media	H650-H651; H660; H669
COVID-19 infection	U07
4. Vaccine Sensitive Disorders	
Measles	B05
Mumps	B26
Rubella	B06
5. Skin Contagions	
Bullous Dermatoses	L10-L14
Herpes Zoster	B02
Skin symptoms	R20-R23
Chickenpox	B01
Skin / subcutaneous infection	L00-L08
Impetigo	L01
Herpes Simplex	B00
Scabies	B86
6. Disorders Affecting the Nervous System	
Peripheral Neuropathy	G50-G64; G70-G72
Meningitis and Encephalitis	A170-A171; A390; A83-A85; A87; G00-G05
Musculoskeletal symptoms	R25-R29
7. Genitourinary System Disorders	

Collecting virology and serology samples

A subset of the PCSC collects virology swabs and/or blood samples for virological and/or serological analysis. Only virological results are reported back to PCSC practices and the patient, although it must be stressed that this is not a diagnostic service. Practices are reimbursed for each virology and serology sample they submit for testing and code accurately. Both virology and serology samples are transported to UKHSA reference laboratories where they are analysed and stored in dedicated biobanks for onward research.

Virology samples were collected randomly from throat swabs taken from patients presenting with influenza-like illness (ILI) in RSC participating practices. This is to identify organisms with epidemic or pandemic potential and analyse the details (i.e. sequencing) of the circulating viruses, especially in winter seasons. Virological samples collected in RSC participating practices were analysed in UKHSA's respiratory virus reference laboratory in Colindale, London. The analysis of viruses other than SARS-CoV-2 was suspended in the 2020/21 season to support the mass testing of COVID-19. In the 2021/22 season, we gradually resumed testing for other viruses, including influenza viruses, respiratory syncytial virus (RSV), human metapneumovirus (hMPV), adenoviruses, rhinovirus, and enterovirus.

Serology samples were obtained opportunistically from volunteer patients attending routine blood tests at sampling practices within the PCSC. These patients may be having blood tests as part of an acute illness or chronic disease management or prevention, leading to an overrepresentation of risk groups. These samples are primarily used to estimate population exposure to COVID-19; however, serological surveillance has also been successfully applied to monitoring levels of population exposure to influenza and diphtheria. This work also collects data on incidences of rare clotting events postvaccination via platelet factor 4 levels. Serology samples are managed by UKHSA's Vaccine Evaluation Unit in Manchester.

Measuring vaccine effectiveness

RSC contributes crucial clinical data for vaccine effectiveness studies carried out by the UKHSA. UKHSA regularly evaluates the effectiveness of influenza vaccines before the COVID-19 pandemic to inform its vaccination policy. During 2021/22, the vaccines that were evaluated using RSC data were the influenza vaccine and the COVID-19 vaccine. RSC provided patient clinical data and vaccination records to support vaccine uptake studies in both general and target populations and vaccine effectiveness studies on circulating viruses, especially influenza.

Identifying disparities in the clinical presentation of diseases

The richness of RSC's clinical data allows us to identify demographic factors around clinical presentations. The aim of this is to understand any disparities in clinical presentation, concerning key demographic characteristics. This should guide clinical practice in identifying at-risk groups, and provide a strong basis for public health interventions.

Helping to change clinical practice

The RSC relies on practices agreeing to share their pseudonymised patient data with us – and, in return, their aggregated data provides evidence for research that is used to improve clinical practice and patient outcomes.

We want to provide benefits for our practices beyond their altruism in supporting public health. We pay practices for the time involved in taking specimens and our practice liaison team provide a range of feedback to practices to improve engagement with our work and the quality of data collected. This includes the weekly newsletter and access to real-time dashboards for practices to see the number of microbiological samples they have provided in comparison to the whole RSC network. We continue to encourage high-quality clinical records, such as primary care CMR and vaccine exposure data, to support vaccine effectiveness studies for COVID-19 and influenza vaccines. Member practices also have the opportunity to participate in research studies including trials.

3. What was new this year

In the previous 2020/21 season, we introduced COVID-19 virology testing and shifted from testing for influenza and other respiratory viruses to exclusively testing for COVID-19. In this 2021/22 season, we progressively reintroduced virology testing for other viruses. The Moderna COVID-19 vaccine was introduced in the UK as part of Phase 2 of the COVID-19 vaccination program on 13 April 2021.

4. The RSC dataset

Our data extraction process and information governance

We have a data sharing agreement (DSA) with RSC member practices. They agree to provide pseudonymised data for “SQuIRE” purposes⁴, namely surveillance, quality improvement, research and education. Patients who have withheld consent for data sharing, for any reason, are excluded from our analyses. These patients are identified through an ‘opt-out’ code, which the automatic extraction process uses to exclude them.

CMR data from member practices is extracted using a pseudonymised NHS number as the unique key linking identifier, either daily or twice weekly. Data are pseudonymised (this is a process that scrambles any strong identifiers such as name, NHS number, and date of birth) as close to the source as possible, this varies between brands of computer systems, for example, Egton Medical Information Systems (EMIS) and The Phoenix Partnership (TPP) SystmOne. All data transfers are encrypted.

The pseudonymised NHS numbers and pseudonymisation algorithm for data linkage enable us to link data to other data sources at an individual level, without knowing the identity of these individuals. This includes linkage to results held by UKHSA, hospital and death data, and other disease registries.

Additionally, we can link to other data collected from individually consented patients. All of the data were handled following the OXFORD-RCGP RSC Data Management Standard Operating Procedures (SOPs). This met NHS Digital’s Data Security and Protection (DSP) Toolkit requirements.

The Oxford Royal College of General Practitioners Clinical Informatics Digital Hub (ORCHID) is compliant with Data Protection Legislation, which relates to the protection of individuals with regard to the Processing of Personal Data to which a Party is subject, including the Data Protection Act 1998 and EU Directive 95/46/EC, and the subsequent General Data Protection Regulation ((EU) 2016/679) ("GDPR"). It is also compliant with the NHS DSP and subject to DSA with all relevant parties.

The dataset used for the RSC annual report 21/22

The dataset used in this report was extracted in June 2024 using the bulk practice database for December 2022. This report covers the period from 10 May 2021 to 8 May 2022 (ISO Week 19 of 2021 to ISO Week 18 of 2022). It includes 4,573,626 registrants from 463 practices in week 19 of 2021 and 5,127,735 registrants from 499 practices in week 18 of 2022. This includes all patients who were registered with one of the RSC member practices for at least one week during the reporting period. There is one exception to this: the dataset used to calculate influenza vaccine coverage. The datasets for swabbing results and vaccine effectiveness were defined differently for the specific purposes of the end-of-influenza season report.

For the week-by-week disease incidence graphs, we include episodes of disease in the numerator if the patient was validly registered with a practice within the RSC network at the time of the episode. The denominator includes all registered patients for that particular week.

Representativeness of the RSC sample population

Our goal is to ensure that the RSC database is as representative as the national population, thereby minimising sampling bias in studies conducted using our data. This section presents the demographic (age and gender) breakdown of our sample population for the 2021/22 season and compares it with that of England as a whole. The geographical distribution of the RSC practices is also presented in this section. The sample population includes all patients who were registered with an RSC member practice for at least one week during the reporting period.

The RSC sample population has increased after more practices joined our network this season, but it remains generally representative of the national population in terms of age and sex distribution. However, individuals under 18 years old are slightly under-represented (Figure 1). A detailed age-sex breakdown of the RSC network across NHS regions is presented in Appendix A.

Age Sex Profile




Figure 1. The age-sex profile of the RSC sample population compared with the England national population

Note: the bars show the number of patients within our dataset, by gender and age band, and the lines show the distribution of the corresponding population of England as a whole.

We aim to maintain a balanced geographical distribution of the RSC member practices by varying our priorities for recruitment. The distribution of the RSC member practices in the 2021/22 season is presented in Figure 2.




Figure 2. Distribution of RSC member practices among NHS regions in England in the 2021/22 season

5. COVID-19 and Influenza

Work on COVID-19 and influenza is the central part of the RSC's activity in the 2021/22 season. In addition to surveillance of weekly incidence of influenza-like illness, we conducted a programme of virological swabbing throughout the flu season and analysed vaccine uptake and effectiveness.

Virology sampling programme

UKHSA suspended testing for influenza and other viruses, focusing solely on SARS-CoV-2 strains through the virology swabbing program within RSC since 2020 in response to the COVID-19 pandemic. In the 2021/22 season, the virology testing of other viruses was progressively

reintroduced. A total of 4,246 virology samples were collected in RSC in the 2021/22 season (Figure 3).




Figure 3. RSC's RSV, Influenza and SARS-CoV-2 Virology Swab Surveillance 2021/22 by viral strain

Serology sampling programme

In the 2021/22 season, a total of 20,582 serology samples were collected, of which 18,354 were linkable to the RSC's primary care data (**Error! Reference source not found.**). Most of the samples were taken from the adult population.

Table 2. Number of serology samples collected in the 2021/22 season

Age band	Number of Samples Collected	Number of Samples Matched
Missing	1,550	1,467
<1yr	13	10
1-4yrs	3	3
5-14yrs	33	32
15-24yrs	456	372
25-44yrs	2,793	2,080
45-64yrs	6,197	5,655
65-74yrs	4,748	4,334
75-84yrs	3,867	3,552

85+yrs	922	849
Total	20,582	18,354

Vaccine uptake

At RSC, we monitor the uptake of the influenza vaccine in the population groups outlined in the flu vaccination program rolled out by UKHSA⁵. The extended flu vaccination programme was still running this season, which covered risk groups and adults aged 55-64.

In the 2021/22 season, the influenza vaccine uptake in the over 65 years group was satisfactory (79%), while the uptake was comparatively low in children aged 4-17 (36%) (Table 3).

GP records are of high quality for vaccinations carried out in primary care. However, where vaccinations are carried out outside primary care data about these may not reach the primary care CMR⁶.

Table 3. Influenza vaccine uptake in the RSC practices 2021-2022 season

Eligible group	Total eligible population	Vaccine coverage
Adults aged 55-64	1,326,180	52%
Adults aged 65+	1,278,419	79%
Children aged 2-3	147,986	49%
Children aged 4-17	1,035,992	36%
Other*	2,717,363	6%
Risk group patients	609,964	37%
All patients	7,115,904	35%

* The "other" group tend to be carers and health workers

Vaccine effectiveness

RSC data was one of the primary data sources for UKHSA's evaluation of COVID-19 and influenza vaccine effectiveness during the 2021/22 season. The text below is taken from the published evaluations.

There was no reduction in S-antibody positivity in most clinical risk groups, however reduced S-antibody positivity and response was significant in the immunosuppressed group. Reduced vaccine effectiveness against clinical disease was also noted in the immunosuppressed group; after a second dose, effectiveness was moderate (Pfizer: 59.6%, 95%CI 18.0–80.1%; AstraZeneca 60.0%, 95%CI - 63.6–90.2%).⁷

We found good protection from influenza vaccination against influenza requiring emergency care in children (72.7 % [95 % CI 52.7, 84.3 %]) and modest effectiveness in adults (26.1 % [95 % CI 4.5, 42.8 %]). Adult VE was higher for A(H1N1) (81 % [95 % CI 50, 93 %]) than A(H3N2) (33 % [95 % CI 6, 53 %]). Consistent protection was observable across preschool, primary and secondary school aged children. Imperfect test specificity combined with very low prevalence may have biased estimates towards null⁸.

6. Disease incidence

At RSC, we monitor and report the incidence of 38 conditions in our weekly disease surveillance reports. The incidence was presented by regions and age bands, and it was also compared with our 5-year average (Appendix B).

Graphs showing the weekly incidence of all monitored conditions in the 2021/22 season are included in Appendix B. These graphs follow the same format as those in the RSC weekly surveillance report but are presented as an annual amalgamation. The five-year average presented in the graphs was calculated using data from the 5-year period prior to the start of the season.

The COVID-19 lockdown in England was lifted through the *roadmap out of lockdown* starting in March 2021⁹. Compared to the low incidence rates of the monitored conditions in the 2020/21 season, the incidence rates returned to normal in the 2021/22 season, except for several conditions. The data are presented in this report by disease chapter. The key points for each chapter are as follows:

Water and food-borne disorders: Presentations of intestinal infections remained below the 5-year average from week 19 of 2021 to week 8 of 2022, then increased to align with the 5-year average for the remainder of the 2021/22 season. The incidence of non-infective enteritis/colitis and viral hepatitis mostly aligned with the 5-year average.

Environmentally-sensitive disorders: National rates of asthma were mainly at the 5-year average before week 49 of 2021, and then dropped to under the 5-year average for the remainder of the 2020/21 season. Conjunctivitis was mostly at below 5-year average levels, except between week 45 and 49 of 2021. Allergic rhinitis aligned with the 5-year average, with the usual peak occurring between weeks 23 and 25, but the 2021/22 season's peak was higher than the 5-year average. Respiratory/chest symptoms were at or below the 5-year averages.

Respiratory infections: Nationally, all monitored respiratory infections were at or below the 5-year average. The incidence of acute bronchitis, pleurisy, strep throat/peritonsillar abscess, and pertussis was considerably lower than the 5-year average throughout the 2021/22 season. The incidence of common cold, influenza-like illness (ILI), laryngitis/tracheitis, pleurisy, pneumonia, respiratory disorders, acute sinusitis, tonsillitis/pharyngitis, upper respiratory tract infections, lower respiratory tract infections, and acute otitis media was lower than the 5-year average during the winter of the 2021/22 season. The normal winter wave of ILI was absent in the 2021/22 season. The highest rates of common cold, intestinal infections and respiratory disorders were seen in children under 4. The incidence of COVID-19 reached a higher peak in week 1 of 2021, followed by a lower peak in week 12 of 2021.

Vaccine-sensitive disorders: The incidence rates of measles and mumps were below the 5-year average in the 2021/22 season. The incidence rate of rubella was mostly at the 5-year average.

Skin contagions: The incidence rate of most monitored skin infections was below the 5-year average during the 2021/22 season, except for bullous dermatoses, which matched the 5-year average. Chickenpox remained below the 5-year average until week 12 of 2022, after which it began to exceed the average.

Disorders affecting the nervous system: Peripheral neuropathy, musculoskeletal symptoms and meningitis and encephalitis rates were mostly at the 5-year average in the 2021/22 season.

Genitourinary system disorders: The national incidence rate of urinary tract infections was considerably lower than the 5-year average.

7. Episode typing

Episode typing is defined as the episode type recorded by GPs at consultations that differentiate first or new presentations from ongoing care. Episode type is the sole method through which we can differentiate incident cases (first and new presentations) from prevalent cases (ongoing care or reviews) using CMR. The ability to distinguish between incident and prevalent cases would enable a more accurate estimation of disease incidence for surveillance purposes.

At the RSC, we regularly assess the episode typing for six conditions: allergic rhinitis, asthma, bronchitis, influenza-like illness, intestinal infectious diseases, and urinary tract infections. To enhance the quality of episode typing, RSC practices received continuous feedback on the quality of their episode typing and reminders emphasising the importance of data quality. RSC's quality check for episode typing is based on the ratios of incident to prevalent cases. For example, we expect:

- Only a small proportion of people with influenza or influenza-like illness will be seen more than once by their general practitioner. We therefore expect there to be very few follow-ups.
- A higher proportion of people with acute bronchitis and/or bronchiolitis will be followed up.
- Most people with asthma (a long-term condition) will be seen for follow-up/review. In asthma, we anticipate there will be many more reviews than new cases.

The episode typing of the six conditions in the 2021/22 season is shown in Table 4 and Figure 4.

Table 4. Episode typing by disease in the 2021/22 season at the RSC

Disease	First And New (n)	Ongoing (n)	Unknown (n)	Total (n)
Allergic Rhinitis	26,744	10,864	11,280	48,888
Asthma	56,125	238,126	1,432,042	1,726,293
Bronchitis	17,550	6,356	8,248	32,154
Influenza-like illness	4,893	1,028	8,979	14,900
Intestinal Infectious Diseases	25,591	4,912	6,488	36,991
Urinary Tract Infections	59,389	26,129	26,300	111,818
Grand Total	190,292	287,415	1,493,337	1,971,044

*Data source: the RCGP RSC quarterly data feed of December 2022 covering 10th May 2021 to 8th May 2022.




Figure 4. Episode typing by disease in the 2021/22 season at the RSC shown by the percentage of appointments

8. Research Projects

Project name	Funder	Documents
I-MOVE-COVID Multidisciplinary European network for research, prevention and control of the COVID-19 Pandemic	European Commission H2020	Webpage
Health PROS - The impact of automated international comparisons using routine large-scale databases to improve diabetes care	European Commission H2020	
Development of Robust and Innovative Vaccine Effectiveness (DRIVE)	Innovative Medicines Initiative 2 (IMI 2)	
EHDEN European Health Data & Evidence Network (Data Partner)	IMI2	
Data and Connectivity: COVID-19 Vaccine Uptake, Safety and Effectiveness (DaCVaP-2)	Health Data Research UK (HDR UK)	
Remote-by-Default Care in the COVID-19 Pandemic: addressing the micro-, meso-, and macro-level challenges of a radical new service model	ESRC Economic & Social Research Council	
Measuring the use and impact of social prescribing through a common outcomes framework		
The dynamics of frailty in older people: modelling impact on health care demand and	National Institute for Health and Care Research (NIHR) Health and Social	

outcomes to inform service planning and commissioning	Care Delivery Research (HSDR)	
Long Covid Multidisciplinary Consortium: Optimising Treatments and services across the NHS	National Institute for Health and Care Research (NIHR)	
Long Covid Multidisciplinary Consortium: Optimising Treatments and services across the NHS	NIHR	
CASNET2: Evaluation of an e-safety netting cancer template in primary care: a pragmatic stepped-wedge RCT	Cancer Research UK	
Audit-based education to implement NICE Do-Not-Do recommendations in people with cardiometabolic multimorbidity (MONITORY): a cluster randomised trial	NIHR Applied Research Collaborations (ARC)	
Integrated Network for Surveillance, Trials and Investigations into COVID-19 Transmission (INSTINCT)		
Oxford-RCGP RSC quinquagenarian (QQG) practice network. Creating a longitudinal linked sentinel database of 50 years clinical and virology data and prospective research	Wellcome Trust	
IID3 - The third study of Infectious Intestinal Disease in the UK	Food Standards Agency	
The impact of the COVID-19 pandemic on childhood vaccination uptake and vaccine preventable disease in England	University of Oxford COVID-19 Research Response Fund Call 4	
RAPid community Testing fOR COVID-19 (RAPTOR-C19)	University of Oxford MSD: COVID-19 Research Response Fund (SPCR grant)	
Oxford's IREF pilot - Engaging patients		
Effectiveness of the Adjuvanted Trivalent Inactivated Influenza Vaccine in Preventing Influenza-like Illness During the 2018-2019 and 2019-2020 Influenza Season in Adults ≥ 65 Years in the United Kingdom	Seqirus	
Variation in renal function in people with non-valvular atrial fibrillation (NVAf)	B-MSUK Bristol-Myers Squibb Pharmaceuticals Ltd	
Epidemiology of thrombotic thrombocytopenia syndrome in integrated health-care database in England -Secondary data analysis using a cohort design	AstraZeneca	

Epidemiology of thrombotic thrombocytopenia syndrome in integrated health-care database in England -Secondary data analysis using a cohort design	AstraZeneca	
Real-world effectiveness of the Oxford/AstraZeneca COVID-19 vaccine in England (RAVEN)	AstraZeneca	
RSV ComNet: Disease burden of RSV in young children in primary care: Italy, United Kingdom and the Netherlands, winter of 2020/21	NIVEL/Sanofi Pasteur SA	
RSV ComNet: Disease burden of RSV in young children in primary care: Italy, United Kingdom and the Netherlands, winter of 2021/22 (RSV ComNet III)	NIVEL/Sanofi Pasteur SA	

9. RSC Publications

1. De Lusignan S, Hobbs FR, Liyanage H, Sherlock J, Ferreira F, Tripathy M, Heiss C, Feher M, Joy MP. Long term follow up of direct oral anticoagulants and warfarin therapy on stroke, with all-cause mortality as a competing risk, in people with atrial fibrillation: Sentinel network database study. *Plos one*. 2022 Sep 1;17(9):e0265998.
2. Zhou AY, Zghebi SS, Hodgkinson A, Hann M, Grigoroglou C, Ashcroft DM, Esmail A, Chew-Graham CA, Payne R, Little P, Lusignan SD. Investigating the links between diagnostic uncertainty, emotional exhaustion, and turnover intention in General Practitioners working in the United Kingdom. *Frontiers in Psychiatry*. 2022 Jul 26;13:936067.
3. Mathew M, van Vlymen J, Meza-Torres B, Hinton W, Delanerolle G, Yonova I, Feher M, Fan X, Liyanage H, Joy M, Carinci F. The effect of the COVID-19 pandemic on glycemic monitoring and other processes of care for type 2 diabetes: Protocol for a Retrospective Cohort Study. *JMIR Research Protocols*. 2022 Apr 22;11(4):e35971.
4. Whitaker H, Tsang RS, Button E, Andrews N, Byford R, Borrow R, Hobbs FR, Brooks T, Howsam G, Brown K, Macartney J. Sociodemographic disparities in COVID-19 seroprevalence across England in the Oxford RCGP primary care sentinel network. *Journal of Infection*. 2022 Jun 1;84(6):814-24.
5. Heald A, Stedman M, Robinson A, Davies M, Livingston M, Alshames R, Moreno G, Gadsby R, Rayman G, Gibson M, De Lusignan S. Mortality rate associated with diabetes: outcomes from a general practice level analysis in England using the Royal College of General Practitioners (RCGP) database indicate stability over a 15 year period. *Diabetes Therapy*. 2022 Mar;13(3):505-16.
6. Gaudio M, Konstantara E, Joy M, van Vlymen J, de Lusignan S. Valproate prescription to women of childbearing age in English primary care: repeated cross-sectional analyses and retrospective cohort study. *BMC Pregnancy and Childbirth*. 2022 Jan 27;22(1):73.
7. Whitaker HJ, Tsang RS, Byford R, Andrews NJ, Sherlock J, Pillai PS, Williams J, Button E, Campbell H, Sinnathamby M, Victor W. Pfizer-BioNTech and Oxford AstraZeneca COVID-19 vaccine effectiveness and immune response amongst individuals in clinical risk groups. *Journal of Infection*. 2022 May 1;84(5):675-83.

8. Bauwens J, de Lusignan S, Sherlock J, Ferreira F, Künzli N, Bonhoeffer J. Adherence to the paediatric immunisation schedule in England. *Vaccine: X*. 2021 Dec 1;9:100125.
9. Harries M, Macbeth AE, Holmes S, Thompson AR, Chiu WS, Gallardo WR, Messenger AG, Tziotzios C, De Lusignan S. Epidemiology, management and the associated burden of mental health illness, atopic and autoimmune conditions, and common infections in alopecia areata: protocol for an observational study series. *BMJ open*. 2021 Nov 1;11(11):e045718.
10. Carinci F, Štotl I, Cunningham SG, Poljicanin T, Pristas I, Traynor V, Olympios G, Scoutellas V, Azzopardi J, Doggen K, Sandor J. Making use of comparable health data to improve quality of care and outcomes in diabetes: the EUBIROD review of diabetes registries and data sources in Europe. *Frontiers in clinical diabetes and healthcare*. 2021 Oct 11;2:744516.
11. Bauwens J, de Lusignan S, Sherlock J, Ferreira F, Künzli N, Bonhoeffer J. Co-administration of routine paediatric vaccines in England often deviates from the immunisation schedule. *Vaccine: X*. 2021 Dec 1;9:100115.
12. Sinnathamby MA, Warburton F, Andrews N, Boddington NL, Zhao H, Ellis J, Tessier E, Donati M, Elliot AJ, Hughes HE, Byford R. Uptake and impact of vaccinating primary school children against influenza: experiences in the fourth season of the live attenuated influenza vaccination programme, England, 2016/2017. *Influenza and Other Respiratory Viruses*. 2022 Jan;16(1):113-24.
13. de Lusignan S, Joy M, Sherlock J, Tripathy M, van Hecke O, Gbinigie K, Williams J, Butler C, Hobbs FR. PRINCIPLE trial demonstrates scope for in-pandemic improvement in primary care antibiotic stewardship: a retrospective sentinel network cohort study. *BJGP open*. 2021 Oct 1;5(5).
14. Harries M, Macbeth AE, Holmes S, Chiu WS, Gallardo WR, Nijher M, de Lusignan S, Tziotzios C, Messenger AG. The epidemiology of alopecia areata: a population-based cohort study in UK primary care. *British journal of dermatology*. 2022 Feb 1;186(2):257-65.
15. Hinton W, Feher MD, Munro N, Joy M, de Lusignan S. Prescribing sodium-glucose co-transporter-2 inhibitors for type 2 diabetes in primary care: influence of renal function and heart failure diagnosis. *Cardiovascular Diabetology*. 2021 Dec;20:1-8.
16. de Lusignan S, Hinton W, Seidu S, Mathew M, Feher MD, Munro N, Joy M, Carinci F, Hobbs FR, Khunti K. Dashboards to reduce inappropriate prescribing of metformin and aspirin: A quality assurance programme in a primary care sentinel network. *Primary Care Diabetes*. 2021 Dec 1;15(6):1075-9.
17. Mayor N, Tsang R, Joy M, Hobbs FR, de Lusignan S. Long covid: coding is caring. *bmj*. 2021 May 19;373.
18. Zarif A, Joy M, Sherlock J, Sheppard JP, Byford R, Akinyemi O, Bankhead CR, Deeks A, Ferreira F, Jones N, Liyanage H. The impact of primary care supported shielding on the risk of mortality in people vulnerable to COVID-19: English sentinel network matched cohort study. *Journal of Infection*. 2021 Aug 1;83(2):228-36.
19. Espinosa-Gonzalez AB, Neves AL, Fiorentino F, Prociuk D, Husain L, Ramtale SC, Mi E, Mi E, Macartney J, Anand SN, Sherlock J. Predicting risk of hospital admission in patients with suspected COVID-19 in a community setting: protocol for development and validation of a multivariate risk prediction tool. *JMIR research protocols*. 2021 May 25;10(5):e29072.
20. Hinton W, Nemeth B, de Lusignan S, Field B, Feher MD, Munro N, Roberts LN, Arya R, Whyte MB. Effect of type 1 diabetes and type 2 diabetes on the risk of venous thromboembolism. *Diabetic medicine*. 2021 May;38(5):e14452.

21. Irving P, Barrett K, Tang D, Nijher M, De Lusignan S. Common infections, mental health problems and healthcare use in people with inflammatory bowel disease: a cohort study protocol. *BMJ Ment Health*. 2021 May 1;24(2):82-7.

10. Contributors

University of Oxford

Xinchun Gu, Cecilia Okusi, Uy Hoang, Shuma Banik, Karina O'Neill, Filipa Ferreira, Simon de Lusignan

UK Health Security Agency

Conall Watson, Nick Andrews, Maria Zambo, Jamie Lopez-Bernal

Royal College of General Practitioner

Nicholas Thomas, Will Victor, Duleep Allirajah

XG wrote this report. CO completed the data extraction and visualisation. SdeL, UH, SB, KO, and FF contributed to the report. JLB, MZ, NA, and CW managed the surveillance services during the season. SdeL, DA, WV, and NT managed the RCGP RSC work.

11. References

1. de Lusignan S, Correa A, Smith GE, et al. RCGP Research and Surveillance Centre: 50 years' surveillance of influenza, infections, and respiratory conditions. *Br J Gen Pract* 2017;67(663):440-41. doi: 10.3399/bjgp17X692645
2. de Lusignan S, Lopez Bernal J, Zambon M, et al. Emergence of a Novel Coronavirus (COVID-19): Protocol for Extending Surveillance Used by the Royal College of General Practitioners Research and Surveillance Centre and Public Health England. *JMIR Public Health Surveill* 2020;6(2):e18606. doi: 10.2196/18606 [published Online First: 20200402]
3. Leston M, Elson WH, Watson C, et al. Representativeness, Vaccination Uptake, and COVID-19 Clinical Outcomes 2020-2021 in the UK Oxford-Royal College of General Practitioners Research and Surveillance Network: Cohort Profile Summary. *JMIR Public Health Surveill* 2022;8(12):e39141. doi: 10.2196/39141 [published Online First: 20221219]
4. de Lusignan S, Jones N, Dorward J, et al. The Oxford Royal College of General Practitioners Clinical Informatics Digital Hub: Protocol to Develop Extended COVID-19 Surveillance and Trial Platforms. *JMIR Public Health Surveill* 2020;6(3):e19773. doi: 10.2196/19773 [published Online First: 20200702]
5. Annual flu programme 2013 [cited 2024 27 June]. Available from: <https://www.gov.uk/government/collections/annual-flu-programme> accessed 27 June 2024.
6. de Lusignan S, Hoghton M, Rafi I. Flu vaccination by pharmacists leads to suboptimal medical records. *BMJ* 2017;359:j5084. doi: 10.1136/bmj.j5084
7. Whitaker HJ, Tsang RSM, Byford R, et al. Pfizer-BioNTech and Oxford AstraZeneca COVID-19 vaccine effectiveness and immune response amongst individuals in clinical risk groups. *J Infect* 2022;84(5):675-83. doi: 10.1016/j.jinf.2021.12.044 [published Online First: 20220103]
8. Whitaker HJ, Hassell K, Hoschler K, et al. Influenza vaccination during the 2021/22 season: A data-linkage test-negative case-control study of effectiveness against influenza requiring emergency care in England and serological analysis of primary care patients. *Vaccine* 2024;42(7):1656-64. doi: 10.1016/j.vaccine.2024.02.006 [published Online First: 20240210]
9. Jennifer Brown, Esme Kirk-Wade, Carl Baker, et al. Coronavirus: A history of English lockdown laws [Available from: <https://commonslibrary.parliament.uk/research-briefings/cbp-9068/>].

12.Appendices

Appendix A

Representativeness of the Oxford-RCGP RSC


This section shows the demographic (age and gender) breakdown of our sample population, and how it compares with that of England as a whole. This report covers the period 10th May 2021 to the 8th of May 2022 (ISO Week 19 of 2021 to ISO Week 18 of 2022). This includes all patients who were registered for at least one week during the reporting period, within a practice from the RCGP RSC network for which we received data.

Age Sex Breakdown by NHS Region

NHS Region	Gender	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	F						1			
North West	F									
East of England	F				6					
London	F				5					5
Midlands	F									4
South East	F									
South West	F									
National	F				3					

We work very hard to ensure that the demographics of our sample population closely resemble the country as a whole. This correspondence can be seen in the age-sex profile below; the bars show the number of patients within our dataset, broken down by gender and age-band, and the lines show the distribution of the corresponding population of England as a whole.


Age Sex Profile



The trends of sum of MalePop, sum of MaleONS, sum of FemalePop and sum of FemaleONS for Age in 5-year age bands. Color shows details about Gender.

As can be seen from the map below, practices within the Network are spread across England in order to reflect the distribution of the population as a whole. We vary our priorities for recruiting to try to ensure an even spread of practices.

Distribution of RSC practices among NHS regions in England



NHS Regions

- East of England
- London
- Midlands
- North East and Yorkshire
- North West
- South East
- South West


Appendix B

Weekly incidence of the conditions monitored
by the Oxford-RCGP RSC


1. Water and Food Borne Disorders:




Intestinal Infections (All ages) (ICD10 : A00-A09)



Intestinal Infections (0-4 years) (ICD10 : A00-A09)




Non-infective Enteritis / Colitis (ICD10 : K50-K52)






Viral Hepatitis (ICD10 : B15-B19)




2. Environmentally Sensitive Disorders:

■ National
 ■ East of England
 ■ North East and Yorkshire
 ■ South East
 ■ 5yr Avg
■ London
 ■ Midlands
 ■ North West
 ■ South West


Asthma (ICD10 : J45 - J46)




Conjunctivitis (ICD10 : H10 - H13)




Hayfever/Allergic Rhinitis (ICD10: J30)






Respiratory / chest symptoms (ICD10 : R05 - R07; R09)




3. Respiratory Infections:

■ National ■ East of England ■ North East and Yorkshire ■ South East ■ 5yr Avg
■ London ■ Midlands ■ North West ■ South West


Acute Bronchitis (ICD10: J20-J21,J4)



Common Cold (ICD10 : R05 - R07; R09)




Influenza-like illness (ICD10 : J09 - J11)







Laryngitis / Tracheitis (ICD10 : J04)



Pleurisy (ICD10 : R091)




Pneumonia / Pneumonitis (ICD10 : J12 - J18)




■ National
 ■ East of England
 ■ North East and Yorkshire
 ■ South East
 ■ 5yr Avg
■ London
 ■ Midlands
 ■ North West
 ■ South West


Respiratory disorders (ICD10 : J00-J99)




Acute Sinusitis (ICD10 : J01)




Strep throat / peritonsillar abscess (ICD10 : A38; J020; J36)






Upper Respiratory Tract Infections (ICD10 : J00 - J06)




■ National
 ■ East of England
 ■ North East and Yorkshire
 ■ South East
 ■ 5yr Avg
■ London
 ■ Midlands
 ■ North West
 ■ South West


Infectious Mononucleosis (ICD10 : B27)



Lower Respiratory Tract Infections (ICD10 : J20-J22)




Acute Otitis Media (ICD10 : H650 - H651; H660; H669)




4. Vaccine Sensitive Disorders:




Measles (ICD10 : B05)



Mumps (ICD10 : B26)




Rubella (ICD10 : B06)




5. Skin Contagions:




Bullous Dermatoses (ICD10 : L10 - L14)







Chickenpox (ICD10 : B01)




Herpes Simplex (ICD10 : B00)








Skin symptoms (ICD10 : R20 - R23)




Impetigo (ICD10 - L01)




6. Disorders Affecting the Nervous System:

■ National ■ East of England ■ North East and Yorkshire ■ South East ■ 5yr Avg
■ London ■ Midlands ■ North West ■ South West


Peripheral Neuropathy (ICD10 : G50 - G64; G70 - G72)



Meningitis and Encephalitis (ICD10 : A170 - A171; A 390; A83 - A85; A87; G00 - G05)




Musculoskeletal symptoms (ICD10 : R25 - R29)







7. Genitourinary System Disorders:




Urinary Tract Infections (ICD10 : N30; N390)




Weekly disease incidence by age group







Common Cold




Intestinal Infections



Influenza-like illness






Appendix C


Disparities in the presentation of monitored conditions
by age and gender, ethnicity, socioeconomic status
(measured using IMD) and rurality

Intestinal Infections (ICD10 : A00-A09)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Viral Hepatitis (ICD10 : B15-B19)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group







Conurbation, Urban and Rural Living



Non-infective Enteritis / Colitis (ICD10 : K50-K52)


Age-sex profile




2. Environmentally Sensitive Disorders:

Asthma (ICD10 : J45 - J46)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Respiratory / chest symptoms (ICD10 : R05 - R07; R09)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Hayfever/Allergic Rhinitis (ICD10: J30)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Conjunctivitis (ICD10 : H10 - H13)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




3. Respiratory Infections:

Acute Bronchitis (ICD10: J20-J21,J4)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Common Cold (ICD10 : R05 - R07; R09)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Influenza-like illness (ICD10 : J09 - J11)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Laryngitis / Tracheitis (ICD10 : J04)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Pleurisy (ICD10 : R091)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Pneumonia / Pneumonitis (ICD10 : J12 - J18)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group







Conurbation, Urban and Rural Living




Respiratory disorders (ICD10 : J00-J99)

Age-sex profile




Acute Sinusitis (ICD10 : J01)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Strep throat / peritonsillar abscess (ICD10 : A38; J020; J36)


Age-sex profile



Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Tonsillitis / Pharyngitis (ICD10 : J02 - J03)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Upper Respiratory Tract Infections (ICD10 : J00 - J06)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Pertussis (ICD10 : A37)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Infectious Mononucleosis (ICD10 : B27)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Lower Respiratory Tract Infections (ICD10 : J20-J22)

Age-sex profile




Age Band	Condition Female Rate	Condition Male Rate	Condition Female Population	Condition Male Population
<1yr	4.18	7.78	3,329	4,967
1-4yrs	10.21	16.47	8,142	10,514
5-14yrs	3.10	5.32	2,469	3,397
15-24yrs	5.06	3.58	4,033	2,286
25-44yrs	17.28	10.95	13,772	6,986
45-64yrs	24.86	19.87	19,820	12,679
65-74yrs	13.09	14.05	10,437	8,967
75-84yrs	12.47	13.79	9,944	8,803
85+yrs	9.75	8.18	7,775	5,220


Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Acute Otitis Media (ICD10 : H650 - H651; H660; H669)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




4. Vaccine Sensitive Disorders:

Measles (ICD10 : B05)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Mumps (ICD10 : B26)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Rubella (ICD10 : B06)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




5. Skin Contagions:

Bullous Dermatoses (ICD10 : L10 - L14)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Chickenpox (ICD10 : B01)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Herpes Simplex (ICD10 : B00)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Herpes Zoster (ICD10 : B02)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Skin / subcutaneous infections (ICD10 : L00 - L08)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group







Conurbation, Urban and Rural Living




Scabies (ICD10 : B86)

Age-sex profile




Skin symptoms (ICD10 : R20 - R23)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group







Conurbation, Urban and Rural Living



Impetigo (ICD10 - L01)


Age-sex profile




6. Disorders Affective the Nervous System:

Peripheral Neuropathy (ICD10 : G50 - G64; G70 - G72)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Meningitis and Encephalitis (ICD10 : A170 - A171; A 390; A83 - A85; A87; G00 - G05)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Musculoskeletal symptoms (ICD10 : R25 - R29)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group







Conurbation, Urban and Rural Living



7. Genitourinary System Disorders

Urinary Tract Infections (ICD10 : N30; N390)

Age-sex profile



Appendix D

Numeric data tables matching Appendix B

These data tables show the incidence of monitored diseases by age, gender and region, by 4-week period, quarter and year. We are also including disparities for each individual condition.

1. Water and Food Borne Disorders:

Mean weekly incidence rate per 100,000 Persons.

Intestinal Infectious Diseases (ICD10: A00-A09)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	31	20	7	4	4	5	5	8	7	34	22	8	4	5	4	5	11	10
	2	26	29	8	4	4	5	7	7	10	35	29	8	5	6	7	6	10	9
	3	51	35	8	5	4	5	6	7	10	50	35	8	6	6	6	6	10	10
	4	59	38	6	4	4	5	7	8	7	57	41	7	6	6	5	6	10	9
	5	71	48	9	4	4	4	4	8	10	66	47	9	6	5	5	7	8	13
	6	71	58	10	4	4	4	6	8	10	70	50	9	5	6	5	7	8	9
	7	58	53	10	4	3	4	6	7	8	61	48	12	5	6	5	8	8	10
	8	84	65	12	3	4	4	5	6	7	57	54	14	5	6	5	4	6	11
	9	44	29	8	3	3	3	5	6	11	40	30	8	4	4	4	6	7	11
	10	65	57	12	4	3	4	4	6	8	36	41	13	6	6	5	6	8	10
	11	71	65	13	5	4	4	5	7	7	67	56	16	6	6	4	6	7	9
	12	83	69	18	4	4	5	4	7	11	71	68	18	7	6	5	6	7	7
	13	65	58	15	5	4	3	4	9	11	61	52	14	6	7	5	5	8	10
Quarter	1	36	28	7	4	4	5	6	7	9	39	28	8	5	6	6	5	10	10
	2	68	48	8	4	4	4	6	8	9	65	46	9	6	6	5	7	9	10
	3	62	51	11	3	3	4	5	6	8	48	43	12	5	5	5	6	7	11
	4	72	64	15	5	4	4	4	7	10	64	58	16	6	7	5	6	7	9
Year	21/22	60	48	10	4	4	4	5	7	9	54	44	11	6	6	5	6	8	10
Episodes	F/N	811	3,058	1,857	677	1,627	1,635	705	590	248	701	2,660	1,870	934	2,400	1,857	840	808	446

Mean weekly incidence rate per 100,000 Persons.

Intestinal Infectious Diseases (ICD10: A00-A09)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	49	27	7	3	4	6	6	5	12	53	21	5	5	5	8	5	9	10
		2	77	52	5	1	4	5	7	9	8	74	47	7	8	6	5	5	11	15
		3	69	50	8	2	3	4	4	5	8	47	41	13	5	6	5	9	7	8
		4	84	60	14	3	4	4	4	8	14	58	56	14	7	5	6	7	7	13
	Year	21/22	70	47	9	2	4	5	5	7	11	58	41	10	6	5	6	6	8	12
	Episodes	F/N	74	235	129	31	126	162	68	53	26	59	200	137	84	168	193	86	80	49
North West	Quarter	1	46	35	8	6	5	6	8	8	9	52	31	9	5	8	7	8	14	14
		2	69	61	8	6	5	4	8	9	18	85	58	11	7	7	6	9	11	14
		3	95	65	12	4	4	5	5	8	9	64	54	11	5	6	6	6	8	12
		4	71	72	18	6	5	5	5	9	13	67	73	21	7	9	6	8	13	12
	Year	21/22	71	59	12	5	5	5	6	9	12	67	55	13	6	7	6	8	11	13
	Episodes	F/N	175	682	383	176	353	354	157	122	53	156	604	405	194	512	401	201	190	95
East of England	Quarter	1	31	14	5	2	2	2	5	4	3	17	10	6	4	4	2	2	5	8
		2	66	30	7	5	3	3	6	5	12	96	31	3	6	2	3	2	6	7
		3	47	26	3	2	2	3	4	4	3	30	25	6	2	4	3	3	4	12
		4	124	30	6	6	4	4	2	4	3	25	41	9	5	4	3	3	4	4
	Year	21/22	66	25	5	3	3	3	4	4	5	42	26	6	4	3	3	2	5	8
	Episodes	F/N	36	65	41	24	40	47	26	17	7	21	65	44	26	55	46	15	22	17
Midlands	Quarter	1	22	23	7	5	4	4	6	7	7	42	36	7	4	4	4	5	9	4
		2	62	41	8	3	3	4	4	8	6	45	41	7	4	6	5	6	7	10
		3	51	47	9	3	3	3	4	8	12	45	32	13	5	5	4	6	9	10
		4	69	61	13	3	3	4	4	6	9	70	56	14	6	5	4	4	5	7
	Year	21/22	51	43	9	4	3	4	4	7	9	51	41	10	5	5	4	5	8	8
	Episodes	F/N	101	414	246	93	187	225	91	99	38	96	371	256	114	288	245	122	125	56
London	Quarter	1	39	30	10	4	3	5	6	11	8	28	31	11	6	5	6	5	14	10
		2	65	53	11	4	4	5	5	8	2	53	42	12	7	6	8	10	7	10
		3	48	64	18	4	4	4	6	6	12	53	58	17	6	5	5	5	7	14
		4	70	83	24	6	4	5	6	5	9	92	66	21	8	7	5	6	9	9
	Year	21/22	56	58	16	5	4	5	6	7	8	57	50	16	7	6	6	7	9	11
	Episodes	F/N	161	724	481	142	406	291	70	45	17	159	595	452	220	627	316	86	71	40
South East	Quarter	1	31	24	6	3	3	4	5	6	8	37	25	6	4	5	5	4	8	9
		2	59	43	8	4	4	4	6	7	9	59	42	7	4	5	4	7	7	7
		3	55	42	9	3	2	3	5	6	7	41	40	11	5	5	4	6	7	8
		4	82	55	13	4	5	3	5	8	8	48	47	13	7	6	4	5	5	8
	Year	21/22	58	41	9	3	4	3	5	7	8	46	39	10	5	5	4	6	7	8
	Episodes	F/N	172	600	379	139	316	316	173	141	61	131	525	381	198	472	390	197	171	98
South West	Quarter	1	34	33	7	5	4	5	6	9	14	41	29	8	6	6	5	5	10	12
		2	85	41	7	3	4	4	5	7	7	73	49	7	6	5	5	6	9	10
		3	61	39	7	2	4	4	5	5	4	37	30	7	3	4	5	4	7	13
		4	41	53	11	3	4	4	4	8	10	47	50	12	3	6	4	5	6	8
	Year	21/22	56	42	8	3	4	4	5	7	9	49	39	8	5	5	5	5	8	11
	Episodes	F/N	92	338	198	72	199	240	120	113	46	79	300	195	98	278	266	133	149	91

Mean weekly incidence rate per 100,000 Persons.

		Viral Hepatitis (ICD10: B15-B19)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0
	2	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	1	1	0	0	0	1	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0
	10	1	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0
	11	0	0	0	0	1	1	0	0	0	1	0	0	0	0	0	0	0	0
	12	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
	13	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Quarter	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
Year	21/22	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
Episodes	F/N	2	1	3	26	240	229	42	12	2	2	5	3	17	159	120	24	10	3

Mean weekly incidence rate per 100,000 Persons.

Viral Hepatitis (ICD10: B15-B19)

			M									F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	
North East and Yorkshire	Quarter	1	4	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	0	0	
		2	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	
		3	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	
		4	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	
	Year	21/22	1	0	0	0	1	1	0	0	0	0	0	0	0	1	0	0	0	0	
	Episodes	F/N	1	0	2	3	41	22	4	1	0	0	0	0	2	17	6	2	1	0	
North West	Quarter	1	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	
		2	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	
		3	1	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	0	0	
		4	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	
	Year	21/22	0	0	0	0	1	1	0	0	0	0	0	0	0	0	1	0	0	0	
	Episodes	F/N	1	1	0	7	48	74	12	3	0	0	1	2	5	25	34	4	5	0	
East of England	Quarter	1	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	
		4	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	1	1	0	
	Year	21/22	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	0	0	0	1	9	1	0	0	0	0	0	0	6	6	2	1	0	
Midlands	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
		3	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
		4	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	
	Year	21/22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	0	0	3	28	22	4	0	0	0	2	0	2	23	10	2	1	2	
London	Quarter	1	0	0	0	0	1	1	1	1	0	0	0	0	0	1	1	0	0	0	
		2	0	0	0	0	0	1	0	0	0	1	0	0	0	0	1	0	0	0	
		3	0	0	0	0	0	1	1	1	0	0	0	0	0	0	1	1	0	0	
		4	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	1	0	0	
	Year	21/22	0	0	0	0	1	1	1	1	0	0	0	0	0	0	1	1	0	0	
	Episodes	F/N	0	0	1	7	59	52	8	4	0	1	0	0	3	47	36	9	0	0	
South East	Quarter	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
		2	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		4	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	
	Year	21/22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	0	0	6	42	27	7	3	1	0	1	1	3	24	17	3	2	0	
South West	Quarter	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
		2	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		4	0	0	0	0	0	1	1	0	0	2	1	0	0	0	0	0	0	0	
	Year	21/22	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	0	0	0	21	23	6	1	1	1	1	0	2	17	11	2	0	1	

Mean weekly incidence rate per 100,000 Persons.

Non-infective Enteritis and Colitis (ICD10: K50-K52)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	108	23	8	10	9	10	16	15	13	108	23	8	12	11	11	11	18	16
	2	93	41	11	8	10	11	15	19	19	92	39	10	13	12	12	13	19	14
	3	113	52	11	8	9	11	16	18	13	98	48	8	12	12	12	14	19	15
	4	137	58	9	11	10	10	16	18	14	118	52	9	14	12	12	13	17	18
	5	144	64	14	10	9	11	12	14	18	123	62	10	12	13	12	12	19	18
	6	158	85	15	10	10	11	14	18	17	134	69	11	13	12	12	15	16	19
	7	130	80	16	11	9	10	13	16	15	136	60	15	12	13	12	16	18	18
	8	176	96	19	9	11	10	12	15	18	127	81	18	11	13	11	12	14	16
	9	102	44	14	8	7	8	11	14	12	83	45	11	9	10	10	12	16	18
	10	139	74	18	10	10	10	13	16	20	125	64	17	12	12	13	13	16	18
	11	163	102	24	12	10	10	12	19	15	133	88	22	15	14	13	13	18	14
	12	157	103	30	10	11	11	12	18	18	151	107	28	15	15	12	12	16	15
	13	134	80	27	11	9	9	13	15	16	122	76	22	14	14	10	12	17	18
Quarter	1	105	39	10	9	9	11	16	17	15	99	37	9	12	12	12	13	18	15
	2	145	69	12	10	10	10	14	16	16	124	61	10	13	12	12	14	17	18
	3	137	72	17	9	9	9	12	15	16	118	62	16	11	12	11	13	17	18
	4	151	95	27	11	10	10	12	17	17	134	89	24	14	14	12	13	17	16
Year	21/22	135	69	17	10	10	10	13	16	16	119	62	15	12	13	12	13	17	17
Episodes	F/N	1,824	4,408	2,969	1,692	4,182	3,874	1,799	1,358	437	1,541	3,784	2,482	2,109	5,277	4,354	1,845	1,677	757

Mean weekly incidence rate per 100,000 Persons.

Non-infective Enteritis and Colitis (ICD10: K50-K52)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	90	39	10	7	9	10	14	26	24	94	33	5	9	12	15	15	24	11
		2	185	78	10	9	13	11	14	15	16	136	61	9	16	13	15	10	20	23
		3	149	68	16	11	10	12	18	17	22	133	58	13	11	15	13	17	15	17
		4	136	86	23	11	13	12	15	21	28	154	78	20	14	15	15	17	22	22
	Year	21/22	141	68	15	10	11	11	15	20	23	130	58	12	13	14	14	15	20	19
	Episodes	F/N	148	339	216	130	370	385	201	156	56	132	281	171	165	424	478	205	190	77
North West	Quarter	1	136	52	12	10	12	13	16	17	12	148	47	12	14	15	16	17	26	17
		2	170	98	11	11	12	12	16	22	19	183	82	12	15	14	15	17	19	25
		3	215	99	19	11	11	10	14	19	21	127	75	18	12	15	14	16	19	19
		4	168	109	32	12	11	12	13	20	23	153	115	33	15	18	14	19	22	24
	Year	21/22	174	90	19	11	12	12	14	20	19	152	81	19	14	15	14	17	21	21
	Episodes	F/N	427	1,046	610	354	860	801	359	279	83	352	887	569	455	1,085	945	442	361	157
East of England	Quarter	1	115	17	7	8	9	11	18	16	16	83	16	4	14	11	11	10	15	10
		2	154	42	10	6	8	8	8	14	18	128	44	5	6	11	9	10	14	17
		3	162	35	13	4	9	10	8	13	6	121	35	12	9	7	8	9	16	20
		4	178	56	15	13	8	9	10	7	10	143	62	17	13	11	9	8	14	10
	Year	21/22	153	37	11	8	8	9	11	13	12	119	39	9	10	10	9	9	15	14
	Episodes	F/N	83	96	86	53	132	160	68	50	16	59	96	70	66	158	156	60	67	30
Midlands	Quarter	1	96	33	10	12	10	9	13	16	14	119	46	7	10	9	9	16	13	15
		2	137	52	12	9	9	10	13	11	14	110	53	9	10	13	11	14	17	11
		3	121	68	14	9	9	9	9	13	12	108	46	14	12	11	10	11	18	17
		4	148	84	21	9	10	10	12	17	17	128	80	20	10	16	8	11	15	12
	Year	21/22	126	60	14	10	9	9	12	14	14	116	56	13	11	12	10	13	16	14
	Episodes	F/N	247	570	378	251	539	539	251	199	62	220	508	323	253	688	542	293	256	98
London	Quarter	1	84	45	16	8	8	10	17	13	16	84	47	14	13	10	12	13	22	21
		2	125	74	19	11	8	10	16	18	15	104	65	15	14	11	11	16	17	20
		3	108	91	27	9	8	10	16	17	27	106	89	25	12	10	12	15	16	24
		4	150	127	44	15	9	9	16	14	12	145	101	32	17	15	14	13	18	12
	Year	21/22	118	85	27	11	8	10	16	16	18	111	77	22	14	11	12	14	18	19
	Episodes	F/N	338	1,057	808	344	945	584	198	96	39	307	914	635	469	1,182	637	186	140	70
South East	Quarter	1	117	30	7	7	10	10	18	16	13	93	27	8	11	13	10	10	14	15
		2	143	60	11	9	9	10	14	19	16	111	48	8	10	12	11	15	15	16
		3	107	55	13	8	8	9	11	16	15	126	54	13	10	13	12	14	15	18
		4	160	84	23	10	11	9	13	18	15	121	80	20	15	13	12	11	15	16
	Year	21/22	132	58	14	8	9	10	14	17	15	114	53	13	12	13	11	13	15	16
	Episodes	F/N	393	844	571	343	855	891	446	360	109	322	713	501	455	1,111	992	431	372	198
South West	Quarter	1	89	39	8	9	9	10	15	17	17	54	25	5	14	11	12	9	17	15
		2	124	64	11	11	9	9	14	12	13	106	62	8	13	13	11	10	16	17
		3	126	49	13	9	10	8	9	13	12	110	42	9	10	13	10	9	16	15
		4	115	72	17	10	9	9	8	14	12	98	72	14	11	11	10	8	14	12
	Year	21/22	114	56	12	10	9	9	12	14	14	93	50	9	12	12	11	9	16	15
	Episodes	F/N	188	456	300	217	481	514	276	218	72	149	385	213	246	629	604	228	291	127

2. Environmentally Sensitive Disorders:

Mean weekly incidence rate per 100,000 Persons.

Asthma (ICD10: J45-J46)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	2	15	17	7	9	11	13	14	13	0	10	12	13	17	19	21	17	15
	2	0	14	21	10	11	14	12	11	9	0	11	15	15	21	24	24	19	13
	3	0	15	20	11	10	13	11	12	11	0	8	11	14	18	22	19	19	14
	4	1	10	13	10	10	12	13	15	9	0	10	9	13	17	21	20	18	10
	5	0	19	23	12	11	14	18	15	11	0	10	16	18	22	25	23	20	14
	6	1	20	25	14	14	16	16	16	16	0	17	22	26	30	31	31	22	14
	7	0	25	27	15	14	15	15	14	8	0	13	23	25	26	32	28	24	18
	8	0	22	32	14	14	17	16	17	19	0	14	22	23	31	33	28	25	20
	9	0	13	21	10	9	11	11	10	9	1	9	11	15	19	21	21	20	12
	10	0	19	27	9	10	13	15	15	15	0	11	18	16	20	25	23	21	21
	11	0	18	20	10	10	14	13	14	14	0	9	15	20	18	25	23	22	9
	12	0	19	23	9	10	12	12	11	11	0	14	17	18	21	25	20	17	15
	13	1	15	19	9	9	12	12	13	8	0	12	14	16	17	23	23	22	12
Quarter	1	1	15	19	10	10	12	12	12	11	0	10	13	14	18	22	22	18	14
	2	1	17	21	12	12	14	16	15	11	0	12	16	20	23	26	24	20	13
	3	0	19	27	12	12	14	15	15	13	0	12	18	20	24	28	25	23	18
	4	0	17	21	10	10	13	13	13	11	0	12	16	18	19	25	22	20	13
Year	21/22	0	17	22	11	11	13	14	14	12	0	11	16	18	21	25	23	20	14
Episodes	F/N	5	1,091	3,967	1,873	4,730	5,077	1,844	1,117	324	1	685	2,683	3,010	8,846	9,276	3,310	2,002	655

Mean weekly incidence rate per 100,000 Persons.

Asthma (ICD10: J45 - J46)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	17	19	10	7	10	9	6	5	0	15	12	16	19	19	17	12	7
		2	0	24	17	10	12	14	11	7	13	0	12	17	18	27	25	20	12	11
		3	0	23	29	11	14	16	17	12	16	4	9	18	20	30	31	22	17	18
		4	0	22	19	5	10	13	7	9	9	0	13	17	17	19	23	23	12	7
	Year	21/22	0	21	21	9	11	13	11	9	11	1	12	16	18	24	25	21	13	11
	Episodes	F/N	0	107	307	120	350	458	146	67	27	1	60	226	231	752	824	288	125	44
North West	Quarter	1	0	22	20	10	11	14	13	12	9	0	9	13	15	22	25	22	19	16
		2	2	19	22	10	13	14	16	13	8	0	11	16	22	25	26	24	17	10
		3	0	25	29	13	13	15	14	13	13	0	14	19	20	27	29	28	24	19
		4	2	19	26	11	12	14	17	15	9	0	16	16	20	22	27	24	24	17
	Year	21/22	1	21	24	11	12	14	15	13	10	0	13	17	19	24	27	25	21	15
	Episodes	F/N	2	245	792	362	916	981	371	187	44	0	139	505	623	1,706	1,759	632	363	114
East of England	Quarter	1	0	9	12	6	6	11	8	5	6	0	11	6	8	10	15	20	16	4
		2	0	10	13	15	7	9	6	8	9	0	6	10	12	14	21	15	15	9
		3	0	13	21	9	7	11	9	8	3	0	12	20	11	15	19	12	13	9
		4	0	19	14	6	9	11	7	4	6	0	18	12	13	17	21	19	13	14
	Year	21/22	0	13	15	9	7	10	8	6	6	0	12	12	11	14	19	16	14	9
	Episodes	F/N	0	33	117	62	110	178	46	25	8	0	29	90	69	223	315	106	65	19
Midlands	Quarter	1	0	13	20	11	11	12	13	8	14	0	12	15	15	18	19	21	18	14
		2	0	16	20	13	13	12	16	13	18	0	13	16	19	23	24	25	22	12
		3	0	24	25	11	10	12	13	13	17	0	14	16	20	22	26	21	18	15
		4	0	21	19	8	9	11	9	11	9	0	13	15	17	17	21	18	16	14
	Year	21/22	0	19	21	11	11	12	12	11	15	0	13	16	18	20	23	21	19	14
	Episodes	F/N	0	180	565	269	617	684	271	156	64	0	119	392	428	1,117	1,289	485	304	99
London	Quarter	1	0	16	24	12	11	15	18	22	35	0	10	15	15	17	27	31	27	28
		2	0	17	26	16	11	15	20	25	11	0	13	17	17	21	31	35	29	22
		3	0	16	34	15	12	15	21	21	23	0	11	18	22	21	31	30	31	25
		4	0	13	28	12	9	14	19	15	20	0	10	19	17	17	27	30	24	20
	Year	21/22	0	15	28	14	11	15	19	21	22	0	11	18	18	19	29	32	27	24
	Episodes	F/N	0	190	850	433	1,199	871	238	127	48	0	130	507	588	1,968	1,523	416	216	87
South East	Quarter	1	1	12	18	9	10	11	12	16	8	0	6	11	14	18	21	23	19	13
		2	1	13	21	11	14	16	21	21	13	0	12	19	21	23	29	27	26	15
		3	0	14	22	11	12	15	15	16	10	0	11	18	19	26	28	28	26	17
		4	0	17	19	10	9	13	13	15	9	0	9	14	21	20	26	23	26	11
	Year	21/22	1	14	20	10	11	14	15	17	10	0	9	16	19	22	26	25	24	14
	Episodes	F/N	2	200	848	418	1,002	1,253	495	355	75	0	128	629	739	1,948	2,313	864	600	175
South West	Quarter	1	3	11	16	7	8	12	11	12	9	0	11	11	12	19	20	19	17	14
		2	0	18	17	9	10	10	11	11	6	0	14	15	21	21	20	19	15	10
		3	0	22	30	13	12	13	13	16	13	0	9	17	16	26	26	25	23	19
		4	0	16	17	9	10	12	11	11	16	0	7	15	13	20	23	19	17	11
	Year	21/22	1	17	20	10	10	12	12	13	11	0	10	15	16	22	22	20	18	14
	Episodes	F/N	1	136	488	209	536	652	277	200	58	0	80	334	332	1,132	1,253	519	329	117

Mean weekly incidence rate per 100,000 Persons.

		Symptoms involving Respiratory & Chest (ICD10: R05-R07,R09)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	731	640	106	51	73	105	156	214	267	510	564	101	106	113	140	167	207	240
	2	789	651	103	60	76	106	146	194	250	624	609	99	107	119	143	173	202	224
	3	714	497	78	63	79	99	146	198	246	585	475	75	106	117	135	163	200	235
	4	540	356	43	83	73	101	145	198	236	470	312	45	128	104	136	158	208	232
	5	589	473	103	128	84	118	159	206	249	429	371	103	213	138	158	175	220	234
	6	904	765	177	136	103	143	192	235	326	673	683	180	260	191	212	214	251	318
	7	896	720	160	117	113	160	207	257	330	673	669	147	205	200	228	232	278	311
	8	837	696	196	108	118	159	216	263	330	706	639	191	182	216	237	251	273	317
	9	558	296	85	81	97	140	199	223	283	461	289	83	137	168	200	216	250	296
	10	528	434	126	85	97	141	190	238	314	413	381	124	161	167	188	214	246	283
	11	547	416	106	86	97	142	201	255	319	388	379	106	156	153	185	216	255	278
	12	621	485	138	95	101	145	210	268	333	491	468	139	164	172	205	230	277	303
	13	469	355	92	72	80	127	179	227	297	433	307	93	127	140	173	196	242	258
Quarter	1	745	596	96	58	76	103	149	202	254	573	549	92	106	116	139	168	203	233
	2	692	545	110	115	88	122	168	216	273	539	471	111	200	147	171	183	230	263
	3	697	527	143	98	107	151	203	244	312	559	487	136	170	189	215	231	262	302
	4	549	422	112	84	93	138	197	250	318	437	386	114	150	156	187	214	257	282
Year	21/22	669	522	116	90	92	130	180	229	290	526	472	114	158	154	180	200	239	271
Episodes	F/N	9,038	33,263	20,611	15,407	39,835	49,884	24,129	18,860	7,976	6,792	28,610	19,275	26,663	63,985	66,425	28,324	23,430	12,309

Mean weekly incidence rate per 100,000 Persons.

Symptoms involving Respiratory and Chest (ICD10: R05 - R07; R09)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	863	697	103	73	87	130	162	216	293	663	667	104	142	138	156	185	228	264
		2	849	630	133	132	106	136	183	230	280	748	529	125	256	184	194	203	239	284
		3	973	644	179	126	143	187	235	267	372	673	560	166	233	253	259	280	290	334
		4	667	428	111	88	110	161	213	267	346	482	384	131	181	180	209	241	264	292
	Year	21/22	837	598	132	105	112	154	199	246	324	641	533	132	204	190	206	228	256	294
	Episodes	F/N	880	2,978	1,926	1,425	3,630	5,270	2,643	1,940	800	652	2,589	1,863	2,642	5,935	6,909	3,188	2,414	1,218
North West	Quarter	1	1,129	842	120	68	104	130	184	242	293	938	794	113	141	164	194	225	259	265
		2	924	651	144	146	122	162	207	267	328	686	586	144	263	210	237	248	307	325
		3	952	641	184	121	142	200	256	294	386	851	641	175	211	248	289	296	340	342
		4	861	564	142	106	121	179	250	303	377	654	556	159	187	203	248	276	337	332
	Year	21/22	961	671	149	111	123	169	226	278	348	779	641	149	202	208	244	263	313	318
	Episodes	F/N	2,353	7,759	4,817	3,593	9,169	11,754	5,598	3,954	1,523	1,805	7,060	4,558	6,473	14,574	16,027	6,710	5,316	2,338
East of England	Quarter	1	543	435	57	50	53	75	99	154	154	307	401	61	71	80	91	100	126	173
		2	573	397	64	86	70	85	125	131	232	399	378	77	156	100	117	121	149	193
		3	548	392	98	78	91	124	153	184	270	395	406	98	123	133	143	153	188	244
		4	527	324	80	81	82	102	149	194	211	514	273	75	106	131	137	147	192	212
	Year	21/22	548	389	75	74	74	97	132	165	218	403	367	78	115	111	122	130	164	206
	Episodes	F/N	298	1,008	578	505	1,151	1,642	803	652	286	200	915	578	722	1,755	2,041	851	748	434
Midlands	Quarter	1	743	518	89	56	70	96	139	178	224	523	453	82	102	107	122	147	170	205
		2	669	529	99	109	89	110	165	203	256	543	448	106	192	147	161	170	205	246
		3	639	502	124	87	110	140	198	245	262	461	458	133	162	190	202	219	246	260
		4	499	383	102	82	91	135	181	234	299	408	325	100	150	156	179	200	244	263
	Year	21/22	635	483	104	84	91	121	172	216	261	482	421	106	152	151	167	185	218	244
	Episodes	F/N	1,248	4,618	2,787	2,137	5,191	6,971	3,722	3,005	1,146	910	3,821	2,676	3,659	8,362	9,353	4,223	3,557	1,758
London	Quarter	1	490	514	107	54	62	99	179	217	260	375	462	100	90	100	155	201	227	251
		2	510	449	123	88	69	115	179	244	291	366	384	109	136	117	174	215	249	265
		3	482	460	137	78	81	127	200	254	331	399	396	123	125	148	208	255	277	342
		4	364	374	123	71	75	120	202	241	314	304	335	116	103	130	188	222	283	323
	Year	21/22	460	447	123	74	72	116	190	240	301	361	392	112	114	125	183	225	260	298
	Episodes	F/N	1,318	5,540	3,708	2,295	8,145	6,960	2,343	1,466	657	1,000	4,675	3,259	3,807	12,858	9,564	2,957	2,046	1,099
South East	Quarter	1	666	540	88	47	71	90	128	188	254	536	512	86	89	107	114	146	190	213
		2	684	553	97	109	80	108	141	194	261	521	485	103	191	133	146	154	200	225
		3	668	496	132	95	99	134	180	220	274	493	450	125	163	181	187	194	236	288
		4	493	408	105	79	87	121	166	230	297	403	367	97	152	148	157	189	224	252
	Year	21/22	627	499	106	83	85	114	155	209	272	486	453	104	150	144	153	172	214	246
	Episodes	F/N	1,872	7,267	4,463	3,395	7,624	10,326	4,952	4,315	2,030	1,375	6,149	4,144	5,902	12,786	13,570	5,866	5,264	3,016
South West	Quarter	1	753	555	81	64	81	99	143	207	255	538	495	78	104	110	125	152	194	250
		2	651	539	85	122	87	121	163	216	261	560	440	89	211	141	146	161	228	288
		3	696	527	125	104	108	141	182	227	321	630	483	118	179	183	189	205	234	305
		4	497	388	93	84	96	133	197	249	326	395	356	96	160	156	173	194	238	289
	Year	21/22	649	503	96	94	93	124	171	225	291	531	444	95	165	148	159	178	224	284
	Episodes	F/N	1,069	4,093	2,332	2,057	4,925	6,961	4,068	3,528	1,534	850	3,401	2,197	3,458	7,715	8,961	4,529	4,085	2,446

Mean weekly incidence rate per 100,000 Persons.

		Hayfever/Allergic Rhinitis (ICD10: J30)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	8	24	17	9	7	5	5	4	7	18	14	12	13	12	7	5	6	5
	2	46	80	159	80	45	15	8	10	5	29	43	89	84	70	23	9	8	7
	3	14	23	21	15	11	6	6	4	6	22	17	14	16	17	8	6	5	5
	4	0	6	8	5	4	2	2	3	1	0	3	6	6	6	4	3	2	2
	5	0	5	9	4	3	2	2	2	1	2	4	5	5	4	2	3	1	1
	6	0	4	7	3	3	2	1	2	1	0	4	4	4	5	3	3	1	2
	7	2	4	7	4	2	2	2	2	1	0	2	5	3	4	3	2	1	0
	8	1	5	5	4	2	1	1	1	1	1	4	4	4	4	1	1	2	0
	9	2	2	5	2	2	1	1	1	1	0	1	3	3	2	1	1	1	1
	10	1	2	6	3	3	1	2	1	1	0	3	4	4	5	3	1	0	1
	11	3	4	7	4	3	2	2	2	1	0	4	5	5	5	3	2	2	1
	12	2	8	14	7	5	3	4	2	4	3	6	10	9	10	6	5	3	3
	13	4	15	23	11	7	5	4	5	3	6	10	14	12	12	7	6	4	3
Quarter	1	23	42	65	34	21	8	6	6	6	23	25	38	37	33	13	7	6	5
	2	0	5	8	4	3	2	2	2	1	1	4	5	5	5	3	3	2	1
	3	1	4	6	3	2	1	1	1	1	0	3	4	3	4	2	1	1	1
	4	3	8	14	7	5	3	3	3	3	3	6	9	9	9	5	4	3	2
Year	21/22	6	14	22	11	8	4	3	3	3	6	9	13	13	12	5	4	3	2
Episodes	F/N	84	895	3,948	1,961	3,283	1,397	409	253	71	79	537	2,279	2,175	4,946	2,015	500	279	105

Mean weekly incidence rate per 100,000 Persons.

Hayfever/Allergic Rhinitis (ICD10: J30)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	33	47	62	35	22	7	6	4	10	45	29	36	45	36	10	5	7	6
		2	0	5	7	3	3	3	1	3	0	0	7	3	4	4	3	3	1	3
		3	4	6	3	2	3	1	1	1	0	4	4	5	3	2	2	1	1	1
		4	0	3	10	5	4	4	3	3	2	4	5	8	7	8	5	4	1	2
	Year	21/22	9	15	20	11	8	4	3	3	3	13	11	13	14	12	5	3	3	3
	Episodes	F/N	9	74	288	147	248	126	38	21	7	13	54	177	183	378	167	43	24	12
North West	Quarter	1	26	49	62	33	22	9	8	7	4	41	30	35	40	37	14	8	7	5
		2	0	4	9	4	4	2	1	3	2	0	2	5	5	6	3	3	2	1
		3	3	4	5	3	3	1	1	2	3	0	2	4	4	5	2	1	0	2
		4	3	8	13	6	5	3	3	3	3	2	6	7	7	9	6	5	3	3
	Year	21/22	7	15	21	11	8	4	3	3	3	9	9	12	13	13	6	4	3	3
	Episodes	F/N	18	177	680	343	597	259	79	49	12	22	103	375	416	938	382	99	50	20
East of England	Quarter	1	8	29	47	25	20	6	8	3	3	8	21	29	25	20	6	7	2	2
		2	0	1	6	3	2	0	0	3	0	0	2	3	4	3	2	2	2	2
		3	0	3	4	2	3	2	2	4	0	0	0	0	2	2	1	0	2	2
		4	0	5	11	6	3	2	2	3	0	0	9	6	9	4	4	2	2	4
	Year	21/22	2	10	17	9	7	2	3	3	1	2	8	9	10	7	3	3	2	2
	Episodes	F/N	1	25	131	61	111	42	19	13	1	1	19	70	62	118	54	18	8	5
Midlands	Quarter	1	26	49	58	31	20	7	5	5	7	23	30	37	32	28	11	6	7	7
		2	0	4	6	3	3	2	3	3	1	0	3	6	4	4	3	3	1	1
		3	2	4	5	3	2	1	2	2	0	0	4	2	3	2	2	2	1	0
		4	0	10	12	7	4	4	2	2	1	0	6	7	10	8	4	4	3	1
	Year	21/22	7	16	19	11	7	4	3	3	2	5	10	13	12	10	5	4	3	2
	Episodes	F/N	13	153	520	269	415	204	59	41	9	10	95	317	284	579	262	82	48	15
London	Quarter	1	17	41	81	33	22	14	12	9	6	10	20	54	38	39	24	9	11	13
		2	0	9	14	6	4	2	2	3	0	3	5	9	8	6	4	5	4	2
		3	1	4	10	4	3	2	1	2	2	0	5	6	4	5	3	1	1	0
		4	3	13	27	10	7	5	7	6	2	3	8	18	11	12	10	5	5	3
	Year	21/22	5	16	31	12	8	6	5	5	2	4	9	21	14	15	10	5	5	4
	Episodes	F/N	14	197	938	387	926	332	65	29	5	10	110	605	481	1,501	513	63	40	16
South East	Quarter	1	24	39	74	39	20	8	5	7	5	24	24	38	41	31	12	7	5	4
		2	1	4	7	4	3	2	2	1	2	0	3	4	5	4	3	2	1	2
		3	0	3	6	3	3	1	2	1	1	0	1	4	3	3	2	2	1	0
		4	5	7	13	7	5	2	3	3	3	3	4	9	9	8	4	5	3	3
	Year	21/22	7	13	24	12	7	3	3	3	3	6	8	13	14	11	5	4	3	2
	Episodes	F/N	21	189	989	507	655	289	98	59	22	17	107	517	542	981	437	125	64	25
South West	Quarter	1	18	33	53	36	19	6	5	5	5	8	16	29	31	26	8	5	6	3
		2	0	3	6	3	2	2	2	2	1	0	3	3	3	3	2	2	2	0
		3	0	1	4	3	1	1	1	1	1	0	1	2	2	3	1	1	0	0
		4	2	4	6	5	4	2	2	2	5	7	6	5	6	5	3	3	2	2
	Year	21/22	5	10	17	11	6	3	2	3	3	4	6	9	10	9	4	3	2	1
	Episodes	F/N	8	80	402	247	331	145	51	41	15	6	49	218	207	451	200	70	45	12

Mean weekly incidence rate per 100,000 Persons.

		Conjunctivitis (ICD10: H10-H13)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	140	58	8	3	5	5	10	13	27	128	50	6	6	6	9	12	15	27
	2	148	86	29	6	6	6	11	16	40	127	58	16	8	8	10	13	18	33
	3	146	71	10	5	4	6	10	17	27	111	57	7	4	6	10	13	16	29
	4	106	47	9	4	4	6	12	19	27	118	40	6	5	6	9	14	19	28
	5	121	54	9	4	4	6	10	14	25	122	46	6	5	7	9	11	16	30
	6	189	120	11	6	5	6	11	14	30	224	103	9	7	7	9	10	18	34
	7	317	189	11	5	4	6	12	14	23	276	183	10	7	8	10	14	15	28
	8	464	294	17	4	5	6	10	15	22	413	272	17	6	7	10	12	18	31
	9	298	125	8	3	4	5	10	13	25	306	108	7	4	7	8	11	16	27
	10	299	140	9	3	4	6	10	16	24	254	129	9	5	8	9	15	20	26
	11	292	119	9	3	5	6	9	15	25	234	109	9	5	8	11	14	17	34
	12	276	112	9	3	4	7	10	16	27	256	95	11	5	7	10	14	16	28
	13	251	70	9	3	4	6	11	12	27	206	52	9	5	6	9	11	15	28
Quarter	1	145	72	16	4	5	6	10	15	31	122	55	10	6	7	10	13	17	30
	2	147	80	10	5	4	6	11	15	27	161	70	7	6	7	9	12	17	31
	3	350	191	11	4	4	6	11	15	23	318	176	11	5	7	9	12	18	28
	4	280	105	9	3	4	6	10	14	27	236	90	10	5	7	10	13	16	30
Year	21/22	236	114	11	4	4	6	10	15	27	214	100	9	6	7	9	13	17	30
Episodes	F/N	3,181	7,264	2,030	691	1,925	2,318	1,400	1,219	737	2,769	6,046	1,592	941	2,867	3,494	1,800	1,651	1,344

Mean weekly incidence rate per 100,000 Persons.

Conjunctivitis (ICD10: H10-H13)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	213	77	12	3	5	6	10	13	26	150	65	9	7	9	8	11	21	33
		2	150	92	7	7	5	6	13	15	32	164	78	8	6	7	9	13	19	33
		3	368	206	10	1	4	8	11	14	20	360	182	10	6	7	10	13	18	22
		4	301	101	9	3	6	7	10	15	30	286	93	9	5	7	13	14	20	22
	Year	21/22	261	119	10	4	5	7	11	14	27	241	105	9	6	7	10	13	19	27
	Episodes	F/N	274	593	141	52	156	226	146	112	67	245	510	126	78	234	344	180	182	112
North West	Quarter	1	228	105	17	5	6	7	13	16	44	210	86	12	7	9	13	19	18	31
		2	282	125	12	4	6	7	13	20	35	245	108	8	7	9	11	15	16	29
		3	498	201	11	4	5	6	14	18	34	431	197	11	7	8	11	13	21	29
		4	377	113	9	3	6	7	9	14	35	308	99	9	6	9	10	20	19	44
	Year	21/22	354	138	12	4	6	7	12	17	37	305	125	10	7	9	11	17	18	33
	Episodes	F/N	867	1,595	388	120	429	477	301	245	162	706	1,377	306	220	605	731	426	313	246
East of England	Quarter	1	69	62	11	2	4	7	7	9	13	91	35	6	7	5	9	13	17	15
		2	81	49	9	1	3	4	8	11	6	143	30	2	4	5	7	11	10	13
		3	264	196	8	3	6	4	7	14	14	228	150	9	4	6	8	7	17	27
		4	248	105	2	3	4	4	6	10	32	211	78	4	4	6	8	10	12	25
	Year	21/22	167	104	8	2	4	5	7	11	16	169	73	6	4	5	8	10	14	20
	Episodes	F/N	91	269	60	14	67	81	43	44	21	84	183	41	28	86	139	66	65	42
Midlands	Quarter	1	143	63	16	4	5	5	10	17	29	129	49	7	7	7	9	10	16	27
		2	151	77	9	6	5	7	10	11	22	147	76	7	6	8	8	13	19	36
		3	386	193	12	6	4	5	10	14	25	364	197	13	6	8	10	16	16	24
		4	265	111	9	3	5	5	12	15	23	263	100	10	5	6	9	13	15	32
	Year	21/22	241	113	11	5	5	6	10	14	25	232	108	10	6	7	9	13	16	30
	Episodes	F/N	474	1,083	301	126	261	325	227	196	108	438	982	240	145	411	489	297	267	214
London	Quarter	1	85	70	25	5	5	8	15	16	39	76	44	13	5	7	11	17	21	29
		2	87	61	15	7	3	7	14	18	26	123	57	9	6	6	11	18	26	29
		3	236	177	19	5	4	6	13	14	23	204	164	17	6	7	11	12	23	28
		4	195	109	17	4	3	7	12	19	37	173	93	16	5	6	12	14	21	30
	Year	21/22	156	107	19	5	4	7	13	17	31	148	92	14	5	7	11	15	23	29
	Episodes	F/N	446	1,321	565	161	444	406	163	102	68	409	1,100	394	179	691	596	196	178	107
South East	Quarter	1	131	62	14	4	4	5	8	17	33	95	47	9	6	5	8	11	14	29
		2	108	69	8	3	3	5	9	16	31	131	57	5	5	5	8	9	14	29
		3	340	191	9	3	4	5	8	14	19	310	171	8	4	7	7	11	15	28
		4	291	94	6	3	4	6	11	11	22	211	83	8	4	7	8	11	14	31
	Year	21/22	223	107	9	3	4	5	9	14	26	193	92	8	5	6	8	11	14	29
	Episodes	F/N	665	1,552	390	134	327	488	281	293	193	547	1,246	311	186	532	687	360	355	360
South West	Quarter	1	133	58	9	5	4	5	9	12	24	106	48	8	5	6	9	11	16	34
		2	136	71	7	5	5	6	11	15	21	180	59	7	6	6	9	10	16	34
		3	323	182	8	4	5	5	11	16	20	316	152	9	6	6	8	11	17	33
		4	278	101	6	2	4	6	8	15	24	233	75	6	3	6	10	11	15	20
	Year	21/22	221	105	8	4	5	6	10	14	22	213	85	8	5	6	9	11	16	30
	Episodes	F/N	364	851	185	84	241	315	239	227	118	340	648	174	105	308	508	275	291	263

3. Respiratory Infections:

Mean weekly incidence rate per 100,000 Persons.

Acute Bronchitis (ICD10: J20-J21,J40)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	8	8	1	0	0	3	13	16	18	7	6	1	0	1	6	12	16	13
	2	10	4	0	0	0	3	13	16	18	6	2	0	0	1	6	13	15	12
	3	11	3	0	0	1	3	13	18	19	3	1	0	1	1	6	13	19	13
	4	9	3	0	1	1	3	12	17	18	9	4	0	1	1	5	11	19	10
	5	10	4	1	1	1	4	11	17	17	12	3	0	2	2	7	15	17	14
	6	21	4	1	2	1	6	17	27	20	11	5	1	4	3	11	18	25	17
	7	14	5	1	1	1	6	19	24	26	13	4	1	2	3	10	21	26	22
	8	21	5	1	0	1	7	18	26	25	7	5	1	2	3	12	22	27	24
	9	4	2	0	0	1	5	17	27	22	5	1	0	1	2	10	21	27	16
	10	5	4	0	0	1	4	14	21	18	6	1	0	1	1	6	15	17	16
	11	7	3	0	1	1	4	15	23	21	8	2	0	1	1	8	16	20	16
	12	8	4	1	1	1	5	14	24	20	6	2	1	1	2	8	18	24	18
	13	5	2	0	0	1	5	15	22	15	4	2	0	1	1	7	19	20	19
Quarter	1	9	5	1	0	0	3	13	17	18	5	3	0	0	1	6	13	17	13
	2	13	4	1	1	1	5	14	21	19	11	4	0	2	2	8	15	21	14
	3	11	4	1	1	1	6	17	25	23	8	3	1	1	2	10	20	24	20
	4	6	3	0	1	1	5	15	23	19	5	2	0	1	1	8	18	21	17
Year	21/22	10	4	1	1	1	5	15	21	20	8	3	0	1	2	8	16	21	16
Episodes	F/N	135	255	106	112	365	1,753	1,971	1,765	544	97	183	82	214	661	2,956	2,333	2,060	727

Mean weekly incidence rate per 100,000 Persons.

Acute Bronchitis (ICD10: J20-J21,J40)

			M									F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	
North East and Yorkshire	Quarter	1	8	16	0	1	0	5	22	20	23	16	5	0	1	1	9	17	24	18	
		2	12	9	1	2	1	6	22	25	19	16	6	1	0	2	11	24	25	13	
		3	18	14	2	1	1	8	24	34	35	12	4	1	2	2	15	29	32	26	
		4	15	9	1	0	1	6	19	32	22	0	5	2	0	2	11	28	23	19	
	Year	21/22	13	12	1	1	1	6	22	28	25	11	5	1	1	2	11	25	26	19	
	Episodes	F/N	14	58	13	13	32	219	291	221	61	11	24	12	10	64	383	345	245	79	
North West	Quarter	1	17	8	1	0	1	5	19	19	32	10	4	1	0	1	12	26	28	18	
		2	20	4	1	1	2	8	19	31	27	16	5	1	3	3	14	28	36	25	
		3	22	4	1	1	2	10	27	37	30	6	5	1	1	3	17	35	41	28	
		4	13	3	0	0	1	7	23	33	25	8	5	1	1	2	12	32	39	26	
	Year	21/22	18	4	1	1	2	8	22	30	29	10	5	1	1	2	14	31	36	24	
	Episodes	F/N	44	51	24	18	114	521	548	433	125	23	53	25	40	172	912	781	617	180	
East of England	Quarter	1	8	12	1	0	0	1	8	12	6	8	5	0	0	0	1	7	6	2	
		2	0	1	1	0	1	2	7	11	21	24	2	0	2	0	2	7	7	7	
		3	0	3	0	0	0	2	6	13	23	8	2	0	1	0	2	6	13	16	
		4	15	0	1	2	0	3	5	21	13	0	2	0	0	1	2	2	6	10	
	Year	21/22	6	4	1	0	0	2	6	14	16	10	2	0	1	0	2	6	8	9	
	Episodes	F/N	3	11	4	3	5	32	39	56	21	5	6	0	4	4	32	37	37	19	
Midlands	Quarter	1	13	1	1	0	0	2	9	17	12	2	3	0	1	1	5	9	14	12	
		2	10	3	1	2	1	3	14	21	22	9	4	0	6	2	7	13	21	11	
		3	9	2	1	1	1	5	14	22	25	10	1	0	3	2	7	17	20	18	
		4	8	3	0	1	1	5	13	22	19	8	0	1	2	1	7	13	18	19	
	Year	21/22	10	2	1	1	1	4	13	21	20	7	2	0	3	1	6	13	18	15	
	Episodes	F/N	20	22	15	27	36	218	274	291	87	14	18	10	74	78	362	300	299	109	
London	Quarter	1	5	2	0	1	0	2	11	18	20	0	1	1	0	0	4	10	18	13	
		2	17	2	0	1	1	3	13	25	21	9	1	0	1	1	5	15	27	14	
		3	6	4	0	0	1	4	9	19	17	8	1	1	0	1	7	16	29	13	
		4	3	3	0	1	0	3	12	23	25	4	0	0	0	1	6	12	16	13	
	Year	21/22	8	3	0	1	0	3	11	21	21	5	1	0	0	1	6	13	23	13	
	Episodes	F/N	22	37	5	18	50	180	138	129	45	15	10	12	16	95	297	176	180	49	
South East	Quarter	1	7	3	0	0	0	2	11	15	18	6	3	0	0	1	4	10	14	11	
		2	9	3	1	1	1	3	10	15	16	7	5	0	1	1	6	8	16	10	
		3	12	2	1	1	1	4	14	19	15	6	3	0	2	3	8	13	17	20	
		4	1	2	1	0	1	4	11	18	14	3	2	0	1	1	6	12	17	18	
	Year	21/22	8	3	1	1	1	4	11	17	16	6	3	0	1	2	6	11	16	15	
	Episodes	F/N	23	39	27	22	62	324	366	347	117	16	43	14	47	154	528	367	391	183	
South West	Quarter	1	8	6	1	0	1	4	10	15	12	3	3	0	0	1	6	9	13	11	
		2	10	7	0	1	1	5	13	17	13	10	5	0	1	1	8	12	15	15	
		3	5	3	1	1	2	6	17	23	22	9	5	1	1	3	10	16	18	14	
		4	0	3	0	1	2	4	13	18	19	10	2	0	1	2	7	14	16	10	
	Year	21/22	5	5	1	1	1	5	13	18	17	8	4	0	1	2	8	13	16	13	
	Episodes	F/N	9	37	18	11	66	259	315	288	88	13	29	9	23	94	442	327	291	108	

Mean weekly incidence rate per 100,000 Persons.

		Common Cold (ICD10: J00,J06)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	36	15	1	0	0	1	0	0	1	41	12	2	1	1	1	0	1	2
	2	32	10	1	0	1	0	1	0	0	27	12	1	1	1	0	0	1	1
	3	21	7	1	0	0	0	0	0	0	31	8	1	0	1	1	0	1	0
	4	21	7	1	1	0	0	1	0	1	20	6	0	1	1	1	0	1	0
	5	46	11	1	1	1	0	1	1	1	35	10	1	2	1	1	0	1	1
	6	63	16	3	2	2	1	2	2	0	79	17	3	4	3	2	1	2	3
	7	56	16	2	2	1	1	2	2	1	37	15	2	3	3	2	2	2	4
	8	49	18	3	1	1	1	1	1	4	61	18	3	3	3	2	2	1	3
	9	22	5	1	0	0	1	1	0	3	31	8	1	1	1	1	1	2	1
	10	36	10	1	1	0	0	1	1	0	32	6	2	1	1	1	1	1	1
	11	25	8	1	1	1	0	1	1	0	29	7	1	2	1	1	1	1	2
	12	33	10	1	1	1	1	0	1	1	35	10	1	2	1	1	1	2	1
	13	16	8	1	1	0	1	1	1	0	31	6	1	1	1	1	1	1	1
Quarter	1	30	11	1	0	0	0	1	0	0	33	11	1	1	1	1	0	1	1
	2	42	12	2	1	1	1	1	1	1	42	12	1	2	2	1	1	1	2
	3	41	12	2	1	1	1	1	1	3	41	12	2	2	2	1	2	1	2
	4	26	9	1	1	1	1	1	1	1	33	8	1	1	1	1	1	1	2
Year	21/22	35	11	1	1	1	1	1	1	1	38	11	1	2	1	1	1	1	2
Episodes	F/N	472	692	251	149	299	251	125	71	31	485	638	242	284	621	369	123	111	71

Mean weekly incidence rate per 100,000 Persons.

Common Cold (ICD10: J00,J06)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	29	16	1	0	0	1	0	1	2	53	17	2	1	1	1	0	1	1
		2	31	17	2	1	1	1	1	1	0	31	18	1	2	2	1	0	3	3
		3	44	15	1	0	0	1	2	1	2	63	9	1	2	2	1	1	2	3
		4	18	6	1	0	0	1	1	0	3	27	7	2	1	1	1	1	1	5
	Year	21/22	30	13	1	0	0	1	1	1	2	43	13	2	1	1	1	1	2	3
	Episodes	F/N	32	67	15	5	14	23	16	7	4	44	62	22	18	45	31	10	15	12
North West	Quarter	1	35	9	1	0	0	0	1	0	0	31	11	1	0	1	1	0	0	2
		2	38	9	2	1	1	1	1	0	1	52	10	1	2	2	1	1	2	2
		3	34	11	2	2	1	1	1	2	3	33	8	2	2	2	1	1	2	2
		4	25	8	1	1	1	1	0	1	1	37	10	2	1	1	1	1	1	2
	Year	21/22	33	9	1	1	1	1	1	1	1	38	10	1	2	1	1	1	1	2
	Episodes	F/N	81	108	45	33	55	61	19	12	5	88	106	43	49	102	67	26	23	15
East of England	Quarter	1	23	3	1	0	0	0	1	0	0	25	5	1	0	1	0	0	1	0
		2	51	6	1	1	2	0	1	1	0	32	11	1	1	1	1	1	0	2
		3	27	9	1	1	0	1	1	0	3	23	8	3	1	2	2	1	1	2
		4	70	2	0	1	0	1	1	0	0	0	4	0	0	1	0	1	1	0
	Year	21/22	42	5	1	1	1	1	1	0	1	20	7	1	0	1	1	1	1	1
	Episodes	F/N	23	13	6	4	11	10	6	1	1	10	17	8	3	20	11	5	3	2
Midlands	Quarter	1	29	8	1	0	0	0	0	0	0	19	12	1	1	1	1	0	1	0
		2	52	11	2	2	1	1	1	2	0	52	11	1	2	2	2	1	2	2
		3	43	9	2	1	0	1	1	1	3	33	11	2	2	1	1	2	1	2
		4	18	9	1	1	1	0	1	1	0	17	8	1	1	1	1	0	1	2
	Year	21/22	36	9	2	1	1	1	1	1	1	30	10	1	2	1	1	1	1	1
	Episodes	F/N	70	90	42	24	35	39	19	13	4	57	94	31	38	74	58	17	22	9
London	Quarter	1	32	11	1	1	0	0	0	0	0	37	12	1	1	1	1	0	4	1
		2	37	13	2	2	1	1	2	2	0	25	9	2	2	2	1	0	2	0
		3	42	14	3	1	1	1	1	0	7	46	13	3	2	2	1	1	1	5
		4	23	10	2	1	1	1	1	1	2	32	7	1	2	1	1	1	1	1
	Year	21/22	33	12	2	1	1	1	1	1	2	35	10	2	2	2	1	1	2	2
	Episodes	F/N	96	147	62	30	82	39	12	5	5	98	122	54	61	188	56	10	15	7
South East	Quarter	1	28	14	1	0	0	0	1	0	1	29	11	1	1	1	0	0	0	1
		2	46	13	2	2	1	0	1	1	2	56	14	2	3	2	1	1	0	2
		3	43	14	2	1	1	1	1	2	3	50	15	3	3	3	2	1	2	2
		4	35	10	1	1	1	1	1	2	0	46	7	1	2	1	1	1	1	1
	Year	21/22	38	12	2	1	1	1	1	1	1	46	12	2	2	1	1	1	1	1
	Episodes	F/N	114	182	64	39	72	55	35	23	11	130	163	62	91	132	95	27	21	17
South West	Quarter	1	26	10	0	0	1	0	0	0	1	41	6	0	1	1	0	0	0	1
		2	39	11	0	1	1	0	1	1	0	35	11	1	2	1	1	0	0	2
		3	50	12	1	1	0	1	2	1	0	33	13	1	1	2	2	2	1	1
		4	20	9	1	0	0	0	0	0	0	37	8	1	0	1	1	2	1	0
	Year	21/22	34	10	1	1	1	0	1	1	0	36	10	1	1	1	1	1	1	1
	Episodes	F/N	56	85	17	14	30	24	18	10	1	58	74	22	24	60	51	28	12	9

Mean weekly incidence rate per 100,000 Persons.

Influenza-like illness (ICD10 : J09 - J11)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	2	0	0	1	1	1	0	0	1	2	1	1	1	1	1	0	0
	2	0	2	0	0	1	1	0	0	0	1	2	0	1	1	1	1	0	0
	3	2	2	0	1	1	1	0	0	0	2	1	0	1	1	1	0	0	0
	4	0	2	0	1	1	1	0	0	1	1	2	0	2	1	1	0	1	0
	5	2	1	0	1	1	1	1	1	2	3	1	0	2	2	1	1	1	1
	6	3	5	1	4	2	2	1	2	1	3	5	1	5	4	5	3	2	2
	7	4	3	1	2	3	3	2	1	0	2	4	1	3	5	4	3	2	1
	8	6	4	1	2	3	3	1	0	1	7	4	1	4	5	4	2	1	1
	9	4	1	0	1	1	2	1	1	1	2	2	1	1	2	2	1	1	1
	10	2	2	1	1	1	1	1	0	0	0	1	1	1	2	1	1	1	0
	11	3	2	1	2	1	1	1	1	1	4	1	0	3	2	2	1	1	1
	12	4	4	1	2	2	2	1	1	1	7	3	1	3	3	3	2	2	2
	13	4	2	1	2	1	2	1	2	2	2	2	0	2	2	2	1	2	2
Quarter	1	1	2	0	0	1	1	0	0	0	1	2	0	1	1	1	1	0	0
	2	2	2	1	2	2	1	1	1	1	2	3	1	3	3	3	1	1	1
	3	4	3	1	1	2	2	1	1	1	3	3	1	3	3	3	2	1	1
	4	3	2	1	2	1	1	1	2	1	4	2	1	3	2	2	1	2	2
Year	21/22	3	2	1	1	1	1	1	1	1	3	2	1	2	2	2	1	1	1
Episodes	F/N	34	154	115	252	624	537	120	71	25	35	138	105	392	996	803	183	104	50

Mean weekly incidence rate per 100,000 Persons.

Influenza-like illness (ICD10: J09 - J11)

			M									F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	
North East and Yorkshire	Quarter	1	0	0	0	0	1	1	1	1	0	0	0	0	2	1	1	1	0	0	
		2	0	1	0	3	2	1	0	2	0	0	1	1	2	2	2	2	1	1	
		3	11	3	1	1	2	3	1	0	0	0	3	1	3	3	4	1	1	2	
		4	4	3	0	1	1	2	2	1	2	12	1	1	3	2	2	2	2	4	
	Year	21/22	4	2	0	1	2	2	1	1	0	3	1	1	2	2	2	1	1	2	
	Episodes	F/N	4	9	5	17	49	57	13	8	1	3	6	11	32	67	80	19	9	7	
North West	Quarter	1	2	2	0	1	1	1	1	0	2	2	1	0	1	1	1	0	1		
		2	2	3	1	2	3	1	1	2	4	0	1	1	4	3	4	2	2	1	
		3	3	3	1	2	2	2	1	0	2	2	1	3	5	4	2	1	1		
		4	6	2	1	2	1	1	1	2	1	5	3	1	3	3	3	2	2	3	
	Year	21/22	3	3	1	2	2	1	1	1	1	2	2	1	3	3	3	2	1	1	
	Episodes	F/N	8	31	28	56	137	93	28	18	5	5	21	22	84	225	202	43	19	11	
East of England	Quarter	1	0	2	1	1	1	0	0	0	0	0	0	0	1	2	1	1	0	0	
		2	0	6	1	0	3	2	1	1	0	0	3	0	1	1	1	0	2	0	
		3	14	3	0	0	1	1	1	0	0	8	2	2	0	2	1	1	1	2	
		4	0	0	0	0	1	1	1	1	3	0	0	0	1	1	1	1	3	2	
	Year	21/22	4	3	0	0	1	1	1	1	1	2	1	1	1	2	1	0	1	1	
	Episodes	F/N	2	7	3	1	21	16	4	2	1	1	3	4	6	26	20	3	6	2	
Midlands	Quarter	1	0	0	0	0	1	0	0	0	0	2	0	1	1	1	1	0	0	0	
		2	2	1	0	2	1	1	0	1	0	2	3	0	3	3	2	0	1	2	
		3	4	2	0	2	2	2	1	0	2	0	2	1	1	2	2	1	0	0	
		4	2	0	0	2	2	1	1	0	3	2	0	0	2	2	1	2	2	1	
	Year	21/22	2	1	0	1	1	1	0	0	1	2	1	1	2	2	2	1	1	1	
	Episodes	F/N	4	11	6	38	74	74	9	5	5	3	12	15	44	106	84	20	13	6	
London	Quarter	1	0	1	0	1	1	1	0	0	0	0	1	0	1	1	1	1	1	0	
		2	0	1	0	2	1	1	2	1	0	0	3	1	2	2	3	2	2	1	
		3	1	3	1	2	2	2	2	1	3	3	2	2	3	3	3	2	2	1	
		4	3	5	1	3	1	2	2	2	0	3	2	1	3	2	4	2	1	2	
	Year	21/22	1	3	1	2	1	1	1	1	1	1	2	1	3	2	3	2	2	1	
	Episodes	F/N	3	31	22	53	140	89	18	5	2	4	24	25	85	221	138	26	12	4	
South East	Quarter	1	0	2	0	0	1	1	0	0	0	0	2	0	1	1	0	1	0	0	
		2	1	2	1	1	1	1	1	1	2	3	3	0	3	2	2	1	1	1	
		3	1	2	1	1	2	2	1	1	0	4	1	0	3	3	3	2	1	2	
		4	1	2	1	2	2	1	1	2	1	3	2	1	2	2	2	1	1	2	
	Year	21/22	1	2	1	1	1	1	1	1	1	2	2	0	2	2	2	1	1	1	
	Episodes	F/N	3	32	35	50	123	112	27	17	6	7	28	14	93	194	165	44	22	15	
South West	Quarter	1	3	6	0	0	1	1	1	0	1	5	6	1	0	1	0	0	0	0	
		2	10	5	1	3	1	3	1	1	0	10	6	1	4	3	3	1	1	0	
		3	5	3	1	1	2	2	2	1	1	9	8	0	3	4	2	2	2	1	
		4	7	2	0	2	2	1	1	2	2	5	3	0	2	3	2	1	1	0	
	Year	21/22	6	4	1	2	2	2	1	1	1	8	6	1	2	3	2	1	1	1	
	Episodes	F/N	10	33	16	37	80	96	21	16	5	12	44	14	48	157	114	28	23	5	

Mean weekly incidence rate per 100,000 Persons.

Acute Laryngitis/Tracheitis (ICD10: J04)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	101	107	11	1	0	0	0	0	0	59	68	5	1	2	2	1	0	0
	2	72	90	6	0	0	0	0	0	0	41	64	3	1	2	1	1	1	0
	3	52	50	3	0	0	0	0	0	0	30	32	2	1	1	1	0	1	0
	4	27	39	2	0	0	0	0	0	1	25	23	1	2	1	1	0	1	0
	5	36	47	6	1	0	0	1	0	0	26	28	2	3	2	2	1	1	0
	6	53	65	8	0	0	0	0	0	1	32	41	5	4	3	2	1	1	1
	7	56	59	6	0	1	0	1	1	0	28	32	4	2	3	3	2	1	1
	8	39	50	9	1	0	1	0	0	1	29	34	4	2	4	4	2	1	1
	9	32	25	2	0	0	0	0	0	0	14	15	1	1	2	2	1	1	1
	10	36	43	5	0	1	0	0	1	0	26	23	2	1	2	1	1	1	1
	11	44	37	4	0	1	0	1	0	0	23	27	2	2	2	2	1	1	0
	12	57	59	7	0	1	1	1	0	0	39	37	4	1	3	3	2	1	1
	13	43	46	5	0	1	1	0	0	0	30	27	2	1	2	2	1	1	1
Quarter	1	75	82	7	0	0	0	0	0	0	44	55	3	1	2	1	1	1	0
	2	39	50	5	1	0	0	0	0	1	28	31	3	3	2	2	1	1	1
	3	42	44	5	0	0	0	0	0	1	25	27	3	2	3	3	2	1	1
	4	46	47	5	0	1	0	1	0	0	30	29	3	1	2	2	1	1	1
Year	21/22	50	55	6	0	0	0	0	0	0	31	35	3	2	2	2	1	1	1
Episodes	F/N	671	3,517	1,008	59	170	151	57	20	11	400	2,113	487	276	994	734	159	77	32

Mean weekly incidence rate per 100,000 Persons.

Acute Laryngitis/Tracheitis (ICD10: J04)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	102	100	3	1	0	0	0	1	0	57	64	3	0	3	1	1	1	1
		2	54	64	7	1	0	0	0	0	0	43	33	3	3	2	2	1	2	0
		3	80	62	7	0	0	0	0	0	2	35	35	4	1	4	3	0	2	0
		4	62	66	7	0	0	0	1	0	0	39	27	3	1	4	2	1	0	2
	Year	21/22	74	73	6	0	0	0	0	0	0	43	39	3	1	3	2	1	1	1
	Episodes	F/N	78	361	90	5	10	9	3	2	1	44	191	47	18	100	68	10	11	3
North West	Quarter	1	97	101	8	0	0	0	1	0	0	60	76	5	1	3	2	1	1	1
		2	40	55	8	0	0	0	0	1	1	41	41	4	3	3	3	1	2	1
		3	56	50	8	0	0	1	1	1	1	27	33	3	1	4	3	3	2	0
		4	52	60	8	0	1	0	0	0	0	35	42	4	2	2	3	2	1	0
	Year	21/22	60	66	8	0	0	0	0	0	0	40	47	4	2	3	3	2	1	0
	Episodes	F/N	148	758	260	7	32	29	9	5	2	92	517	116	51	202	174	44	25	3
East of England	Quarter	1	38	59	4	0	1	0	0	0	0	8	30	2	1	1	1	0	0	0
		2	44	39	5	1	1	1	1	0	9	24	22	3	1	1	1	1	0	4
		3	27	26	4	0	0	1	1	0	0	15	14	2	1	3	2	1	1	2
		4	31	19	2	0	0	0	0	0	0	42	19	1	1	2	2	0	1	0
	Year	21/22	35	36	4	0	0	0	0	0	2	22	21	2	1	2	1	0	0	1
	Episodes	F/N	19	93	29	1	5	7	2	0	3	11	53	14	6	28	24	2	2	3
Midlands	Quarter	1	86	77	7	0	0	0	0	0	0	44	49	4	1	2	1	1	0	0
		2	39	46	6	0	0	0	1	1	0	15	27	2	3	3	2	1	0	0
		3	38	43	5	1	1	1	1	0	0	29	27	3	2	3	3	2	1	1
		4	53	43	4	0	1	1	1	0	1	21	25	2	2	3	3	1	1	1
	Year	21/22	53	52	6	0	1	1	1	0	0	27	32	3	2	3	2	1	1	1
	Episodes	F/N	104	494	153	10	29	31	15	5	1	51	289	65	45	145	120	30	12	4
London	Quarter	1	39	48	6	0	0	0	0	0	0	28	33	2	2	1	1	1	0	0
		2	33	32	3	1	0	0	0	1	2	9	15	3	3	2	3	1	2	0
		3	22	28	3	0	0	0	1	1	2	20	18	1	2	2	2	3	1	3
		4	28	31	4	0	1	0	2	0	2	22	17	2	1	2	2	1	0	0
	Year	21/22	30	34	4	0	0	0	1	0	1	19	20	2	2	2	2	1	1	1
	Episodes	F/N	86	422	106	14	44	21	9	2	3	54	243	52	62	199	114	18	7	3
South East	Quarter	1	62	91	7	0	0	0	0	0	0	45	57	3	0	2	1	1	0	0
		2	42	53	5	1	0	1	0	0	0	32	36	2	3	3	1	1	0	2
		3	44	47	4	0	0	0	0	0	0	29	26	4	3	3	3	2	1	1
		4	51	49	5	1	0	0	0	0	0	37	33	3	1	3	2	1	0	1
	Year	21/22	49	59	5	0	0	0	0	0	0	35	37	3	2	3	2	1	0	1
	Episodes	F/N	147	861	219	16	29	33	13	5	1	100	504	126	67	228	166	36	11	12
South West	Quarter	1	107	95	7	0	0	0	0	0	0	46	64	4	0	1	1	0	1	0
		2	32	69	5	0	0	0	0	0	0	41	36	2	2	2	1	0	0	0
		3	38	49	7	0	1	1	0	0	0	12	32	3	1	3	1	1	0	0
		4	44	48	5	1	1	1	1	0	0	25	34	3	2	2	2	1	1	0
	Year	21/22	54	65	6	0	0	0	0	0	0	30	41	3	1	2	1	1	0	0
	Episodes	F/N	89	528	151	6	21	21	6	1	0	48	316	67	27	92	68	19	9	4

Mean weekly incidence rate per 100,000 Persons.

		Pleurisy (ICD10: R091)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
	6	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0	1	0	0
	7	0	0	0	0	0	0	1	0	0	0	0	0	0	1	1	1	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	1
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
	10	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	1	1	0
	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	12	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
	13	0	0	0	0	0	0	1	0	1	0	0	0	0	1	1	1	0	0
Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0
	4	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	0	0	0
Year	21/22	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
Episodes	F/N	0	1	3	24	97	78	38	22	9	0	0	5	44	242	210	50	23	6

Mean weekly incidence rate per 100,000 Persons.

Pleurisy (ICD10: R.09)

			M									F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	
North East and Yorkshire	Quarter	1	0	0	0	0	0	0	0	1	2	0	0	0	0	0	1	0	0	0	
		2	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	1	0	
		3	0	0	0	0	1	0	0	0	0	0	0	0	1	2	1	2	0	0	
		4	0	0	0	0	0	0	0	1	0	2	0	0	0	0	1	1	1	0	0
	Year	21/22	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	1	0	0	
	Episodes	F/N	0	0	0	1	15	7	4	3	2	0	0	0	3	40	28	10	2	0	
North West	Quarter	1	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	1	
		2	0	0	0	1	1	0	0	0	0	0	0	0	1	1	1	1	1	0	
		3	0	0	0	0	0	0	1	0	0	0	0	0	1	1	2	1	1	1	
		4	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	1	0	0	
	Year	21/22	0	0	0	0	0	0	1	0	0	0	0	0	1	1	1	1	1	0	
	Episodes	F/N	0	0	1	11	34	24	15	3	1	0	0	1	18	75	71	18	9	3	
East of England	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
		2	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	
		3	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	1	0	0	
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	
	Year	21/22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	1	0	1	2	3	0	1	0	0	0	0	2	6	8	1	0	0	
Midlands	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
		2	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	
		3	0	0	0	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	
		4	0	0	0	0	0	0	1	0	0	0	0	0	0	1	1	0	0	1	
	Year	21/22	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	
	Episodes	F/N	0	0	0	2	14	11	7	5	2	0	0	3	7	35	29	5	5	2	
London	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		4	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	
	Year	21/22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	0	0	0	11	4	0	0	1	0	0	1	3	21	9	0	1	0	
South East	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
		3	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	1	0	
		4	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	
	Year	21/22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	0	1	2	10	16	9	7	2	0	0	0	4	38	33	6	6	0	
South West	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
		2	0	0	0	0	0	0	0	1	1	0	0	0	1	0	1	0	0	0	
		3	0	0	0	1	0	0	0	0	0	0	0	0	1	1	1	0	0	0	
		4	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
	Year	21/22	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	
	Episodes	F/N	0	0	1	7	11	13	3	3	1	0	0	0	7	27	32	10	0	1	

Mean weekly incidence rate per 100,000 Persons.

Pneumonia and Pneumonitis (ICD10: J12 - J18)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	4	3	0	0	1	3	11	27	58	0	2	0	0	1	3	7	18	31
	2	3	2	0	1	1	4	10	24	53	2	3	0	0	1	3	7	15	38
	3	3	4	0	1	1	4	12	22	48	1	4	0	0	1	3	7	15	38
	4	4	5	0	0	1	4	12	28	50	3	3	0	1	1	3	8	16	33
	5	4	3	0	1	1	4	11	22	48	3	2	0	2	2	3	8	16	35
	6	6	6	1	2	1	4	11	29	55	3	4	1	1	2	5	10	20	47
	7	7	6	1	1	1	5	13	26	60	4	5	1	1	2	5	12	21	53
	8	1	6	1	1	2	5	13	30	72	0	8	1	1	2	5	12	24	50
	9	3	4	0	1	1	4	12	26	54	2	4	0	1	2	4	10	19	49
	10	1	2	0	1	1	4	11	20	61	6	3	0	1	1	3	9	20	38
	11	4	2	0	1	1	4	11	23	62	1	3	0	1	1	4	10	18	43
	12	3	5	1	0	1	4	12	27	63	0	3	1	1	1	4	9	19	43
	13	2	2	0	1	1	5	12	24	58	3	3	0	1	1	3	9	17	46
Quarter	1	3	3	0	1	1	4	11	24	53	1	3	0	0	1	3	7	16	36
	2	5	5	0	1	1	4	11	26	52	3	3	0	1	1	4	9	18	40
	3	2	5	1	1	1	4	12	26	62	3	5	0	1	2	4	11	21	47
	4	3	3	0	1	1	4	12	25	60	2	3	0	1	1	4	9	18	44
Year	21/22	3	4	0	1	1	4	11	25	57	2	4	0	1	1	4	9	18	42
Episodes	F/N	45	249	77	118	509	1,583	1,539	2,076	1,569	28	216	65	134	599	1,349	1,271	1,791	1,898

Mean weekly incidence rate per 100,000 Persons.

Pneumonia and Pneumonitis (ICD10: J12-J18)

												F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	
North East and Yorkshire	Quarter	1	0	2	0	2	1	4	15	24	55	0	3	0	0	2	2	9	22	40	
		2	4	6	1	1	2	5	13	25	61	4	6	0	1	2	5	10	21	50	
		3	0	5	1	1	2	6	14	26	67	0	8	0	2	3	5	14	21	65	
		4	7	2	1	1	1	5	16	34	75	0	2	0	0	1	4	12	24	52	
	Year	21/22	3	4	1	1	2	5	14	28	65	1	5	0	1	2	4	11	22	52	
	Episodes	F/N	3	18	9	11	55	170	191	219	161	1	22	2	9	55	136	156	207	216	
North West	Quarter	1	9	3	0	1	1	6	13	32	58	2	2	1	0	2	4	9	21	44	
		2	7	4	0	1	1	6	16	32	54	5	1	1	2	2	4	12	25	51	
		3	1	3	0	1	2	5	14	29	82	0	5	0	0	2	6	14	29	59	
		4	6	2	1	0	1	6	14	24	71	2	3	0	0	2	5	12	23	58	
	Year	21/22	6	3	1	1	1	6	14	29	67	2	3	0	1	2	5	12	25	54	
	Episodes	F/N	14	34	17	20	108	394	351	419	292	5	31	14	26	141	326	304	421	394	
East of England	Quarter	1	0	3	0	0	0	4	9	9	41	0	3	1	0	1	3	4	12	29	
		2	15	6	1	0	1	5	7	21	48	0	2	0	3	0	2	5	10	28	
		3	0	4	1	0	1	4	9	25	63	8	2	0	0	1	4	13	12	48	
		4	0	2	1	1	2	2	9	13	45	0	4	0	0	2	1	5	16	27	
	Year	21/22	4	4	1	0	1	4	8	17	50	2	2	0	1	1	3	7	12	33	
	Episodes	F/N	2	10	5	2	17	61	51	68	65	1	6	1	5	15	43	45	56	70	
Midlands	Quarter	1	4	2	0	1	1	4	13	24	51	0	2	0	1	2	3	5	20	36	
		2	6	5	0	0	1	4	12	26	40	0	2	0	0	2	4	8	17	35	
		3	2	3	0	1	1	4	10	28	59	0	3	0	1	2	3	11	22	40	
		4	2	0	0	1	1	4	11	27	61	0	0	0	1	1	3	8	16	38	
	Year	21/22	4	3	0	1	1	4	11	27	53	0	2	0	1	1	3	8	19	37	
	Episodes	F/N	7	25	6	14	49	235	246	370	234	0	18	6	18	81	186	187	307	268	
London	Quarter	1	3	1	0	1	1	2	12	14	37	3	4	0	1	1	2	7	7	26	
		2	3	3	0	1	1	3	9	25	60	1	4	0	1	1	3	10	10	38	
		3	4	5	1	1	1	3	10	25	48	3	2	1	1	1	2	9	18	34	
		4	1	3	0	1	1	3	10	13	52	1	2	0	1	1	2	11	15	42	
	Year	21/22	3	3	0	1	1	3	10	19	49	2	3	0	1	1	3	9	13	35	
	Episodes	F/N	8	41	14	30	94	176	127	118	108	6	35	9	33	111	131	122	103	129	
South East	Quarter	1	1	5	0	0	1	3	8	22	64	0	4	0	0	1	2	6	12	34	
		2	5	7	0	1	1	3	10	24	62	3	4	0	2	1	3	9	18	39	
		3	4	6	1	1	1	3	12	24	60	6	9	1	1	2	4	10	21	49	
		4	1	5	0	0	1	3	11	26	59	5	4	0	1	1	4	10	17	42	
	Year	21/22	3	6	0	1	1	3	10	24	61	4	5	0	1	1	3	9	17	41	
	Episodes	F/N	9	81	14	25	100	296	325	499	457	11	71	17	34	102	302	294	423	508	
South West	Quarter	1	0	5	1	1	1	4	8	26	46	0	2	1	0	1	4	7	15	34	
		2	2	3	0	1	2	4	9	26	40	5	3	1	1	2	5	6	15	33	
		3	2	8	0	1	2	5	14	24	53	5	7	1	1	2	4	7	15	36	
		4	0	3	1	0	1	5	11	23	53	0	6	1	0	2	3	6	15	42	
	Year	21/22	1	5	0	1	2	4	10	24	48	3	4	1	0	2	4	6	15	36	
	Episodes	F/N	2	40	12	16	86	251	248	383	252	4	33	16	9	94	225	163	274	313	

Mean weekly incidence rate per 100,000 Persons.

		Respiratory System Diseases (ICD10: J00-J99)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	1,193	982	161	77	80	98	163	230	313	938	847	164	158	162	163	178	208	249
	2	1,216	1,097	296	155	122	109	169	228	333	998	948	232	239	224	179	183	211	260
	3	1,163	889	156	100	96	109	164	232	301	999	780	160	174	174	164	182	218	265
	4	1,094	686	96	110	84	107	170	231	312	893	564	104	206	157	162	175	216	238
	5	1,262	815	172	155	99	115	179	243	323	1,012	694	175	283	194	189	197	223	282
	6	1,874	1,410	276	185	126	153	222	283	378	1,644	1,230	275	380	283	257	251	286	365
	7	1,801	1,270	243	160	132	160	228	293	390	1,423	1,124	254	308	286	275	280	296	377
	8	1,739	1,268	306	152	131	165	238	301	443	1,468	1,150	297	288	306	297	294	305	389
	9	1,076	606	140	108	101	130	204	265	365	874	553	148	196	225	230	245	258	339
	10	1,135	860	195	115	99	128	194	262	380	879	715	192	221	215	209	231	264	320
	11	1,205	868	184	130	108	132	214	267	376	955	741	191	247	218	215	248	266	314
	12	1,344	1,027	244	138	116	140	217	297	404	1,112	868	247	251	253	244	267	288	354
	13	1,034	742	181	118	103	130	209	270	358	869	632	173	215	207	213	249	263	313
Quarter	1	1,191	989	204	110	99	106	166	230	315	978	858	185	190	187	169	181	212	258
	2	1,435	987	182	150	105	126	193	257	342	1,197	849	188	289	215	206	210	246	301
	3	1,425	991	223	133	115	147	217	279	396	1,157	876	224	251	260	255	264	280	354
	4	1,197	880	203	128	109	134	212	276	378	976	748	203	238	226	223	254	272	329
Year	21/22	1,316	962	204	131	107	129	197	262	359	1,080	833	201	243	223	215	229	254	312
Episodes	F/N	17,777	61,354	36,152	22,484	46,733	49,612	26,447	21,538	9,865	13,950	50,479	33,965	41,072	92,898	79,420	32,393	24,881	14,176

Mean weekly incidence rate per 100,000 Persons.

Respiratory System Diseases (ICD10: J00-J99)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	1,461	1,153	207	138	112	121	212	259	369	1,163	1,032	192	233	223	185	212	245	303
		2	1,790	1,096	188	172	129	147	216	280	404	1,413	936	199	333	274	244	234	277	342
		3	1,738	1,126	259	160	147	183	261	325	469	1,412	1,067	247	327	353	308	341	318	429
		4	1,394	980	209	154	134	162	241	311	393	1,073	825	220	285	277	259	304	305	372
	Year	21/22	1,597	1,088	216	156	131	154	233	295	410	1,266	964	215	296	283	250	274	287	363
	Episodes	F/N	1,678	5,416	3,150	2,114	4,247	5,262	3,091	2,323	1,013	1,288	4,682	3,040	3,832	8,852	8,406	3,828	2,707	1,503
North West	Quarter	1	1,758	1,314	239	121	125	130	200	275	394	1,490	1,206	228	226	249	224	241	292	323
		2	1,646	1,134	223	183	139	171	248	330	417	1,456	983	230	390	309	282	296	341	399
		3	1,866	1,198	273	159	153	192	279	352	463	1,455	1,063	284	313	349	348	357	390	451
		4	1,666	1,139	247	150	141	176	275	334	473	1,264	982	253	292	299	305	362	376	436
	Year	21/22	1,737	1,194	246	154	140	169	252	325	439	1,413	1,055	250	307	304	293	317	352	405
	Episodes	F/N	4,252	13,812	7,981	4,966	10,430	11,710	6,252	4,622	1,918	3,274	11,625	7,657	9,839	21,280	19,237	8,079	5,983	2,983
East of England	Quarter	1	704	594	134	76	71	69	115	154	233	481	474	114	123	117	101	126	126	200
		2	1,154	587	112	101	80	94	134	188	304	749	557	116	220	142	147	132	164	244
		3	1,136	668	150	106	89	115	160	216	324	736	557	163	193	189	183	182	192	298
		4	1,045	617	138	115	98	98	139	195	308	658	524	141	178	181	159	167	182	243
	Year	21/22	1,015	617	133	99	84	94	137	189	293	659	529	134	179	157	147	152	167	247
	Episodes	F/N	552	1,600	1,028	680	1,314	1,605	836	744	384	327	1,317	989	1,126	2,491	2,470	991	759	520
Midlands	Quarter	1	1,162	917	201	107	101	106	164	221	276	902	816	194	198	180	164	176	211	256
		2	1,508	1,004	182	151	116	130	194	268	299	1,327	893	191	323	230	217	207	252	274
		3	1,407	961	214	134	130	146	205	273	376	1,073	866	234	271	272	256	260	272	320
		4	1,130	870	209	143	118	139	227	282	391	897	720	205	263	248	228	246	268	315
	Year	21/22	1,305	939	202	134	117	131	198	262	337	1,051	825	207	265	234	218	223	252	292
	Episodes	F/N	2,564	8,972	5,397	3,420	6,675	7,551	4,293	3,644	1,482	1,986	7,480	5,218	6,361	12,938	12,188	5,100	4,113	2,105
London	Quarter	1	1,012	984	225	101	80	93	164	221	317	833	831	190	159	153	159	173	207	224
		2	1,248	988	210	124	77	99	192	269	336	985	827	195	185	160	179	223	252	308
		3	1,199	967	246	100	80	111	178	272	408	1,029	841	210	168	181	204	247	281	313
		4	979	817	226	101	80	106	196	262	366	941	699	202	164	165	189	231	270	328
	Year	21/22	1,113	938	227	106	79	103	183	257	359	952	799	200	169	165	184	220	254	296
	Episodes	F/N	3,190	11,613	6,829	3,324	8,957	6,174	2,252	1,572	784	2,637	9,522	5,786	5,635	17,015	9,621	2,897	1,999	1,092
South East	Quarter	1	1,055	922	204	106	99	101	154	219	318	907	774	172	182	185	159	163	186	244
		2	1,392	971	167	146	102	114	176	223	353	1,205	837	178	272	203	180	181	210	278
		3	1,372	939	191	129	110	135	200	250	383	1,091	827	204	242	257	228	226	243	333
		4	1,133	829	182	122	104	119	185	256	343	970	696	182	242	223	197	217	245	306
	Year	21/22	1,245	916	186	126	104	118	180	238	351	1,047	785	185	236	218	193	198	223	292
	Episodes	F/N	3,715	13,342	7,783	5,136	9,394	10,701	5,759	4,913	2,618	2,963	10,662	7,380	9,250	19,408	17,118	6,766	5,485	3,586
South West	Quarter	1	946	782	162	113	99	97	137	221	277	752	635	157	182	178	147	155	184	233
		2	1,304	854	143	147	102	113	159	228	283	1,030	704	153	287	189	171	170	202	267
		3	1,177	877	193	141	119	136	194	249	353	1,138	742	188	256	256	224	213	237	325
		4	987	723	161	117	111	122	176	249	349	746	625	178	228	212	190	206	216	278
	Year	21/22	1,108	811	165	130	108	118	167	238	316	922	678	169	239	210	184	186	211	277
	Episodes	F/N	1,826	6,599	3,984	2,844	5,716	6,609	3,964	3,720	1,666	1,475	5,191	3,895	5,029	10,914	10,380	4,732	3,835	2,387

Mean weekly incidence rate per 100,000 Persons.

Acute Sinusitis (ICD10: J01)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	2	2	2	2	8	9	10	6	3	0	2	1	9	24	24	19	11	5
	2	2	1	1	4	8	8	8	5	1	1	1	2	10	24	21	15	9	4
	3	0	1	1	4	8	7	9	6	1	0	1	1	10	25	18	13	11	3
	4	2	1	1	4	7	9	9	8	5	2	1	1	13	24	20	18	12	4
	5	0	1	2	8	9	9	8	7	2	0	1	2	18	25	25	21	14	6
	6	1	1	2	11	12	12	13	6	6	1	1	3	26	41	32	24	16	6
	7	2	1	3	9	14	13	11	8	5	0	2	4	20	41	36	24	15	6
	8	0	2	3	8	15	15	13	9	4	0	2	4	17	49	43	31	17	6
	9	2	2	2	5	12	12	12	9	3	1	2	2	12	36	33	29	16	4
	10	1	1	2	5	10	11	12	9	6	0	0	2	12	34	33	30	16	7
	11	1	1	2	6	12	14	14	8	5	0	2	2	14	34	33	29	18	7
	12	1	1	2	8	13	12	14	11	5	0	3	3	13	40	36	28	16	7
	13	3	1	3	6	11	11	12	9	5	0	2	2	12	29	31	28	16	7
Quarter	1	1	1	1	3	8	8	9	6	2	0	1	2	9	24	21	16	11	4
	2	1	1	2	8	10	10	10	7	5	1	1	2	19	30	26	21	14	6
	3	1	2	3	7	13	13	12	9	4	0	2	3	15	41	37	29	16	5
	4	1	1	2	7	12	12	13	9	5	0	2	3	13	34	34	29	17	7
Year	21/22	1	1	2	6	11	11	11	8	4	0	1	2	14	33	30	24	15	5
Episodes	F/N	17	78	370	1,061	4,664	4,209	1,483	637	110	5	85	410	2,421	13,633	10,942	3,344	1,422	242

Mean weekly incidence rate per 100,000 Persons.

Acute Sinusitis (ICD10: J01)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	1	1	6	8	7	7	10	3	0	1	1	11	28	22	18	12	7
		2	4	0	1	5	12	10	10	4	3	0	2	2	22	33	31	17	13	9
		3	4	1	4	6	14	14	11	9	8	0	2	3	21	54	37	33	14	1
		4	0	1	1	7	15	13	12	10	6	0	2	3	11	37	37	26	17	5
	Year	21/22	2	1	2	6	13	11	10	8	5	0	2	2	17	38	32	23	14	5
	Episodes	F/N	2	3	26	81	406	386	137	64	13	0	8	32	214	1,196	1,077	328	134	22
North West	Quarter	1	0	4	2	4	11	10	11	7	2	0	1	3	11	37	31	20	18	5
		2	3	0	2	12	14	13	12	9	6	5	2	4	28	45	38	29	21	10
		3	0	1	4	10	19	17	17	11	6	0	1	4	20	58	52	39	23	7
		4	5	1	4	8	17	16	16	8	11	0	3	3	17	47	49	41	21	10
	Year	21/22	2	2	3	8	15	14	14	9	6	1	2	4	19	47	43	33	21	8
	Episodes	F/N	5	18	100	274	1,149	971	344	124	27	3	19	111	609	3,315	2,812	833	355	59
East of England	Quarter	1	0	2	1	1	6	6	7	3	0	0	0	1	7	16	13	10	4	0
		2	0	0	1	6	6	8	10	4	3	0	0	2	14	24	19	14	11	4
		3	0	1	2	6	9	10	8	9	6	0	0	2	10	34	31	21	15	9
		4	8	0	2	6	11	10	9	13	10	0	0	1	6	34	28	21	13	6
	Year	21/22	2	1	1	5	8	8	9	7	5	0	0	1	9	27	22	17	11	5
	Episodes	F/N	1	2	11	31	128	139	52	28	6	0	0	10	59	426	376	108	49	10
Midlands	Quarter	1	0	0	1	3	8	8	9	5	3	0	0	2	6	23	20	16	10	3
		2	0	0	2	6	11	10	11	9	7	0	1	1	19	32	28	20	14	3
		3	4	2	2	7	13	13	13	9	3	0	1	4	14	43	35	33	15	4
		4	0	0	2	6	12	12	14	8	5	0	0	2	14	36	33	32	14	3
	Year	21/22	1	1	2	5	11	11	12	8	5	0	1	2	14	34	29	26	14	3
	Episodes	F/N	2	5	55	140	631	620	255	108	20	0	6	54	329	1,870	1,626	586	221	24
London	Quarter	1	2	1	2	3	5	6	9	2	0	0	0	1	11	16	17	18	10	4
		2	0	2	2	6	7	7	9	7	4	0	1	2	13	18	18	22	10	6
		3	1	2	3	6	8	9	10	6	5	1	2	4	11	23	24	23	19	1
		4	1	2	2	6	7	9	13	9	4	0	3	2	11	21	22	20	16	10
	Year	21/22	1	2	2	6	7	8	11	6	3	0	1	2	11	20	21	21	14	5
	Episodes	F/N	3	24	68	174	781	481	130	38	7	1	16	72	381	2,053	1,077	276	108	19
South East	Quarter	1	4	1	1	3	9	8	8	6	2	2	3	1	10	26	20	12	8	4
		2	1	1	2	8	10	11	9	7	4	0	1	2	19	33	24	19	12	5
		3	0	2	2	7	13	14	11	8	2	0	3	4	16	42	37	25	15	6
		4	0	1	2	6	12	12	13	11	4	0	2	3	16	39	33	25	17	6
	Year	21/22	1	1	2	6	11	11	10	8	3	0	2	2	15	35	29	21	13	5
	Episodes	F/N	4	17	78	245	995	1,041	326	169	22	1	30	95	594	3,144	2,563	706	326	65
South West	Quarter	1	0	2	0	3	7	8	10	5	1	0	1	1	6	23	18	14	9	3
		2	0	0	1	8	9	9	7	5	3	0	1	1	17	28	22	18	12	5
		3	0	1	2	4	13	12	12	9	6	0	1	2	12	41	32	22	14	6
		4	0	2	1	5	14	11	11	8	2	0	1	3	10	33	28	25	15	7
	Year	21/22	0	1	1	5	11	10	10	7	3	0	1	2	11	31	25	20	13	5
	Episodes	F/N	0	9	32	116	574	571	239	106	15	0	6	36	235	1,629	1,411	507	229	43

Mean weekly incidence rate per 100,000 Persons.

		Strep Sore Throat, Scarletina and Peritonsillar Abscess (ICD10: A38,J020,J36)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	1	2	0	1	0	0	0	0	0	2	3	1	1	1	0	0	0	0
	2	2	3	0	0	0	0	0	0	0	0	2	0	1	0	0	0	0	0
	3	0	2	0	1	0	0	0	0	0	2	3	1	1	0	0	0	0	0
	4	0	1	0	1	0	0	0	0	0	1	2	0	1	0	0	0	0	0
	5	1	2	1	2	0	0	0	0	0	0	5	0	1	1	0	0	0	0
	6	1	4	1	1	1	0	0	0	0	2	5	1	2	1	0	0	0	0
	7	1	4	1	2	0	0	0	0	0	1	6	1	2	1	0	0	0	0
	8	1	4	1	1	1	0	0	0	0	3	6	2	1	1	0	0	0	0
	9	0	5	1	1	0	0	0	0	0	1	4	1	1	1	0	0	0	0
	10	1	12	2	2	1	0	0	0	0	1	10	2	1	0	0	0	0	0
	11	0	16	2	1	1	0	0	0	0	4	12	3	2	1	0	0	0	0
	12	8	26	6	1	1	0	0	0	0	6	24	6	2	1	0	0	0	0
	13	4	16	5	1	1	0	0	0	0	3	18	5	2	1	0	0	0	0
Quarter	1	1	2	0	1	0	0	0	0	0	1	3	1	1	0	0	0	0	0
	2	1	2	0	1	0	0	0	0	0	1	4	1	1	1	0	0	0	0
	3	1	5	1	1	1	0	0	0	0	2	6	1	2	1	0	0	0	0
	4	3	19	4	1	1	0	0	0	0	4	18	5	2	1	0	0	0	0
Year	21/22	1	7	2	1	0	0	0	0	0	2	8	2	1	1	0	0	0	0
Episodes	F/N	20	466	289	208	210	74	9	8	2	26	461	302	244	239	75	9	4	1

Mean weekly incidence rate per 100,000 Persons.

Strep Sore Throat, Scarletina and Peritonsillar Abscess (ICD10: A38,J020,J36)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	0	1	1	1	0	0	0	0	0	3	1	1	0	0	0	0	0
		2	4	2	1	1	0	0	0	0	0	0	7	1	1	1	0	0	0	0
		3	4	7	2	1	1	0	0	0	0	4	4	1	2	1	0	0	0	0
		4	4	36	10	1	0	0	0	0	0	8	27	10	3	1	1	0	0	0
	Year	21/22	3	11	3	1	0	0	0	0	0	3	10	3	2	1	0	0	0	0
	Episodes	F/N	3	56	51	18	16	9	1	0	0	3	49	45	25	24	8	1	0	0
North West	Quarter	1	0	3	0	1	0	0	1	0	0	4	5	0	1	1	0	0	0	0
		2	2	2	1	1	0	0	0	0	0	0	7	1	2	1	0	0	0	0
		3	0	7	1	1	1	0	0	0	0	3	8	2	2	1	0	0	0	0
		4	9	30	5	2	1	0	0	0	0	7	31	8	3	1	1	0	0	0
	Year	21/22	3	11	2	1	1	0	0	0	0	3	13	3	2	1	0	0	0	0
	Episodes	F/N	7	124	56	45	43	13	5	0	0	8	142	79	62	42	15	2	1	0
East of England	Quarter	1	0	3	0	0	1	0	0	0	0	0	0	1	1	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	6	0	1	1	0	0	0	0
		3	0	12	1	2	0	0	0	1	0	0	8	2	0	0	0	0	0	0
		4	0	8	5	2	1	0	0	0	0	8	14	11	3	1	0	0	0	0
	Year	21/22	0	6	1	1	0	0	0	0	0	2	7	3	1	1	0	0	0	0
	Episodes	F/N	0	15	11	7	6	1	0	1	0	1	17	22	8	8	1	0	0	0
Midlands	Quarter	1	2	4	0	1	0	0	0	0	1	0	5	1	1	0	0	0	0	0
		2	0	3	0	1	1	0	0	0	0	0	3	1	1	0	0	0	0	0
		3	2	4	2	1	0	0	0	0	0	2	5	1	2	1	0	0	0	0
		4	0	14	3	1	1	0	0	0	0	4	14	3	2	1	0	0	0	0
	Year	21/22	1	6	1	1	1	0	0	0	0	2	7	1	1	0	0	0	0	0
	Episodes	F/N	2	57	40	28	35	9	1	0	1	3	60	36	33	25	14	2	0	0
London	Quarter	1	0	1	1	1	0	0	0	0	2	2	0	1	0	0	0	0	0	0
		2	0	3	0	1	0	0	0	1	0	1	1	1	0	0	0	0	1	0
		3	1	3	1	0	0	0	0	0	0	0	4	1	1	0	0	0	0	0
		4	3	10	3	1	0	0	0	0	0	1	14	2	0	0	0	0	0	0
	Year	21/22	1	5	1	1	0	0	0	0	0	1	5	1	1	0	0	0	0	0
	Episodes	F/N	3	57	39	22	43	10	0	1	1	3	58	29	18	34	8	1	1	0
South East	Quarter	1	3	3	1	0	0	0	0	0	0	2	3	1	1	0	0	0	0	0
		2	0	2	0	1	0	0	0	0	0	1	3	1	1	1	0	0	0	0
		3	0	4	1	2	0	0	0	1	0	1	6	1	1	1	0	0	0	0
		4	3	14	3	1	0	0	0	0	0	3	12	3	1	1	0	0	0	0
	Year	21/22	1	6	1	1	0	0	0	0	0	2	6	1	1	1	0	0	0	0
	Episodes	F/N	4	84	52	40	32	17	0	4	0	5	80	55	50	63	16	3	1	1
South West	Quarter	1	0	3	0	1	0	0	0	0	0	0	1	0	3	1	0	0	0	0
		2	0	2	1	3	1	0	0	0	0	3	8	0	2	1	0	0	0	0
		3	0	7	1	3	1	0	0	0	0	2	7	2	2	1	0	0	0	0
		4	2	24	5	2	1	0	0	0	0	2	13	4	2	1	0	0	0	0
	Year	21/22	1	9	2	2	1	0	0	0	0	2	7	2	2	1	0	0	0	0
	Episodes	F/N	1	73	40	48	35	15	2	2	0	3	55	36	48	43	13	0	1	0

Mean weekly incidence rate per 100,000 Persons.

		Acute Tonsillitis/Pharyngitis (ICD10: J02-J03)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	59	116	33	21	9	2	1	1	1	29	103	45	59	24	6	2	1	0
	2	76	156	27	22	9	2	1	1	1	53	131	36	58	21	6	2	1	1
	3	41	130	24	22	9	2	1	0	1	34	114	34	63	25	6	3	1	1
	4	47	88	15	30	10	3	2	1	1	30	69	21	78	22	6	2	1	1
	5	46	99	31	40	11	3	2	1	1	54	83	41	95	27	7	2	1	1
	6	72	148	46	44	14	4	1	2	0	54	117	56	111	36	9	4	2	1
	7	78	140	40	47	15	4	2	1	0	45	128	49	105	38	11	3	2	1
	8	49	149	53	47	16	4	2	2	0	39	122	62	104	43	11	4	2	0
	9	43	100	34	37	14	4	2	1	1	24	78	42	79	38	12	3	1	1
	10	53	133	44	40	14	3	1	1	0	47	103	54	96	39	10	4	1	2
	11	64	142	46	45	16	4	2	2	1	45	126	57	100	41	11	4	2	1
	12	55	166	58	42	16	4	1	1	1	37	140	74	93	41	11	4	2	3
	13	53	126	46	37	16	4	2	1	2	32	105	50	81	41	9	4	2	1
Quarter	1	59	134	28	21	9	2	1	1	1	39	116	38	60	24	6	2	1	0
	2	56	114	31	38	12	3	2	1	1	47	93	39	94	29	8	2	2	1
	3	55	128	43	43	15	4	2	1	1	36	106	53	96	39	11	4	2	1
	4	57	145	50	41	16	4	2	1	1	40	122	60	92	41	10	4	2	1
Year	21/22	57	130	38	36	13	3	2	1	1	40	109	48	86	34	9	3	1	1
Episodes	F/N	765	8,298	6,788	6,267	5,651	1,277	206	91	26	521	6,611	8,088	14,566	13,953	3,267	431	139	42

Mean weekly incidence rate per 100,000 Persons.

Acute Tonsillitis/Pharyngitis (ICD10: J02-J03)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	65	177	33	28	11	3	2	1	0	37	148	45	71	26	6	2	0	1
		2	73	131	38	46	13	5	2	2	0	58	112	46	114	34	9	1	2	1
		3	73	141	52	54	16	4	1	1	0	55	136	62	121	46	10	4	2	1
		4	66	174	61	54	20	4	3	1	3	35	157	72	125	54	11	4	1	0
	Year	21/22	69	155	46	46	15	4	2	1	1	46	138	56	109	40	9	3	1	1
	Episodes	F/N	73	773	676	620	489	131	26	10	2	47	672	796	1,408	1,262	305	43	14	3
North West	Quarter	1	94	172	40	28	13	3	1	2	2	70	152	58	77	32	8	4	1	1
		2	79	163	44	50	16	4	2	1	2	76	118	56	122	42	10	4	1	1
		3	88	170	59	53	20	5	2	1	0	60	138	70	121	52	16	5	3	2
		4	90	198	64	50	21	6	2	2	0	48	175	81	115	55	14	5	3	2
	Year	21/22	87	176	52	46	18	4	2	1	1	63	146	67	110	46	12	5	2	1
	Episodes	F/N	214	2,033	1,702	1,478	1,313	300	44	19	4	146	1,603	2,043	3,528	3,205	814	115	37	11
East of England	Quarter	1	23	90	16	14	8	2	1	1	0	17	60	20	43	20	4	2	0	2
		2	66	76	22	24	8	3	1	0	6	32	64	22	71	18	6	4	3	2
		3	41	89	22	31	12	4	2	1	0	8	75	36	90	23	11	4	2	0
		4	77	101	29	33	10	2	3	1	0	51	87	43	84	35	8	4	2	0
	Year	21/22	51	89	22	25	10	3	2	1	2	26	71	30	72	24	7	3	2	1
	Episodes	F/N	28	230	169	174	149	48	10	3	2	13	177	220	453	379	120	22	7	2
Midlands	Quarter	1	64	140	30	24	9	2	1	1	0	44	130	45	72	25	8	3	2	1
		2	62	132	33	43	17	4	2	1	1	67	120	45	111	34	10	4	3	1
		3	66	155	54	45	20	5	2	2	0	41	118	63	112	47	14	3	1	2
		4	46	169	58	52	19	4	1	1	2	52	125	71	109	50	12	3	1	2
	Year	21/22	60	149	44	41	16	4	2	1	1	51	123	56	102	39	11	3	2	1
	Episodes	F/N	117	1,422	1,184	1,045	939	233	35	18	3	96	1,115	1,413	2,443	2,179	616	71	28	10
London	Quarter	1	43	106	24	14	8	2	3	0	2	26	90	28	36	18	7	3	1	0
		2	40	98	29	23	8	2	2	1	0	31	73	32	50	23	6	2	2	2
		3	39	101	37	24	10	4	3	1	2	19	88	40	49	28	11	3	3	0
		4	36	112	41	24	11	3	2	1	2	38	99	43	48	28	8	4	2	2
	Year	21/22	39	104	33	22	9	3	2	1	1	28	88	36	46	25	8	3	2	1
	Episodes	F/N	113	1,289	1,000	682	1,052	181	26	5	3	78	1,045	1,044	1,532	2,524	427	41	16	4
South East	Quarter	1	58	131	25	18	8	2	1	0	1	43	115	33	55	22	5	1	1	0
		2	54	101	24	36	10	3	1	1	1	43	90	32	88	25	6	2	1	1
		3	54	124	35	44	13	3	2	2	1	29	109	48	95	38	9	3	1	1
		4	64	134	46	40	14	3	2	1	1	33	115	53	92	38	8	3	1	1
	Year	21/22	57	122	33	35	12	3	1	1	1	37	107	42	83	31	7	2	1	1
	Episodes	F/N	171	1,782	1,373	1,421	1,044	253	44	18	7	104	1,455	1,669	3,260	2,747	616	84	26	8
South West	Quarter	1	39	111	20	24	8	2	1	1	2	11	89	30	62	24	4	2	1	0
		2	34	75	23	41	11	2	1	1	1	13	60	31	105	26	7	1	1	0
		3	18	87	33	48	15	3	1	2	0	33	58	43	105	39	8	3	0	0
		4	29	107	37	40	16	3	1	1	2	34	79	52	96	38	7	3	1	1
	Year	21/22	30	94	28	39	13	2	1	1	1	23	71	39	92	32	7	2	1	0
	Episodes	F/N	49	769	684	847	665	131	21	18	5	37	544	903	1,942	1,657	369	55	11	4

Mean weekly incidence rate per 100,000 Persons.

		Upper Respiratory Tract Infections (ICD10: J00-J06)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	917	736	93	32	26	18	19	15	13	743	660	99	87	71	46	31	23	15
	2	866	798	77	36	27	17	17	15	10	752	708	86	89	69	42	29	21	15
	3	763	617	70	37	27	18	18	15	14	674	562	79	93	73	41	27	23	16
	4	656	473	40	50	27	20	20	17	18	567	398	45	122	69	43	33	25	17
	5	813	541	92	82	34	23	23	17	15	721	502	101	170	85	55	38	29	19
	6	1,220	990	169	101	51	37	35	28	22	1,156	887	176	233	136	82	54	40	35
	7	1,193	886	140	88	54	39	37	31	23	997	811	157	192	145	91	60	42	37
	8	1,123	905	190	88	56	42	40	29	34	1,065	839	195	184	159	103	71	47	37
	9	739	424	79	60	44	32	34	26	28	612	396	89	122	115	79	59	42	31
	10	775	606	109	61	38	27	26	25	19	682	509	118	140	105	66	53	36	26
	11	888	630	108	71	45	30	32	25	19	745	559	121	157	111	70	53	41	27
	12	967	744	150	76	48	33	34	31	27	843	653	164	155	127	82	59	42	34
	13	729	523	97	62	42	31	29	30	22	657	467	104	129	103	68	56	36	25
Quarter	1	849	717	80	35	27	18	18	15	12	723	643	88	90	71	43	29	23	15
	2	910	680	101	78	39	27	26	21	19	828	611	109	175	100	62	42	32	25
	3	954	698	131	74	47	36	35	28	26	831	630	141	158	132	86	62	42	32
	4	859	633	118	70	45	31	31	28	22	749	560	128	147	114	73	56	39	29
Year	21/22	895	682	109	65	40	28	28	23	20	785	611	118	144	105	67	48	34	25
Episodes	F/N	12,091	43,490	19,275	11,181	17,365	10,858	3,724	1,924	555	10,140	37,005	19,938	24,353	43,863	24,610	6,744	3,369	1,156

Mean weekly incidence rate per 100,000 Persons.

Upper Respiratory Tract Infections (ICD10: J00-J06)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	941	824	79	46	30	18	16	20	10	817	755	92	106	81	44	32	20	19
		2	972	719	106	86	42	28	26	13	13	919	634	115	198	112	69	37	34	30
		3	1,067	771	144	87	51	36	36	27	27	962	724	150	197	164	86	67	41	35
		4	968	692	128	80	54	33	31	26	20	787	619	139	184	133	79	54	39	31
	Year	21/22	989	751	115	75	44	29	27	22	18	872	682	125	172	123	70	48	34	29
	Episodes	F/N	1,039	3,737	1,680	1,015	1,441	987	364	170	44	887	3,312	1,764	2,234	3,856	2,350	669	320	119
North West	Quarter	1	1,216	943	107	46	36	21	22	18	18	1,041	866	120	117	103	62	40	38	22
		2	1,113	781	127	97	52	36	35	31	29	1,081	701	139	236	144	88	59	50	39
		3	1,213	824	169	91	65	47	48	38	34	1,016	755	181	199	176	117	82	59	39
		4	1,160	829	148	85	60	42	38	31	39	916	729	165	184	150	102	82	53	39
	Year	21/22	1,175	842	139	81	54	37	36	30	30	1,011	760	153	186	145	94	67	50	35
	Episodes	F/N	2,878	9,740	4,514	2,605	4,035	2,566	896	426	132	2,343	8,377	4,665	5,957	10,169	6,144	1,705	856	260
Midlands	Quarter	1	809	649	83	39	28	20	18	14	11	694	601	97	97	69	44	32	21	14
		2	940	664	105	81	45	29	28	26	20	837	639	112	200	106	66	44	34	18
		3	927	666	132	75	56	37	33	25	22	747	605	152	174	142	86	61	38	32
		4	784	629	125	80	49	31	34	28	22	665	534	136	163	124	73	55	35	21
	Year	21/22	867	653	112	69	45	30	28	23	19	736	595	125	160	112	68	49	32	21
	Episodes	F/N	1,703	6,234	3,003	1,768	2,578	1,709	617	325	83	1,391	5,396	3,159	3,835	6,180	3,796	1,110	525	154
London	Quarter	1	767	742	89	29	21	17	23	17	14	654	668	90	67	54	41	37	30	17
		2	885	722	118	62	30	25	30	29	32	746	631	122	111	80	57	51	36	32
		3	861	724	148	54	35	32	37	29	35	792	648	137	102	97	74	68	52	46
		4	756	609	127	52	33	29	39	34	32	780	542	128	96	86	65	53	50	50
	Year	21/22	819	698	122	50	30	26	33	28	29	747	621	120	95	80	60	53	43	37
	Episodes	F/N	2,348	8,645	3,666	1,569	3,428	1,570	403	170	63	2,069	7,402	3,487	3,175	8,276	3,154	700	336	137
South East	Quarter	1	776	678	71	28	27	17	16	14	13	690	592	74	84	69	40	22	19	13
		2	858	670	90	76	39	25	22	19	17	818	604	101	166	94	55	37	27	24
		3	958	672	107	73	44	34	32	27	25	823	604	127	155	133	82	57	39	31
		4	818	583	104	68	42	28	31	31	20	757	524	111	150	115	67	47	36	26
	Year	21/22	857	651	94	62	38	26	26	23	19	776	582	104	140	104	61	41	31	24
	Episodes	F/N	2,556	9,481	3,934	2,536	3,454	2,383	821	476	142	2,195	7,898	4,167	5,494	9,249	5,468	1,409	756	293
South West	Quarter	1	699	551	57	35	24	16	15	11	10	541	474	70	85	65	33	23	16	12
		2	763	583	69	75	36	22	19	16	8	666	496	79	174	85	45	31	22	18
		3	766	587	108	78	45	30	31	23	24	789	516	115	163	125	71	46	31	21
		4	729	511	89	62	44	25	21	23	10	569	447	108	140	101	58	48	32	23
	Year	21/22	740	559	81	63	37	23	22	19	13	645	484	94	142	95	52	37	26	18
	Episodes	F/N	1,220	4,548	1,963	1,384	1,973	1,303	514	290	70	1,032	3,703	2,155	2,974	4,925	2,943	947	468	159
East of England	Quarter	1	505	423	49	18	19	11	12	14	0	356	335	48	64	50	25	17	12	8
		2	647	394	64	49	28	21	20	9	24	494	381	60	131	67	39	28	25	26
		3	703	469	80	55	34	27	21	23	17	418	372	99	127	93	64	41	33	20
		4	689	416	74	56	36	21	19	22	23	531	386	86	111	96	51	40	24	10
	Year	21/22	638	426	67	44	29	20	18	17	16	449	368	73	108	76	45	31	24	16
	Episodes	F/N	347	1,105	515	304	456	340	109	67	21	223	917	541	684	1,208	755	204	108	34

Mean weekly incidence rate per 100,000 Persons.

		Pertussis (ICD10: A37)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.6	0.1	0.1	0.1	0.0	0.0	0.0	0.0
	2	1.0	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0
	3	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.0	0.0	0.0	0.0
	4	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.2	0.0	0.2	0.1	0.0	0.0	0.1	0.0
	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
	6	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0
	7	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0
	8	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0
	9	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
	10	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0
	12	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0
	13	1.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0
Quarter	1	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.1	0.0	0.2	0.0	0.0	0.0	0.0
	2	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0
	3	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0
	4	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0
Year	21/22	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0
Episodes	F/N	3.0	12.0	5.0	0.0	3.0	4.0	1.0	0.0	0.0	3.0	8.0	3.0	5.0	50.0	3.0	0.0	1.0	0.0

Mean weekly incidence rate per 100,000 Persons.

			M									F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	
North East and Yorkshire	Quarter	1	0.0	0.8	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	
		2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	3.9	0.0	0.0	0.3	0.1	0.0	0.0	0.0	0.0	
		3	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		4	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Year	21/22	1.0	0.2	0.0	0.0	0.0	0.1	0.1	0.0	0.0	1.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	
	Episodes	F/N	1.0	1.0	0.0	0.0	1.0	2.0	1.0	0.0	0.0	1.0	0.0	0.0	1.0	2.0	0.0	0.0	0.0	0.0	
North West	Quarter	1	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.0	0.1	0.0	0.0	0.0	0.0	
		2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	
		3	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		4	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	
	Year	21/22	0.0	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.0	
	Episodes	F/N	0.0	3.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	2.0	0.0	4.0	2.0	0.0	0.0	0.0	
East of England	Quarter	1	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	
		2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Year	21/22	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	
	Episodes	F/N	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	
Midlands	Quarter	1	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	
		2	2.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.2	0.1	0.0	0.0	0.0	0.0	
		3	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	
		4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Year	21/22	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Episodes	F/N	2.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	1.0	2.0	1.0	0.0	0.0	0.0	
London	Quarter	1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.1	0.6	0.0	0.0	0.0	0.0	
		2	0.0	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.0	0.0	0.5	0.0	
		3	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	
		4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.3	0.0	0.0	0.3	0.0	0.0	0.0	0.0	
	Year	21/22	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.1	0.0	0.0	0.3	0.0	0.0	0.1	0.0	
	Episodes	F/N	0.0	3.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	1.0	1.0	1.0	32.0	0.0	0.0	1.0	0.0	
South East	Quarter	1	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.1	0.0	0.0	0.0	0.0	
		2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	
		3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	
		4	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	
	Year	21/22	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	
	Episodes	F/N	0.0	1.0	1.0	0.0	2.0	2.0	0.0	0.0	0.0	0.0	1.0	0.0	2.0	6.0	0.0	0.0	0.0	0.0	
South West	Quarter	1	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.1	0.0	0.0	0.0	0.0	
		4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	
	Year	21/22	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.1	0.0	0.0	0.0	0.0	
	Episodes	F/N	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	

Mean weekly incidence rate per 100,000 Persons.

		Infectious Mononucleosis (ICD10: B27)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	2	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	3	0	0	0	1	0	0	0	0	0	0	0	0	2	0	0	0	0	0
	4	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	5	0	0	0	1	0	0	0	0	0	0	0	1	2	0	0	0	0	0
	6	0	0	0	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0
	7	0	0	0	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0
	8	0	0	0	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0
	9	0	0	0	3	0	0	0	0	0	0	0	0	2	0	0	0	0	0
	10	0	0	0	2	0	0	0	0	0	0	0	0	4	0	0	0	0	0
	11	0	0	0	3	0	0	0	0	0	0	0	0	3	0	0	0	0	0
	12	0	0	0	2	0	0	0	0	0	0	0	0	4	0	0	0	0	0
	13	0	0	1	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0
Quarter	1	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	2	0	0	0	1	0	0	0	0	0	0	0	0	2	0	0	0	0	0
	3	0	0	0	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0
	4	0	0	0	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0
Year	21/22	0	0	0	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
Episodes	F/N	0	10	43	302	90	13	0	0	0	0	7	36	419	98	18	2	0	0

Mean weekly incidence rate per 100,000 Persons.

Infectious Mononucleosis (ICD10: B27)

			M									F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	
North East and Yorkshire	Quarter	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		2	0	0	1	2	0	0	0	0	0	0	0	1	2	0	0	0	0	0	
		3	0	0	0	3	0	0	0	0	0	0	0	0	5	0	0	0	0	0	
		4	0	0	0	1	0	0	0	0	0	0	0	0	4	0	0	0	0	0	
	Year	21/22	0	0	0	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0	
	Episodes	F/N	0	0	5	24	7	0	0	0	0	0	0	2	38	6	2	0	0	0	
North West	Quarter	1	0	0	0	1	0	0	0	0	0	0	0	1	2	0	0	0	0	0	
		2	0	0	0	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
		3	0	0	0	3	0	0	0	0	0	0	0	0	2	0	0	0	0	0	
		4	0	0	0	2	0	0	0	0	0	0	1	1	4	0	0	0	0	0	
	Year	21/22	0	0	0	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0	
	Episodes	F/N	0	1	9	61	21	4	0	0	0	0	2	9	76	14	3	0	0	0	
East of England	Quarter	1	0	0	1	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	
		2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	
		3	0	0	0	3	0	0	0	0	0	0	0	0	4	0	0	0	0	0	
		4	0	0	1	4	0	0	0	0	0	0	0	1	3	0	0	0	0	0	
	Year	21/22	0	0	0	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0	
	Episodes	F/N	0	0	3	11	2	0	0	0	0	0	0	1	16	5	0	0	0	0	
Midlands	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	
		2	0	0	0	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
		3	0	0	0	3	0	0	0	0	0	0	0	0	3	0	0	0	0	0	
		4	0	0	0	2	0	0	0	0	0	0	0	0	4	0	0	0	0	0	
	Year	21/22	0	0	0	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0	
	Episodes	F/N	0	3	6	44	13	3	0	0	0	0	0	5	59	16	3	0	0	0	
London	Quarter	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		2	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
		3	0	0	0	1	0	0	0	0	0	0	0	0	2	0	0	0	0	0	
		4	0	0	0	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
	Year	21/22	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
	Episodes	F/N	0	2	5	33	18	3	0	0	0	0	0	5	34	14	2	0	0	0	
South East	Quarter	1	0	0	0	1	0	0	0	0	0	0	1	0	2	0	0	0	0	0	
		2	0	0	0	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0	
		3	0	0	0	3	0	0	0	0	0	0	0	0	5	0	0	0	0	0	
		4	0	0	0	3	0	0	0	0	0	0	1	0	3	0	0	0	0	0	
	Year	21/22	0	0	0	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0	
	Episodes	F/N	0	3	8	87	16	2	0	0	0	0	5	8	129	28	4	1	0	0	
South West	Quarter	1	0	0	0	1	0	0	0	0	0	0	0	0	2	0	0	0	0	0	
		2	0	0	0	2	0	0	0	0	0	0	0	1	3	0	0	0	0	0	
		3	0	0	0	3	0	0	0	0	0	0	0	0	3	0	0	0	0	0	
		4	0	1	1	2	0	0	0	0	0	0	0	0	5	0	0	0	0	0	
	Year	21/22	0	0	0	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0	
	Episodes	F/N	0	1	7	42	13	1	0	0	0	0	0	6	67	15	4	1	0	0	

Mean weekly incidence rate per 100,000 Persons.

Lower Respiratory Tract Infections (ICD10: J20-J22)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	292	201	18	4	9	19	50	83	153	186	151	13	10	20	32	48	74	120
	2	286	184	14	6	10	21	49	81	163	191	162	10	9	19	34	50	74	131
	3	363	170	10	8	11	21	49	86	150	286	146	9	12	19	34	55	78	138
	4	391	152	5	11	10	22	52	84	155	293	114	4	18	18	33	48	78	121
	5	396	142	20	25	15	28	54	93	153	283	116	12	38	30	47	59	84	150
	6	586	254	36	29	22	43	76	122	205	443	213	30	59	52	73	81	118	202
	7	543	232	31	21	24	47	86	124	205	384	194	24	38	52	79	106	127	221
	8	544	219	39	15	25	50	89	129	249	368	188	29	30	55	86	106	134	231
	9	295	85	10	9	17	39	84	131	208	211	78	8	16	36	68	92	124	202
	10	269	115	16	8	13	31	59	97	197	161	87	11	15	29	45	64	99	166
	11	246	112	14	12	16	32	69	109	208	165	94	11	20	30	50	78	99	169
	12	324	164	22	15	18	39	78	131	223	221	122	18	25	41	64	89	121	200
	13	264	115	14	10	17	36	79	118	206	174	85	10	19	30	54	85	109	180
Quarter	1	314	185	14	6	10	20	49	83	155	221	153	11	10	19	33	51	75	130
	2	465	186	21	22	17	32	63	103	174	341	150	16	38	35	53	65	96	163
	3	411	161	24	13	20	42	80	121	215	282	137	18	24	43	71	93	122	204
	4	276	129	17	12	16	35	74	117	212	185	99	13	21	33	55	83	109	183
Year	21/22	368	165	19	13	16	33	67	107	190	258	134	15	24	33	54	74	101	171
Episodes	F/N	4,967	10,514	3,397	2,286	6,986	12,679	8,967	8,803	5,220	3,329	8,142	2,469	4,033	13,772	19,820	10,437	9,944	7,775

Mean weekly incidence rate per 100,000 Persons.

Lower Respiratory Tract Infections (ICD10: J20-J22)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	483	229	14	11	14	30	74	103	187	285	198	11	14	24	43	66	100	155
		2	667	231	25	29	21	37	78	111	204	456	177	19	44	51	66	90	113	179
		3	539	216	35	19	28	59	109	154	257	364	205	24	38	71	97	134	144	255
		4	297	166	20	14	20	47	92	150	239	251	107	17	27	43	69	115	128	202
	Year	21/22	495	210	23	18	21	44	88	131	223	339	171	18	31	48	69	102	122	199
	Episodes	F/N	520	1,047	342	247	684	1,493	1,171	1,029	551	345	831	255	405	1,498	2,324	1,429	1,148	823
North West	Quarter	1	520	271	17	8	19	32	70	104	213	394	262	19	17	34	57	83	112	175
		2	453	219	32	30	30	56	97	149	218	347	193	22	64	66	90	110	149	239
		3	584	210	32	20	33	68	121	168	278	390	189	27	37	73	114	141	195	272
		4	467	190	26	17	27	56	109	158	278	278	152	21	29	56	91	138	177	264
	Year	21/22	508	221	27	19	28	54	100	147	248	351	197	22	37	58	89	119	161	240
	Episodes	F/N	1,243	2,561	886	612	2,047	3,738	2,484	2,086	1,086	814	2,175	680	1,184	4,079	5,857	3,045	2,731	1,764
East of England	Quarter	1	176	131	6	6	7	12	36	49	132	108	90	8	6	12	18	34	51	81
		2	470	133	12	10	16	22	47	78	145	223	129	13	41	25	38	40	55	117
		3	345	113	22	12	18	33	58	98	176	258	112	14	19	36	51	67	85	169
		4	225	84	11	20	17	26	47	80	178	101	67	8	14	30	38	42	62	128
	Year	21/22	307	116	13	12	14	23	47	77	158	175	101	11	20	26	36	46	63	124
	Episodes	F/N	167	301	100	83	226	395	288	303	207	87	251	80	127	409	608	301	289	262
Midlands	Quarter	1	346	183	16	7	12	20	45	88	141	187	147	11	13	23	35	47	81	136
		2	518	221	20	25	21	34	63	105	169	444	159	17	49	39	59	63	98	157
		3	416	175	23	13	25	44	76	124	214	290	147	21	26	50	74	91	120	198
		4	285	129	16	15	20	39	79	125	229	189	97	11	28	39	58	78	113	184
	Year	21/22	392	177	19	15	20	35	66	111	190	278	138	15	29	38	57	70	104	170
	Episodes	F/N	770	1,692	516	388	1,129	1,990	1,440	1,546	834	526	1,249	386	703	2,109	3,185	1,608	1,693	1,222
London	Quarter	1	185	124	15	6	5	13	39	67	117	140	103	7	7	10	22	42	53	95
		2	302	135	17	13	8	20	51	102	160	204	105	13	18	18	32	59	91	140
		3	272	120	19	8	9	25	55	108	191	203	91	13	12	20	43	68	105	136
		4	171	92	13	8	9	22	58	86	184	128	64	9	11	17	35	64	90	156
	Year	21/22	234	118	16	9	8	20	51	92	165	170	90	10	12	16	33	59	86	133
	Episodes	F/N	670	1,456	482	270	901	1,222	631	560	360	470	1,074	304	407	1,676	1,751	775	674	491
South East	Quarter	1	238	173	13	4	8	16	41	70	154	187	126	9	7	17	26	40	59	122
		2	512	181	19	21	13	24	50	83	180	371	157	14	32	28	40	45	76	145
		3	382	150	18	10	18	31	62	98	187	250	119	16	21	36	53	69	98	190
		4	258	125	15	9	14	26	57	100	181	172	96	11	20	28	41	62	88	162
	Year	21/22	351	157	16	11	13	25	53	89	176	245	125	13	20	28	41	55	81	156
	Episodes	F/N	1,046	2,284	688	459	1,192	2,241	1,687	1,830	1,314	694	1,692	511	794	2,465	3,610	1,869	2,003	1,916
South West	Quarter	1	266	166	13	3	9	18	37	83	129	206	122	8	9	18	26	38	62	113
		2	483	170	15	18	15	26	46	86	135	357	128	12	28	27	41	47	74	144
		3	382	143	21	11	20	38	69	100	202	269	117	13	22	40	61	75	91	186
		4	197	97	14	10	17	31	61	99	191	150	87	11	19	33	46	61	81	157
	Year	21/22	334	144	16	10	15	29	53	93	165	246	114	11	20	30	44	55	77	150
	Episodes	F/N	551	1,173	383	227	807	1,600	1,266	1,449	868	393	870	253	413	1,536	2,485	1,410	1,406	1,297

Mean weekly incidence rate per 100,000 Persons.

		Acute Otitis Media (ICD10: H650-H651,H660,H669)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	11	10	2	0	0	0	0	0	1	10	9	1	1	1	1	0	1	0
	2	11	9	2	0	1	0	0	1	0	13	11	3	0	1	0	0	1	0
	3	10	15	3	1	1	1	0	0	0	6	12	3	1	1	1	1	0	1
	4	9	9	2	1	0	0	0	0	0	8	8	2	2	1	1	0	0	1
	5	1	11	2	1	1	0	1	1	0	5	13	3	0	1	1	1	0	0
	6	15	20	4	1	1	0	0	1	0	9	25	5	2	1	1	1	0	1
	7	18	24	4	1	1	1	1	0	0	13	19	5	2	2	1	1	0	0
	8	15	28	5	1	1	1	1	1	0	9	24	7	2	2	1	0	0	1
	9	11	14	2	1	0	1	0	0	0	12	13	3	1	2	1	1	1	0
	10	17	20	2	1	1	0	1	1	0	14	14	3	1	1	1	1	1	0
	11	14	19	3	1	0	1	0	1	0	11	13	2	2	1	0	1	1	0
	12	13	24	3	1	1	1	1	1	0	12	21	4	1	1	1	0	1	1
	13	15	18	2	1	0	0	0	0	0	12	15	2	1	1	1	1	1	0
Quarter	1	10	11	2	0	0	0	0	0	1	10	11	2	1	1	1	0	0	0
	2	10	14	3	1	1	0	1	1	0	8	15	3	1	1	1	1	0	0
	3	14	21	3	1	1	1	1	1	0	13	18	5	1	2	1	1	1	0
	4	15	21	3	1	0	0	0	1	0	11	17	3	1	1	1	1	1	0
Year	21/22	12	17	3	1	1	0	0	1	0	10	15	3	1	1	1	1	1	0
Episodes	F/N	166	1,084	476	135	236	181	62	49	9	134	910	559	193	489	281	87	49	19

Mean weekly incidence rate per 100,000 Persons.

Acute Otitis Media (ICD10: H650-H651,H660,H669)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	16	15	2	0	1	0	0	0	2	8	14	4	0	1	1	1	1	0
		2	4	13	4	0	1	0	1	0	0	4	18	4	2	1	1	0	0	1
		3	18	24	6	1	1	1	0	0	0	23	19	7	2	2	1	0	1	1
		4	18	31	4	1	1	0	0	1	0	19	23	4	2	1	1	1	0	1
	Year	21/22	14	21	4	1	1	0	0	0	0	14	19	5	1	1	1	0	1	1
	Episodes	F/N	15	103	59	8	21	15	6	3	1	14	90	66	19	42	28	6	6	3
North West	Quarter	1	9	16	3	0	1	0	1	1	1	27	13	3	1	1	1	0	1	0
		2	17	17	2	1	1	1	1	1	0	7	18	4	3	1	1	1	0	0
		3	27	24	3	1	1	1	0	1	0	11	24	4	2	1	1	1	0	0
		4	19	21	2	1	1	0	1	1	2	7	16	3	1	1	1	1	0	0
	Year	21/22	18	20	3	1	1	1	1	1	1	13	18	4	2	1	1	1	0	0
	Episodes	F/N	45	227	86	32	47	40	14	12	3	29	196	109	54	87	48	21	8	0
East of England	Quarter	1	23	22	1	1	0	0	1	1	0	8	16	1	2	1	1	2	3	2
		2	0	10	4	1	1	0	1	0	0	8	17	2	1	1	0	2	2	0
		3	7	34	4	1	1	1	2	1	0	15	9	8	4	1	1	3	2	4
		4	15	20	3	1	1	1	1	1	0	17	30	4	0	2	1	3	0	0
	Year	21/22	11	22	3	1	1	1	1	1	0	12	18	4	2	1	1	2	2	1
	Episodes	F/N	6	56	23	5	9	12	7	3	0	6	44	26	12	20	15	15	7	3
Midlands	Quarter	1	2	7	1	1	1	0	0	1	0	9	7	2	1	1	0	1	0	0
		2	8	11	2	1	1	0	1	1	1	13	14	4	1	1	1	1	0	0
		3	11	20	2	1	1	0	0	0	1	10	14	5	2	2	1	0	1	1
		4	16	17	3	1	0	0	1	1	0	12	18	4	1	1	1	1	1	1
	Year	21/22	10	14	2	1	1	0	0	1	0	11	13	4	1	1	1	1	1	0
	Episodes	F/N	19	134	54	24	33	21	8	8	2	21	122	90	26	65	45	12	11	3
London	Quarter	1	3	6	1	0	0	0	0	0	0	3	9	1	0	1	0	1	0	0
		2	10	10	1	1	0	0	1	1	0	3	10	3	1	1	1	1	0	0
		3	4	8	2	1	1	0	0	0	0	4	11	2	1	1	0	1	1	0
		4	7	12	2	0	0	0	0	1	0	6	8	2	0	1	1	1	1	2
	Year	21/22	6	9	1	0	0	0	0	0	0	4	10	2	0	1	1	1	1	1
	Episodes	F/N	17	112	43	13	35	13	2	2	0	11	114	57	16	78	33	10	4	2
South East	Quarter	1	19	14	3	1	1	0	0	0	1	5	9	2	1	1	1	0	1	1
		2	9	18	4	1	1	1	0	1	1	12	16	3	1	1	1	0	0	0
		3	17	24	4	1	1	1	1	1	0	17	21	5	1	2	1	1	0	1
		4	12	23	3	0	1	1	1	1	0	14	19	3	1	1	1	1	0	0
	Year	21/22	14	20	3	1	1	1	1	1	0	12	16	3	1	1	1	0	0	0
	Episodes	F/N	43	290	138	30	57	53	17	17	3	34	222	131	47	117	71	14	9	5
South West	Quarter	1	10	8	3	1	1	0	0	0	0	8	13	2	1	1	0	0	0	0
		2	7	17	2	2	1	0	0	0	0	5	15	3	1	2	1	0	0	1
		3	11	28	4	1	1	1	1	0	0	19	18	5	1	2	1	0	0	0
		4	22	26	3	1	0	1	0	1	0	15	18	4	1	1	1	0	0	0
	Year	21/22	13	20	3	1	1	0	0	0	0	12	16	3	1	2	1	0	0	0
	Episodes	F/N	21	162	73	23	34	27	8	4	0	19	122	80	19	80	41	9	4	3

4. Vaccine Sensitive Disorders:

Mean weekly incidence rate per 100,000 Persons.

Measles (ICD10: B05)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	13	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Year	21/22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Episodes	F/N	1	11	4	0	1	1	1	0	0	2	4	2	2	1	0	0	0	0

Mean weekly incidence rate per 100,000 Persons.

Measles (ICD10: B05)

			M									F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	
North East and Yorkshire	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		4	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Year	21/22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
North West	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		4	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Year	21/22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Episodes	F/N	1	4	2	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	
East of England	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Year	21/22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
Midlands	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		4	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
	Year	21/22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	1	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	
London	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		3	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Year	21/22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	4	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	
South East	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		4	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0	
	Year	21/22	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	1	0	0	0	0	1	0	0	2	0	1	0	0	0	0	0	0	
South West	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Year	21/22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	0	2	0	0	0	0	0	0	0	1	0	2	0	0	0	0	0	

Mean weekly incidence rate per 100,000 Persons.

		Mumps (ICD10: B26)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	13	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Year	21/22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Episodes	F/N	0	9	16	21	28	13	1	3	0	0	12	18	15	37	10	2	3	1

Mean weekly incidence rate per 100,000 Persons.

Mumps (ICD10: B26)

												F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	
North East and Yorkshire	Quarter	1	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	
		2	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		3	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		4	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Year	21/22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	2	2	5	3	0	0	1	0	0	1	3	2	3	1	1	0	0	
North West	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		3	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		4	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
	Year	21/22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	3	2	5	3	1	1	1	0	0	4	4	3	6	4	1	0	0	
East of England	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		3	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	
		4	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
	Year	21/22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	0	0	0	1	0	0	0	0	0	0	3	1	2	0	0	0	0	
Midlands	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
	Year	21/22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	1	2	4	6	3	0	0	0	0	1	2	3	4	2	0	0	1	
London	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Year	21/22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	1	4	1	5	2	0	0	0	0	1	5	2	4	0	0	0	0	
South East	Quarter	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Year	21/22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	2	4	5	7	3	0	1	0	0	2	0	3	9	3	0	2	0	
South West	Quarter	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		4	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
	Year	21/22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	0	2	1	3	4	0	0	0	0	3	1	1	9	0	0	1	0	

Mean weekly incidence rate per 100,000 Persons.

		Rubella (ICD10: B06)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.00	0.00
	13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Quarter	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.69	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00
Year	21/22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.02	0.00	0.00	0.00	0.01	0.00	0.00	0.00
Episodes	F/N	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.00	1.00	0.00	0.00	0.00	2.00	0.00	0.00	0.00

Mean weekly incidence rate per 100,000 Persons.

Rubella (ICD10: B06)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Year	21/22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.98	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Episodes	F/N	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
North West	Quarter	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Year	21/22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Episodes	F/N	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
East of England	Quarter	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Year	21/22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Episodes	F/N	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Midlands	Quarter	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.41	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.00	0.00
	Year	21/22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.00	0.00	0.00	0.02	0.00	0.00	0.00
	Episodes	F/N	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00
London	Quarter	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.62	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Year	21/22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.36	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Episodes	F/N	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
South East	Quarter	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00
	Year	21/22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
	Episodes	F/N	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00
South West	Quarter	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Year	21/22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Episodes	F/N	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5. Skin Contagions:

Mean weekly incidence rate per 100,000 Persons.

Bullous Dermatoses (ICD10: L10-L14)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	0	0	0	0	0	0	2	3	0	0	0	0	0	0	1	1	3
	2	0	0	0	0	0	0	0	1	6	0	0	0	0	0	0	0	0	1
	3	0	0	0	0	0	0	0	0	5	1	0	0	0	0	0	1	1	1
	4	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	1	1
	5	2	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	2	3
	6	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	1
	7	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	1	2
	8	0	0	0	0	0	0	0	1	4	0	0	0	0	0	0	1	1	1
	9	0	0	0	0	0	0	0	1	4	1	0	0	0	0	0	0	1	1
	10	1	0	0	0	0	0	1	1	3	0	0	0	0	0	0	1	1	3
	11	0	0	0	0	0	0	1	1	3	0	0	0	0	0	0	0	1	1
	12	0	0	0	0	0	0	1	1	4	0	0	0	0	0	0	0	1	1
	13	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	2
Quarter	1	0	0	0	0	0	0	0	1	5	0	0	0	0	0	0	0	1	2
	2	1	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	1	2
	3	0	0	0	0	0	0	0	1	4	0	0	0	0	0	0	0	1	2
	4	0	0	0	0	0	0	1	1	3	0	0	0	0	0	0	0	1	1
Year	21/22	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	0	1	2
Episodes	F/N	3	6	8	1	21	58	62	88	88	2	7	3	11	30	42	54	88	79

Mean weekly incidence rate per 100,000 Persons.

Bullous Dermatoses (ICD10: L10-L14)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	0	0	0	0	0	0	2	2	4	0	0	0	0	0	0	1	1
		2	0	0	0	0	0	1	1	2	5	0	0	0	0	0	0	1	0	1
		3	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	2	2	1
		4	0	1	0	0	0	0	1	0	3	0	0	0	0	0	0	1	1	1
	Year	21/22	0	0	0	0	0	0	0	1	4	1	0	0	0	0	0	1	1	1
	Episodes	F/N	0	1	1	0	1	11	5	8	9	1	0	0	0	2	2	11	11	4
North West	Quarter	1	0	0	0	0	0	0	1	2	1	0	0	0	0	0	0	1	1	4
		2	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	2	2
		3	0	0	0	0	0	0	1	2	3	0	0	0	0	0	0	0	1	2
		4	0	0	0	0	0	0	1	1	2	0	1	0	0	0	0	0	1	2
	Year	21/22	0	0	0	0	0	0	1	1	2	0	0	0	0	0	0	0	1	2
	Episodes	F/N	0	1	0	0	9	10	19	18	9	0	3	1	2	7	9	9	22	18
East of England	Quarter	1	0	0	0	0	0	0	1	0	6	0	0	0	0	1	0	0	0	2
		2	7	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	5
		4	0	0	1	0	0	0	1	2	3	0	0	0	0	1	1	1	0	0
	Year	21/22	2	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	0	2
	Episodes	F/N	1	0	1	0	1	1	3	2	3	0	1	0	1	4	2	1	0	4
Midlands	Quarter	1	0	0	0	0	0	0	0	2	8	0	0	0	0	0	0	1	1	2
		2	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	1	2
		3	0	0	0	0	0	0	1	1	5	0	0	0	0	0	0	0	1	1
		4	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	2
	Year	21/22	0	0	0	0	0	0	0	1	4	0	0	0	0	0	0	0	1	2
	Episodes	F/N	0	1	3	0	2	5	9	18	17	0	0	0	2	4	6	8	12	12
London	Quarter	1	0	0	0	0	0	0	0	1	4	0	0	0	0	0	0	1	1	2
		2	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	2	1
		3	1	0	0	0	0	0	0	0	2	0	0	0	0	0	0	1	1	3
		4	0	0	0	0	0	0	1	1	4	0	0	0	0	0	0	1	1	1
	Year	21/22	1	0	0	0	0	0	0	1	2	0	0	0	0	0	0	1	2	2
	Episodes	F/N	2	1	1	0	1	10	4	5	5	0	1	1	0	10	3	7	12	7
South East	Quarter	1	0	0	0	0	0	0	0	1	5	0	0	0	0	0	0	0	0	2
		2	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	1	2
		3	0	0	0	0	0	0	0	1	4	1	0	0	0	0	0	0	0	2
		4	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	0	0	1
	Year	21/22	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	0	1	2
	Episodes	F/N	0	1	2	1	5	11	9	24	25	1	0	1	3	0	14	10	14	20
South West	Quarter	1	0	1	0	0	0	0	1	1	6	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	2	2	0	1	0	0	0	0	0	1	2
		3	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	1	2
		4	0	0	0	0	0	0	1	1	5	0	0	0	0	0	0	0	1	2
	Year	21/22	0	0	0	0	0	0	1	1	4	0	0	0	0	0	0	0	1	2
	Episodes	F/N	0	1	0	0	2	10	13	13	20	0	2	0	3	3	6	8	17	14

Mean weekly incidence rate per 100,000 Persons.

		Chickenpox (ICD10: B01)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	9	16	4	0	0	0	0	0	0	12	15	3	0	0	0	1	1	1
	2	9	18	6	1	0	0	0	1	1	9	18	7	1	1	0	0	1	1
	3	13	24	5	0	0	0	0	1	1	10	24	6	1	0	0	0	1	1
	4	17	13	2	0	0	0	0	1	0	17	12	2	0	0	0	0	0	1
	5	31	34	3	0	0	0	1	0	1	24	26	3	0	1	0	0	1	1
	6	33	37	5	0	0	0	0	1	0	34	37	5	0	0	0	0	1	0
	7	19	27	6	0	0	0	1	0	0	18	26	4	1	1	0	0	1	0
	8	25	28	5	1	0	0	0	0	1	18	28	8	0	1	0	0	0	1
	9	29	35	9	1	1	0	1	0	0	42	30	9	1	1	0	1	0	1
	10	36	51	11	1	0	0	0	0	1	37	38	11	2	1	0	1	0	0
	11	50	62	13	1	1	1	1	0	0	60	63	15	1	1	0	0	1	1
	12	58	74	20	2	1	1	1	1	0	57	70	22	1	2	0	1	1	2
	13	84	70	17	2	1	0	1	1	0	68	67	18	2	1	1	1	0	1
Quarter	1	10	19	5	0	0	0	0	1	1	11	19	5	1	0	0	0	1	1
	2	27	28	3	0	0	0	0	1	1	24	26	3	0	0	0	0	1	1
	3	24	34	7	1	0	0	1	0	1	29	29	8	1	1	0	0	0	1
	4	64	68	17	2	1	0	1	1	0	61	65	18	1	1	0	1	1	1
Year	21/22	32	38	8	1	0	0	0	1	1	32	35	9	1	1	0	1	1	1
Episodes	F/N	430	2,396	1,437	122	196	122	66	47	19	409	2,108	1,458	122	315	131	72	50	43

Mean weekly incidence rate per 100,000 Persons.

Chickenpox (ICD10: B01)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	25	31	7	1	0	0	0	0	0	4	22	7	0	0	1	0	0	0
		2	42	33	2	0	0	0	0	1	0	31	23	3	0	1	0	0	1	0
		3	25	33	6	0	0	0	1	0	0	39	36	8	1	1	0	0	1	0
		4	84	66	12	1	1	1	1	0	0	66	60	13	2	1	1	1	0	1
	Year	21/22	45	41	7	0	0	0	1	1	0	35	35	8	1	1	0	0	1	0
	Episodes	F/N	47	204	99	6	9	12	8	4	0	36	172	108	10	24	13	6	5	1
North West	Quarter	1	11	19	6	0	0	0	1	1	1	19	22	7	0	0	0	0	1	2
		2	30	37	3	0	0	0	0	1	2	32	38	3	1	0	0	0	0	1
		3	34	37	7	1	1	0	1	0	0	38	35	9	1	1	0	1	0	0
		4	103	99	23	1	1	1	0	1	3	83	98	25	1	2	0	0	0	3
	Year	21/22	46	48	10	1	1	0	0	1	1	44	49	11	1	1	0	0	0	2
	Episodes	F/N	112	560	322	21	42	26	10	8	6	102	536	333	23	50	14	12	8	12
East of England	Quarter	1	8	15	2	0	0	0	1	0	0	8	10	3	0	0	0	1	1	0
		2	37	19	2	0	0	0	0	2	3	16	14	2	0	0	0	0	0	0
		3	27	16	3	1	0	0	1	0	0	30	11	5	0	0	0	0	0	2
		4	8	42	7	1	1	0	0	0	0	8	34	5	0	1	0	0	0	4
	Year	21/22	20	23	3	0	0	0	0	1	1	16	16	4	0	1	0	0	0	1
	Episodes	F/N	11	59	26	2	7	1	2	2	1	8	41	27	0	8	2	1	1	3
Midlands	Quarter	1	9	16	6	1	0	0	0	1	2	12	18	7	1	0	1	0	1	1
		2	33	28	3	0	0	0	0	0	1	35	26	3	0	0	1	1	0	1
		3	21	41	6	1	0	0	0	1	0	27	30	9	1	0	0	1	0	1
		4	42	71	12	1	1	0	1	1	0	60	68	17	1	2	0	0	1	0
	Year	21/22	26	39	7	1	1	0	0	1	1	34	36	9	0	1	1	0	0	1
	Episodes	F/N	52	373	187	16	29	16	9	8	3	64	322	231	12	46	30	10	6	5
London	Quarter	1	5	17	5	0	0	0	1	4	0	5	21	5	1	1	0	1	0	1
		2	16	22	5	1	0	0	0	1	0	16	24	5	1	0	0	1	1	0
		3	11	36	14	1	0	0	1	0	0	17	29	12	2	1	0	0	0	0
		4	42	60	27	2	1	1	1	1	0	52	57	28	2	2	0	1	1	2
	Year	21/22	19	34	13	1	1	0	1	1	0	23	33	13	1	1	0	1	0	1
	Episodes	F/N	54	426	395	39	61	23	8	7	0	64	391	363	46	95	17	13	3	3
South East	Quarter	1	13	22	4	0	0	0	0	0	1	8	18	5	0	0	0	1	1	1
		2	24	27	4	0	0	0	1	1	1	20	23	3	0	1	0	0	1	1
		3	31	36	8	1	0	0	0	0	2	27	31	7	1	1	0	1	0	1
		4	72	63	14	2	1	0	1	0	0	56	53	13	1	1	1	1	0	1
	Year	21/22	36	37	7	1	0	0	0	0	1	29	31	7	1	1	0	1	1	1
	Episodes	F/N	106	540	311	26	30	28	16	9	8	81	426	279	22	65	37	18	13	11
South West	Quarter	1	5	16	3	0	0	0	0	0	0	16	15	4	0	0	0	0	1	1
		2	29	24	3	0	0	0	1	1	0	15	21	2	0	0	1	1	1	0
		3	18	23	2	0	0	0	1	1	1	37	19	3	1	0	0	0	0	0
		4	63	52	8	2	1	0	1	1	0	64	60	11	1	1	0	1	1	1
	Year	21/22	29	29	4	1	0	0	1	1	0	34	29	5	0	1	0	0	1	1
	Episodes	F/N	48	234	97	12	18	16	13	9	1	54	220	117	9	27	18	12	14	8

Mean weekly incidence rate per 100,000 Persons.

Herpes Simplex (ICD10: B00)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	1	2	1	2	2	1	1	1	1	2	3	2	6	8	5	3	1	1
	2	0	3	2	2	2	1	1	1	0	5	3	2	7	10	5	4	2	2
	3	1	2	1	2	2	1	2	2	0	3	2	1	7	8	4	2	1	1
	4	1	2	1	1	2	2	2	1	2	3	2	1	7	7	4	3	2	1
	5	1	4	2	2	2	1	1	1	1	3	3	1	7	8	4	2	2	2
	6	5	4	3	1	2	2	2	1	0	2	4	2	7	8	5	2	1	2
	7	7	4	2	2	2	1	1	1	1	4	2	2	8	9	5	2	2	3
	8	4	3	2	2	2	2	1	1	0	8	5	2	10	9	4	3	1	1
	9	3	2	1	2	2	1	1	0	1	1	2	2	7	7	4	2	2	1
	10	5	3	2	2	2	1	1	1	0	1	3	2	9	9	5	2	2	1
	11	2	4	3	2	2	1	1	2	1	0	2	2	7	10	6	3	1	2
	12	2	3	2	2	2	2	1	0	3	1	2	2	9	9	5	3	2	2
	13	1	3	1	2	2	2	1	2	1	0	2	2	7	8	5	2	1	2
Quarter	1	1	2	1	2	2	1	1	1	1	3	3	1	7	8	5	3	1	1
	2	2	3	2	1	2	1	1	1	1	3	3	2	7	8	4	2	2	2
	3	5	3	2	2	2	1	1	1	1	3	3	2	9	8	4	3	2	1
	4	2	3	2	2	2	1	1	1	2	1	2	2	8	9	5	3	1	2
Year	21/22	2	3	2	2	2	1	1	1	1	3	3	2	8	8	5	3	2	2
Episodes	F/N	33	192	315	303	831	531	158	85	29	33	163	300	1,288	3,470	1,710	372	158	71

Mean weekly incidence rate per 100,000 Persons.

Herpes Simplex (ICD10: B00)

												F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	
North East and Yorkshire	Quarter	1	0	2	2	1	2	2	2	1	3	0	3	1	9	9	6	4	1	3	
		2	8	5	2	3	2	2	1	1	2	4	2	3	12	10	5	1	2	1	
		3	0	3	2	3	2	2	1	1	2	8	5	1	13	12	6	3	2	1	
		4	7	5	2	3	3	2	2	2	0	0	2	3	10	10	4	3	0	1	
	Year	21/22	4	4	2	3	2	2	2	1	2	3	3	2	11	10	6	3	1		
	Episodes	F/N	4	18	27	35	73	58	21	11	4	3	13	28	141	320	185	40	14	6	
North West	Quarter	1	0	4	2	2	2	2	1	0	0	6	4	2	8	10	7	2	2	1	
		2	3	3	3	2	2	2	1	1	1	2	7	2	11	11	5	3	2	2	
		3	10	5	2	3	3	1	1	1	2	6	5	2	12	10	5	3	2	1	
		4	2	3	2	2	3	2	1	2	3	2	3	3	11	11	6	4	3	1	
	Year	21/22	4	4	2	2	2	2	1	1	1	4	5	2	11	10	6	3	2	1	
	Episodes	F/N	10	48	72	79	172	112	30	14	6	9	51	72	342	735	388	76	36	9	
East of England	Quarter	1	0	3	0	1	1	0	0	2	0	0	0	0	3	3	1	2	3	0	
		2	7	0	0	1	1	1	0	3	0	0	3	1	5	6	3	1	1	0	
		3	7	4	0	1	1	1	1	1	0	0	2	1	6	5	3	2	0	2	
		4	0	0	1	1	1	2	0	0	6	0	0	1	3	7	4	1	2	2	
	Year	21/22	4	2	0	1	1	1	0	2	2	0	1	1	4	5	3	2	1	1	
	Episodes	F/N	2	5	2	7	13	16	1	6	2	0	3	4	27	83	46	10	6	2	
Midlands	Quarter	1	0	2	0	3	2	1	1	2	0	5	2	1	6	8	3	2	1	2	
		2	0	2	2	1	1	1	1	0	2	4	2	2	6	6	4	2	1	1	
		3	4	4	2	1	2	1	1	1	0	6	2	2	8	8	4	2	2	1	
		4	0	3	2	3	1	1	1	0	2	0	1	2	6	8	5	2	2	1	
	Year	21/22	1	3	1	2	2	1	1	1	1	4	2	2	6	7	4	2	1	1	
	Episodes	F/N	2	25	36	49	89	60	26	12	4	7	18	42	154	402	236	43	23	9	
London	Quarter	1	2	3	1	2	2	1	1	3	0	3	4	2	6	8	4	5	2	5	
		2	0	4	2	1	2	2	2	2	6	3	3	1	5	7	3	4	3	6	
		3	3	3	3	2	2	2	1	2	0	4	4	3	6	8	5	2	1	2	
		4	1	4	2	1	2	1	0	2	2	0	3	2	5	7	5	5	0	3	
	Year	21/22	1	4	2	1	2	1	1	2	2	3	4	2	5	8	4	4	2	4	
	Episodes	F/N	4	44	61	41	213	90	13	13	4	7	45	56	173	782	225	52	12	14	
South East	Quarter	1	1	1	1	1	2	1	1	1	1	3	3	1	6	8	4	3	1	1	
		2	1	3	2	1	1	1	1	1	1	4	1	1	5	8	4	2	1	2	
		3	2	3	2	2	1	1	1	1	0	0	1	2	7	6	4	3	1	1	
		4	1	2	3	2	2	1	1	1	3	1	1	2	8	9	4	1	1	2	
	Year	21/22	2	2	2	1	1	1	1	1	1	2	2	2	6	8	4	2	1	1	
	Episodes	F/N	5	35	85	58	131	109	37	16	8	6	23	63	251	667	350	80	32	17	
South West	Quarter	1	0	2	2	2	2	1	1	1	0	3	1	2	8	10	5	3	1	1	
		2	2	3	1	1	3	1	1	1	0	0	3	2	9	8	5	3	3	1	
		3	9	0	1	2	2	2	2	0	1	0	0	1	11	10	4	3	3	2	
		4	2	3	2	2	3	2	1	1	0	0	2	1	10	9	5	3	1	3	
	Year	21/22	4	2	1	2	3	2	1	1	0	1	1	2	10	9	5	3	2	2	
	Episodes	F/N	6	17	32	34	140	86	30	13	1	1	10	35	200	481	280	71	35	14	

Mean weekly incidence rate per 100,000 Persons.

		Herpes Zoster (ICD10: B02)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	1	1	3	2	2	5	10	11	11	0	0	2	2	5	10	12	13	19
	2	0	1	2	2	2	6	9	12	12	0	1	3	4	5	9	14	16	19
	3	0	0	1	2	3	6	9	11	15	1	0	2	2	5	8	13	14	20
	4	0	1	3	2	3	5	11	11	17	0	1	2	3	4	9	11	12	18
	5	0	1	2	2	3	5	10	9	14	0	1	3	3	5	9	12	12	15
	6	0	2	2	2	2	6	13	11	15	0	1	2	2	5	10	14	15	21
	7	0	1	2	2	2	5	11	10	13	0	1	3	3	5	10	12	12	17
	8	0	1	1	2	2	5	11	10	10	0	1	1	2	4	9	12	14	22
	9	0	0	1	2	2	5	9	11	11	1	1	2	3	3	9	14	12	14
	10	0	1	2	2	3	5	11	9	17	0	0	3	2	4	11	14	13	18
	11	0	1	2	2	3	6	12	10	16	0	0	2	2	5	10	16	15	19
	12	0	1	2	2	2	5	12	13	15	0	0	3	2	4	10	11	16	20
	13	0	1	2	2	2	5	8	9	14	0	0	2	2	4	8	13	13	20
Quarter	1	0	1	2	2	3	6	9	11	12	0	1	3	3	5	9	13	14	19
	2	0	1	2	2	3	5	11	11	15	0	1	2	3	4	9	13	12	17
	3	0	1	2	2	2	5	11	10	13	0	1	2	2	4	10	13	13	18
	4	0	1	2	2	2	5	10	11	15	0	0	2	2	4	10	14	14	19
Year	21/22	0	1	2	2	2	5	10	11	14	0	1	2	2	4	9	13	13	19
Episodes	F/N	1	59	364	346	1,077	2,018	1,378	868	378	2	41	399	408	1,771	3,488	1,820	1,319	842

Mean weekly incidence rate per 100,000 Persons.

Herpes Zoster (ICD10: B02)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	0	2	3	2	5	8	10	17	0	1	2	3	4	9	17	11	18
		2	0	2	2	3	3	6	11	13	16	0	1	3	3	5	9	13	13	18
		3	0	1	1	1	3	6	10	9	13	0	2	3	2	5	10	15	14	15
		4	0	3	1	2	3	6	8	7	17	0	1	2	2	4	10	12	18	13
	Year	21/22	0	1	2	2	3	6	9	10	16	0	1	2	2	4	9	14	14	16
	Episodes	F/N	0	7	24	30	85	195	124	77	39	0	6	33	31	139	313	196	133	66
North West	Quarter	1	0	1	2	2	3	6	12	11	14	0	1	3	3	6	12	15	19	16
		2	0	1	2	3	3	6	10	11	18	0	1	3	4	6	11	15	15	24
		3	0	1	2	2	2	6	10	13	17	2	1	2	3	6	11	16	18	25
		4	0	1	3	2	3	6	11	13	22	0	0	2	3	5	11	17	19	24
	Year	21/22	0	1	2	3	3	6	11	12	18	0	1	3	3	6	11	16	18	23
	Episodes	F/N	0	11	76	81	206	414	269	170	77	1	9	82	95	402	743	409	302	166
East of England	Quarter	1	0	0	1	2	2	3	6	6	13	0	0	2	3	3	6	6	9	10
		2	0	0	2	3	2	5	10	4	18	0	0	1	2	3	9	8	7	9
		3	0	0	2	1	1	4	7	9	6	0	0	2	2	3	7	4	5	12
		4	0	0	1	0	3	3	8	4	16	0	0	1	1	3	7	12	6	21
	Year	21/22	0	0	2	1	2	4	8	6	13	0	0	1	2	3	7	7	7	13
	Episodes	F/N	0	0	12	10	28	60	46	23	17	0	0	11	14	47	123	47	30	27
Midlands	Quarter	1	0	2	2	3	3	6	10	12	16	0	0	3	2	5	9	11	12	15
		2	0	2	2	2	3	4	11	13	12	0	2	4	2	4	9	12	12	19
		3	0	1	1	2	2	5	11	8	10	0	0	3	2	5	11	13	11	15
		4	0	0	2	2	2	5	9	10	13	0	1	3	3	4	10	13	11	18
	Year	21/22	0	1	2	2	2	5	10	11	13	0	1	3	2	5	10	12	12	17
	Episodes	F/N	0	12	50	50	132	297	225	147	55	0	8	78	57	257	542	279	190	119
London	Quarter	1	0	0	1	1	2	4	8	15	4	0	1	1	3	4	7	11	7	24
		2	0	0	2	0	2	4	8	8	22	0	0	1	2	4	7	13	8	11
		3	0	2	0	2	3	5	11	7	10	0	0	1	2	2	7	10	11	13
		4	0	1	1	1	2	4	10	16	11	0	0	1	1	3	7	12	14	17
	Year	21/22	0	1	1	1	2	4	9	11	12	0	0	1	2	3	7	11	10	16
	Episodes	F/N	0	10	33	36	234	249	116	70	26	0	4	33	67	308	361	151	82	59
South East	Quarter	1	1	1	2	2	3	6	10	11	11	0	0	3	3	5	10	13	16	22
		2	0	2	3	3	3	6	12	9	14	0	1	2	3	4	10	11	13	14
		3	0	0	3	2	2	5	12	10	13	0	1	3	2	4	9	13	13	19
		4	0	0	2	2	3	5	10	11	13	0	0	3	2	4	10	13	14	21
	Year	21/22	0	1	2	2	3	5	11	10	13	0	1	3	3	4	9	12	14	19
	Episodes	F/N	1	10	102	92	241	493	344	205	95	0	7	105	106	375	843	422	343	230
South West	Quarter	1	0	2	3	3	3	6	8	12	12	3	1	4	1	5	10	13	15	24
		2	0	1	3	2	2	5	11	13	13	0	2	1	2	5	9	13	12	20
		3	0	0	2	2	3	5	11	9	14	0	0	2	3	5	11	10	11	20
		4	0	2	3	2	3	6	12	12	14	0	1	3	1	5	10	13	14	18
	Year	21/22	0	1	3	2	3	6	11	11	13	1	1	2	2	5	10	12	13	20
	Episodes	F/N	0	9	67	47	151	310	254	176	69	1	7	57	38	243	563	316	239	175

Mean weekly incidence rate per 100,000 Persons.

Skin / Subcutaneous Infection (ICD10: L00-L08)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	169	89	65	54	49	53	70	97	152	146	91	65	70	66	60	69	105	178
	2	129	117	81	66	60	62	80	105	151	126	104	84	81	79	78	88	125	183
	3	150	125	74	73	66	71	89	107	164	129	113	78	88	88	90	98	121	204
	4	154	106	64	56	57	63	77	97	145	143	108	71	76	77	74	78	119	186
	5	223	207	71	61	55	61	71	94	144	191	188	78	74	75	70	75	109	176
	6	339	340	70	55	54	58	67	97	155	301	296	76	74	71	66	73	101	163
	7	273	224	69	52	49	55	71	86	141	248	204	66	70	63	58	66	97	179
	8	216	174	65	53	45	52	70	87	151	157	171	73	62	60	58	62	90	181
	9	164	127	55	41	39	43	58	83	121	161	114	61	51	52	48	58	86	175
	10	189	178	73	57	51	51	68	92	153	179	159	76	74	66	60	65	102	183
	11	227	202	79	56	50	53	75	93	149	199	188	81	68	62	61	73	104	167
	12	255	225	93	58	52	55	76	102	159	248	213	98	67	64	64	73	113	180
	13	240	193	80	54	47	50	69	94	128	202	183	84	61	59	57	68	101	175
Quarter	1	149	110	74	64	58	62	79	103	156	134	103	75	80	78	76	85	117	188
	2	242	220	68	57	55	60	72	96	148	212	203	74	75	73	69	75	108	176
	3	203	167	65	50	45	50	66	86	140	183	152	69	63	60	56	63	93	178
	4	240	206	84	56	50	53	73	96	145	215	194	87	65	62	61	71	107	176
Year	21/22	210	177	72	56	52	56	72	95	147	187	164	76	70	68	65	73	106	179
Episodes	F/N	2,835	11,286	12,832	9,702	22,492	21,509	9,697	7,820	4,040	2,418	9,913	12,897	11,899	28,246	24,034	10,339	10,360	8,137

Mean weekly incidence rate per 100,000 Persons.

Skin / Subcutaneous Infection (ICD10: L00-L08)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	200	118	81	72	72	64	90	109	149	134	127	80	89	90	82	94	133	202
		2	278	247	67	67	64	68	79	104	137	218	231	82	106	87	78	79	113	166
		3	200	169	78	61	52	59	73	88	141	203	177	81	85	80	62	74	91	166
		4	264	227	97	71	57	58	80	106	137	201	197	98	79	79	64	71	114	154
	Year	21/22	236	191	81	67	61	62	80	101	141	190	183	85	90	84	71	79	112	171
	Episodes	F/N	248	950	1,182	912	1,982	2,123	1,063	798	348	193	891	1,204	1,163	2,619	2,402	1,109	1,055	710
North West	Quarter	1	164	147	88	79	79	80	101	129	188	179	136	89	94	103	98	112	155	240
		2	302	291	83	65	74	77	92	120	163	306	277	92	91	101	89	92	139	211
		3	280	204	72	64	58	64	79	117	167	218	191	80	75	75	75	76	121	238
		4	324	269	102	66	69	67	85	136	184	294	259	116	79	84	79	97	137	235
	Year	21/22	271	229	86	68	69	72	89	125	175	250	217	94	84	90	85	93	137	231
	Episodes	F/N	664	2,645	2,790	2,196	5,172	4,980	2,196	1,780	766	580	2,392	2,884	2,703	6,304	5,568	2,386	2,331	1,701
East of England	Quarter	1	122	57	45	36	29	47	55	62	120	83	67	43	45	47	42	56	80	148
		2	132	142	47	40	36	40	41	70	105	96	106	43	47	48	51	58	63	128
		3	149	94	38	34	28	28	45	55	91	137	84	45	43	40	39	42	62	128
		4	147	125	59	38	38	37	45	63	152	126	110	62	46	45	36	53	65	146
	Year	21/22	138	104	47	37	33	38	47	62	116	111	91	48	45	45	42	52	68	137
	Episodes	F/N	75	270	362	252	509	640	284	246	152	55	227	354	286	714	710	341	308	289
Midlands	Quarter	1	147	104	70	61	56	57	76	90	144	126	89	73	75	78	79	82	116	186
		2	230	206	59	55	58	60	75	96	146	199	191	68	74	75	71	75	107	187
		3	188	160	60	46	47	48	62	83	124	174	151	67	64	59	55	63	91	172
		4	212	192	75	54	50	55	74	89	140	211	189	78	61	61	62	72	112	164
	Year	21/22	195	166	66	54	53	55	72	89	138	179	156	72	68	68	66	73	106	177
	Episodes	F/N	383	1,587	1,769	1,377	3,009	3,153	1,552	1,237	607	338	1,412	1,806	1,643	3,755	3,707	1,655	1,726	1,273
London	Quarter	1	155	106	78	71	49	54	87	105	141	115	99	77	83	64	70	87	107	179
		2	206	200	68	60	48	55	77	105	170	180	174	78	70	59	67	91	122	193
		3	198	165	75	50	41	47	78	85	144	159	145	74	59	53	57	68	100	152
		4	202	189	101	52	41	47	72	89	150	169	186	95	58	54	62	81	107	191
	Year	21/22	192	166	80	58	44	51	78	95	151	157	153	81	66	57	64	81	109	178
	Episodes	F/N	549	2,061	2,418	1,800	5,015	3,043	960	583	330	435	1,817	2,346	2,206	5,880	3,325	1,066	856	657
South East	Quarter	1	126	103	68	55	52	59	69	98	163	124	101	76	74	74	72	78	110	180
		2	241	202	68	49	46	54	62	88	154	180	180	69	65	66	62	68	101	159
		3	178	171	59	42	40	43	60	78	144	175	143	63	55	54	48	54	89	171
		4	254	193	70	51	44	47	72	86	125	223	178	75	59	54	55	59	98	171
	Year	21/22	201	168	66	49	45	50	65	87	146	178	151	71	63	62	59	64	99	170
	Episodes	F/N	600	2,453	2,769	1,998	4,056	4,562	2,098	1,794	1,090	503	2,051	2,819	2,465	5,472	5,215	2,194	2,437	2,087
South West	Quarter	1	141	100	66	59	60	62	73	107	148	146	80	66	75	79	66	73	99	166
		2	248	208	65	53	53	56	62	86	138	233	209	64	70	74	58	63	94	169
		3	174	144	56	46	45	49	60	79	136	199	130	58	59	59	45	56	78	168
		4	202	195	68	57	51	48	66	84	146	204	166	70	70	59	52	58	92	155
	Year	21/22	192	162	64	53	52	54	65	88	142	196	147	64	68	67	55	62	90	165
	Episodes	F/N	316	1,320	1,542	1,167	2,749	3,008	1,544	1,382	747	314	1,123	1,484	1,433	3,502	3,107	1,588	1,647	1,420

Mean weekly incidence rate per 100,000 Persons.

		Scabies (ICD10: B86)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	1	2	1	1	1	0	0	1	1	1	1	0	1	1	0	0	1	1
	2	0	1	1	1	1	0	0	1	0	0	1	0	1	1	1	0	1	1
	3	1	1	1	1	0	0	0	2	3	0	1	1	1	1	1	1	1	3
	4	1	1	1	1	1	1	0	1	1	1	1	1	2	1	0	0	1	0
	5	1	1	1	2	1	1	1	0	1	1	1	1	1	1	1	0	1	1
	6	0	2	1	1	1	0	0	1	2	0	2	1	2	1	1	0	1	1
	7	1	1	1	2	0	1	1	1	2	3	1	1	2	1	1	0	2	3
	8	3	1	1	2	1	1	0	1	1	1	1	1	1	1	1	1	1	1
	9	2	1	1	2	1	1	1	1	0	0	1	1	2	1	0	1	1	1
	10	2	2	1	2	1	0	0	0	2	2	1	1	2	1	1	1	1	1
	11	2	1	2	2	1	1	1	2	5	0	2	2	2	1	1	1	1	4
	12	1	2	1	2	1	1	1	1	1	1	2	1	2	1	1	0	1	1
	13	2	2	2	2	1	1	0	0	1	1	1	1	1	1	1	1	1	1
Quarter	1	1	1	1	1	0	0	0	1	2	0	1	1	1	1	1	0	1	2
	2	1	1	1	1	1	1	0	1	1	1	1	1	2	1	1	0	1	0
	3	2	1	1	2	1	1	0	1	1	2	1	1	1	1	1	1	1	2
	4	1	2	1	2	1	1	1	1	3	1	2	1	2	1	1	1	1	2
Year	21/22	1	1	1	2	1	1	0	1	2	1	1	1	1	1	1	1	1	1
Episodes	F/N	17	83	202	270	286	199	56	71	46	11	73	179	250	380	234	79	79	66

Mean weekly incidence rate per 100,000 Persons.

Scabies (ICD10: B86)

			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	
North East and Yorkshire	Quarter	1	0	0	1	2	1	0	0	0	0	0	3	1	2	0	1	0	0	2	
		2	4	2	2	1	1	1	0	0	2	0	2	1	6	2	1	0	0	0	
		3	4	0	1	2	1	1	0	1	0	0	1	2	3	1	1	1	1	1	
		4	0	1	2	3	1	1	1	1	6	4	2	2	2	2	1	0	2	4	
	Year	21/22	2	1	2	2	1	1	0	1	2	1	2	1	3	1	1	0	1	2	
	Episodes	F/N	2	4	22	27	29	23	4	5	5	1	8	19	43	42	26	5	8	7	
North West	Quarter	1	2	3	1	2	1	0	0	1	2	1	1	2	1	1	0	0	1	2	
		2	2	1	2	2	1	1	0	1	3	2	2	2	3	2	1	1	1	2	
		3	6	1	1	3	1	1	1	1	3	0	2	1	2	2	1	1	1	1	
		4	3	1	3	3	1	1	1	1	3	0	2	3	2	2	1	1	1	1	
	Year	21/22	3	1	2	2	1	1	1	1	2	1	2	2	2	2	1	1	1	1	
	Episodes	F/N	8	17	57	79	77	53	14	8	10	2	19	61	70	121	72	14	15	9	
East of England	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		2	0	0	0	1	1	0	0	0	0	0	2	1	0	0	0	0	0	0	
		3	0	1	2	1	0	0	0	1	0	0	0	0	0	0	0	1	1	0	
		4	0	2	0	0	1	0	0	0	0	0	0	1	1	1	0	1	0	0	
	Year	21/22	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	2	4	4	7	4	0	1	0	0	1	3	1	6	5	2	1	0	
Midlands	Quarter	1	2	0	1	1	0	0	0	1	1	0	1	0	1	1	1	1	1	2	
		2	0	1	1	1	1	0	0	1	3	0	0	1	2	1	1	1	1	0	
		3	0	1	1	0	1	0	0	1	0	2	2	1	1	1	1	1	0	2	
		4	0	3	0	1	0	1	1	1	3	0	1	0	1	1	1	1	0	1	
	Year	21/22	1	1	1	1	1	0	0	1	2	1	1	1	1	1	1	1	1	1	
	Episodes	F/N	1	13	20	21	32	21	10	9	7	1	11	18	32	45	32	22	12	9	
London	Quarter	1	0	1	1	2	0	0	1	1	0	0	1	1	1	1	1	1	1	0	
		2	0	2	2	2	1	1	0	1	0	1	3	2	1	1	1	1	2	0	
		3	0	3	2	2	1	1	1	1	0	3	1	2	1	1	1	1	0	1	
		4	1	3	3	2	1	1	1	1	0	1	3	2	2	1	1	1	0	1	
	Year	21/22	0	2	2	2	1	1	1	1	0	1	2	2	2	1	1	1	1	1	
	Episodes	F/N	1	30	65	59	83	49	8	6	0	4	22	48	50	96	43	13	7	2	
South East	Quarter	1	0	1	0	0	0	0	0	1	1	0	0	0	1	0	0	1	1	1	
		2	0	0	1	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	
		3	4	1	0	1	0	0	0	1	1	1	1	1	1	0	1	0	0	0	
		4	3	1	1	2	0	0	0	1	2	0	1	0	1	0	0	0	0	1	
	Year	21/22	2	1	1	1	0	0	0	1	1	0	1	1	1	0	0	0	0	0	
	Episodes	F/N	5	10	25	47	30	28	8	14	7	1	7	22	28	43	25	12	11	6	
South West	Quarter	1	0	2	0	1	0	0	0	2	5	0	1	0	0	0	1	0	2	5	
		2	0	0	1	1	0	0	1	1	1	0	1	1	1	0	0	0	1	0	
		3	0	0	0	2	1	1	0	2	3	5	0	0	1	1	1	1	2	5	
		4	0	1	0	3	1	0	1	2	4	0	1	0	2	0	1	1	1	5	
	Year	21/22	0	1	0	2	1	0	1	2	3	1	1	0	1	1	1	0	1	4	
	Episodes	F/N	0	7	9	33	28	21	12	28	17	2	5	8	26	27	31	11	25	33	

Mean weekly incidence rate per 100,000 Persons.

		Skin symptoms (ICD10: R20-R23)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	556	176	83	91	64	85	155	239	325	476	172	103	161	130	127	172	242	268
	2	493	197	93	101	72	94	169	252	344	432	197	116	185	151	140	192	269	287
	3	425	169	74	97	66	85	152	231	318	392	179	105	163	131	125	170	241	299
	4	388	136	70	96	62	76	140	213	272	386	147	95	151	118	108	144	193	221
	5	393	179	73	100	60	80	133	210	274	396	187	98	164	120	113	139	192	224
	6	456	219	76	92	61	77	139	202	265	479	228	99	156	120	107	139	188	212
	7	483	204	79	96	59	78	136	208	268	508	203	99	168	119	106	134	172	214
	8	495	209	78	96	58	75	131	201	272	461	221	106	163	114	97	125	174	208
	9	481	166	72	81	47	60	103	158	236	466	174	92	129	91	76	94	136	164
	10	637	263	93	109	68	81	137	213	309	584	261	122	179	127	112	141	190	234
	11	624	268	95	103	61	82	143	210	289	578	270	126	170	123	114	146	191	245
	12	689	316	114	106	66	80	149	231	306	628	303	141	171	127	109	151	212	243
	13	608	269	96	91	58	77	128	199	262	523	240	117	141	106	99	137	183	218
Quarter	1	491	181	83	96	67	88	159	241	329	433	183	108	170	137	131	178	251	285
	2	414	181	73	96	60	77	137	207	273	420	190	97	157	118	108	139	187	217
	3	517	207	80	95	58	73	125	194	269	508	209	105	159	112	97	122	168	204
	4	646	283	101	100	62	80	140	213	285	574	272	127	161	119	108	144	195	235
Year	21/22	519	213	84	97	62	79	140	213	288	487	214	109	162	121	110	145	199	234
Episodes	F/N	7,006	13,586	14,959	16,626	26,798	30,451	18,713	17,516	7,900	6,286	12,944	18,487	27,285	50,466	40,759	20,529	19,452	10,609

Mean weekly incidence rate per 100,000 Persons.

Skin symptoms (ICD10: R20-R23)

			M								F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	552	203	89	102	68	96	157	261	334	394	191	115	167	154	142	193	259	263
		2	451	165	73	98	70	89	165	215	319	374	193	106	168	130	118	153	195	235
		3	572	230	96	108	72	86	133	231	284	544	210	120	180	138	111	136	182	228
		4	689	312	108	111	67	92	141	227	281	579	280	129	164	136	114	137	213	213
	Year	21/22	568	228	92	105	69	91	149	233	304	474	219	118	170	139	121	154	211	234
	Episodes	F/N	597	1,134	1,338	1,418	2,251	3,106	1,974	1,835	751	482	1,063	1,666	2,201	4,352	4,063	2,153	1,988	970
North West	Quarter	1	605	224	92	121	86	106	187	279	378	523	244	130	212	169	163	206	301	341
		2	525	230	89	120	75	95	160	234	302	531	262	122	196	153	136	159	202	243
		3	619	249	92	118	74	88	147	208	296	610	263	120	196	140	117	145	187	232
		4	802	361	127	116	83	98	168	229	299	720	370	164	202	154	134	173	245	258
	Year	21/22	640	267	100	118	79	96	165	235	317	600	286	134	201	153	136	169	231	266
	Episodes	F/N	1,567	3,084	3,249	3,815	5,895	6,692	4,083	3,350	1,384	1,390	3,147	4,099	6,450	10,737	8,955	4,324	3,922	1,959
East of England	Quarter	1	245	111	55	58	46	59	95	168	249	207	119	74	80	85	83	117	160	246
		2	206	109	49	57	43	59	103	166	214	175	121	68	99	79	80	102	163	153
		3	331	114	46	61	38	60	96	145	148	289	129	73	104	79	84	94	129	176
		4	302	211	73	60	48	65	97	167	198	396	168	83	119	83	92	127	162	243
	Year	21/22	272	134	55	59	44	61	98	161	201	266	133	74	100	81	84	109	153	203
	Episodes	F/N	148	348	427	405	683	1,032	596	635	263	132	332	550	631	1,287	1,415	714	697	427
Midlands	Quarter	1	441	167	73	91	55	75	138	210	286	381	144	96	147	117	123	167	206	251
		2	356	157	65	88	59	70	125	189	216	327	149	86	150	109	102	124	170	200
		3	420	191	74	83	53	68	117	198	249	443	197	92	146	102	88	105	147	186
		4	576	267	87	95	58	76	131	210	296	468	248	105	154	111	101	141	177	220
	Year	21/22	449	195	75	89	56	72	127	201	261	407	185	95	149	109	103	133	174	213
	Episodes	F/N	881	1,867	2,001	2,276	3,212	4,146	2,763	2,794	1,147	769	1,677	2,394	3,588	6,046	5,747	3,040	2,835	1,535
London	Quarter	1	540	165	102	99	62	81	163	232	321	510	189	120	183	131	132	190	258	283
		2	447	181	84	101	54	70	115	202	222	516	195	114	149	112	107	156	194	188
		3	582	211	94	93	52	64	116	182	231	572	223	121	154	105	97	120	171	183
		4	668	266	120	96	52	68	124	185	266	616	267	147	151	109	102	143	191	225
	Year	21/22	562	207	100	97	55	70	128	199	258	556	219	126	158	114	109	150	201	217
	Episodes	F/N	1,611	2,566	2,997	3,022	6,192	4,209	1,576	1,213	563	1,540	2,615	3,642	5,262	11,680	5,679	1,975	1,582	802
South East	Quarter	1	450	187	82	86	64	88	158	247	345	375	176	105	156	135	122	176	250	295
		2	376	184	67	87	55	73	133	215	301	387	177	85	145	109	99	133	191	211
		3	506	208	74	89	54	69	122	186	288	466	197	98	146	104	89	124	168	206
		4	646	270	89	101	57	75	137	212	297	558	249	116	148	112	100	138	182	245
	Year	21/22	496	213	78	91	57	76	137	214	307	451	200	101	148	114	102	142	196	237
	Episodes	F/N	1,481	3,100	3,270	3,695	5,156	6,887	4,380	4,411	2,289	1,275	2,717	4,022	5,827	10,154	9,068	4,854	4,815	2,910
South West	Quarter	1	427	159	69	92	75	89	166	237	325	441	162	91	173	141	123	165	262	274
		2	379	164	66	90	62	78	135	199	268	372	169	82	155	116	101	135	184	236
		3	413	169	66	91	56	70	124	188	274	442	170	91	152	110	88	111	171	195
		4	531	240	78	92	67	77	140	216	277	488	228	104	154	113	103	136	181	228
	Year	21/22	437	183	69	91	65	78	141	209	285	436	182	92	158	120	103	136	198	233
	Episodes	F/N	721	1,487	1,677	1,995	3,409	4,379	3,341	3,278	1,503	698	1,393	2,114	3,326	6,210	5,832	3,469	3,613	2,006

Mean weekly incidence rate per 100,000 Persons.

Impetigo (ICD10 : L01)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	6	11	6	2	1	1	0	1	1	15	10	5	4	2	1	0	1	1
	2	14	14	7	2	1	1	1	0	0	5	13	7	4	2	1	1	1	1
	3	11	11	6	2	1	1	1	0	2	9	10	6	4	2	1	1	1	2
	4	10	12	6	2	1	1	1	1	1	7	13	6	3	2	1	1	0	1
	5	6	26	7	2	1	1	0	0	0	8	23	8	4	2	1	1	1	1
	6	26	54	8	2	1	0	1	1	2	17	38	8	3	2	1	1	1	1
	7	16	39	9	2	1	0	1	0	0	13	27	7	4	2	1	1	1	2
	8	18	25	9	3	1	1	1	0	0	8	22	9	3	2	1	0	1	1
	9	16	17	8	2	1	0	0	0	0	5	16	8	4	2	1	1	1	1
	10	7	23	8	2	1	1	1	1	0	9	19	7	4	3	1	1	1	1
	11	15	24	11	2	1	1	1	1	1	6	19	9	3	2	2	1	1	1
	12	16	19	9	2	1	1	0	0	2	17	19	10	4	2	1	1	1	1
	13	9	26	8	3	1	1	1	1	0	4	22	7	4	3	1	1	1	1
Quarter	1	10	12	6	2	1	1	1	1	1	10	11	6	4	2	1	1	1	1
	2	14	32	7	2	1	1	1	1	1	10	26	8	3	2	1	1	1	1
	3	14	25	9	2	1	1	1	0	0	9	20	8	4	2	1	1	1	1
	4	13	23	9	2	1	1	1	1	1	8	20	9	4	2	1	1	1	1
Year	21/22	13	23	8	2	1	1	1	1	1	9	19	7	4	2	1	1	1	1
Episodes	F/N	174	1,475	1,376	343	434	253	84	58	23	122	1,168	1,269	616	963	455	119	72	49

Mean weekly incidence rate per 100,000 Persons.

Impetigo (ICD10: L01)

			M									F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	
North East and Yorkshire	Quarter	1	16	13	8	2	1	1	1	0	0	4	11	9	5	4	1	0	1	3	
		2	23	39	8	3	2	1	1	1	5	19	39	8	5	4	1	1	1	1	
		3	15	29	14	3	1	1	1	0	0	12	32	10	6	4	2	1	1	1	
		4	15	26	10	3	2	1	1	1	0	8	25	13	5	4	2	2	0	2	
	Year	21/22	17	27	10	3	1	1	1	1	1	11	27	10	5	4	1	1	1	2	
	Episodes	F/N	18	134	146	34	48	25	9	5	3	11	131	144	67	120	47	13	8	7	
North West	Quarter	1	9	13	7	2	1	1	1	1	2	16	17	8	5	3	2	1	0	2	
		2	18	39	10	3	1	1	0	1	0	20	36	8	4	3	1	1	1	2	
		3	19	35	9	3	1	1	1	1	0	3	25	8	6	4	1	0	1	3	
		4	13	33	11	3	1	1	0	2	1	18	25	12	4	4	1	1	1	0	
	Year	21/22	15	30	9	3	1	1	1	1	1	14	26	9	5	3	1	1	1	2	
	Episodes	F/N	37	352	300	82	85	58	18	15	3	32	284	286	157	223	86	25	13	15	
East of England	Quarter	1	8	6	4	1	1	0	0	1	0	8	3	2	4	1	1	0	0	0	
		2	22	16	5	2	1	0	0	1	0	0	9	3	4	1	0	1	0	0	
		3	0	13	5	1	1	1	0	0	0	8	20	5	1	2	0	0	0	2	
		4	8	15	4	0	1	1	0	0	3	0	9	8	4	2	0	0	0	0	
	Year	21/22	9	13	5	1	1	1	0	1	1	4	10	4	3	1	0	0	0	0	
	Episodes	F/N	5	33	36	6	13	9	0	2	1	2	26	33	20	20	8	1	0	1	
Midlands	Quarter	1	13	11	7	2	1	1	1	0	1	7	8	6	4	2	2	1	1	1	
		2	12	36	6	2	1	1	0	1	2	4	25	8	3	2	1	1	0	1	
		3	15	20	8	1	1	1	1	1	1	15	21	9	4	3	1	1	2	1	
		4	14	23	9	3	1	0	0	1	0	8	21	9	3	3	2	1	1	1	
	Year	21/22	14	23	7	2	1	1	1	1	1	9	19	8	3	3	2	1	1	1	
	Episodes	F/N	27	217	200	48	61	31	13	9	4	17	171	200	80	151	84	25	14	6	
London	Quarter	1	6	7	3	1	1	1	1	0	2	11	8	3	2	1	0	1	2	2	
		2	7	20	4	1	0	0	2	0	2	6	18	5	2	1	1	1	1	0	
		3	20	16	5	1	1	0	1	0	2	5	9	4	2	1	0	1	1	1	
		4	11	10	6	1	1	0	0	1	0	4	13	5	2	1	1	0	2	0	
	Year	21/22	12	14	5	1	1	0	1	0	1	6	12	4	2	1	1	1	2	1	
	Episodes	F/N	33	169	138	29	76	29	11	1	3	18	141	127	61	122	31	9	12	3	
South East	Quarter	1	7	13	6	2	1	1	0	1	2	5	11	6	4	2	1	0	1	1	
		2	12	29	7	2	1	1	1	0	1	7	20	8	3	2	1	1	1	1	
		3	9	28	10	2	1	0	0	0	0	10	20	8	4	2	1	1	0	1	
		4	16	22	9	2	1	1	1	1	2	11	22	7	4	2	1	1	0	1	
	Year	21/22	11	23	8	2	1	1	0	1	1	8	19	7	3	2	1	1	0	1	
	Episodes	F/N	33	340	333	80	102	60	16	11	8	24	255	285	137	175	115	26	12	15	
South West	Quarter	1	16	17	7	2	1	1	1	1	0	16	14	6	4	3	1	0	1	0	
		2	17	40	10	3	1	0	1	2	0	13	29	10	3	3	2	1	1	0	
		3	9	26	9	3	1	1	1	0	0	16	19	9	5	3	1	1	0	0	
		4	10	30	11	4	1	1	1	1	1	0	22	8	7	2	2	1	0	0	
	Year	21/22	13	28	9	3	1	1	1	1	0	11	21	8	4	3	1	1	1	0	
	Episodes	F/N	21	230	223	64	49	41	17	15	1	18	160	194	94	152	84	20	13	2	

Mean weekly incidence rate per 100,000 Persons.

Peripheral Neuropathy (ICD10: G50-G64,G70-G72)																			
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
6. Disorders Affecting the Nervous System:	4 weekly 1	1	0	2	3	14	26	38	45	33	4	1	2	8	25	39	38	46	39
	2	2	1	2	4	14	28	39	43	35	3	1	2	7	27	40	47	52	40
	3	3	1	1	4	14	24	31	40	32	4	1	2	9	22	38	40	52	41
	4	4	1	1	3	15	25	30	41	30	3	1	1	7	22	41	39	51	33
	5	1	1	1	5	13	26	34	40	33	1	0	2	6	25	38	41	45	36
	6	4	0	1	4	14	29	34	41	34	4	1	2	7	26	40	39	46	37
	7	6	1	1	4	16	27	32	42	37	1	1	2	8	25	41	42	44	39
	8	1	1	1	4	14	27	36	42	29	6	2	2	6	25	40	40	44	37
	9	1	1	1	3	11	22	24	30	26	1	1	2	6	19	30	29	36	35
	10	1	1	1	5	14	27	35	43	36	5	2	2	7	28	44	41	51	37
	11	2	1	1	3	14	29	37	37	36	1	0	2	8	26	42	39	49	44
	12	3	1	1	3	15	28	37	44	31	1	1	2	7	27	42	43	48	42
	13	5	1	2	3	12	25	33	38	28	7	1	2	7	23	36	38	43	38
Quarter	1	2	1	2	4	14	26	36	42	33	4	1	2	8	25	39	41	50	40
	2	3	1	1	4	14	27	32	40	32	3	1	2	7	24	39	40	47	35
	3	2	1	1	4	14	26	32	40	32	3	1	2	7	24	39	37	43	37
	4	3	1	2	3	14	27	35	39	32	3	1	2	7	26	40	41	48	41
Year	21/22	3	1	1	4	14	27	34	40	32	3	1	2	7	25	39	40	47	38
Episodes	F/N	34	48	228	645	6,012	10,205	4,536	3,318	887	41	63	314	1,229	10,207	14,552	5,611	4,567	1,741

Mean weekly incidence rate per 100,000 Persons.

Peripheral Neuropathy (ICD10: G50-G64,G70-G72)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	0	2	4	18	32	34	44	35	0	3	1	13	36	44	36	48	31
		2	0	1	1	4	18	34	28	37	24	12	2	1	8	29	44	41	48	40
		3	0	1	1	5	18	31	41	56	39	8	2	1	11	28	48	44	48	42
		4	4	1	2	4	16	31	38	43	38	0	2	1	6	30	41	40	53	37
	Year	21/22	1	1	2	4	17	32	35	45	34	5	2	1	9	31	44	40	49	38
	Episodes	F/N	1	3	23	57	561	1,099	464	354	84	5	10	17	120	962	1,488	565	465	156
North West	Quarter	1	2	1	2	4	17	30	38	44	35	4	1	2	9	31	43	45	55	41
		2	3	1	1	5	17	32	34	45	30	2	0	1	7	30	45	46	50	44
		3	0	0	1	4	17	28	31	41	32	2	1	2	7	28	43	40	47	44
		4	2	1	1	2	15	30	34	34	36	7	0	2	9	31	42	42	50	46
	Year	21/22	2	1	1	4	16	30	34	41	33	3	1	2	8	30	43	43	50	44
	Episodes	F/N	4	8	39	124	1,210	2,080	844	585	145	8	9	55	244	2,107	2,852	1,097	851	325
East of England	Quarter	1	8	0	1	2	11	15	25	28	19	8	0	1	6	11	18	29	30	23
		2	0	1	1	3	9	18	23	29	33	0	0	1	5	13	22	20	25	35
		3	0	0	1	2	9	13	17	23	17	0	0	1	8	17	24	21	23	25
		4	0	0	3	4	11	16	21	28	36	0	0	1	6	18	24	37	37	43
	Year	21/22	2	0	1	3	10	15	22	27	26	2	0	1	6	15	22	27	29	31
	Episodes	F/N	1	1	10	19	153	259	132	106	34	1	0	5	39	233	368	174	130	66
Midlands	Quarter	1	0	1	1	4	14	24	37	39	35	5	1	2	9	23	40	37	44	29
		2	2	1	1	3	15	26	34	37	32	2	0	2	7	25	38	40	50	29
		3	2	1	1	3	14	25	32	34	29	6	0	2	7	25	37	37	44	23
		4	2	1	2	4	17	29	38	42	25	6	1	3	9	26	41	37	38	28
	Year	21/22	2	1	1	3	15	26	35	38	30	5	1	2	8	25	39	38	44	27
	Episodes	F/N	3	9	35	89	840	1,506	762	525	133	9	7	54	191	1,381	2,184	864	721	193
London	Quarter	1	0	1	1	3	10	24	39	54	20	3	0	2	8	19	39	50	49	45
		2	4	1	1	5	11	24	27	42	24	1	0	1	7	18	47	43	50	34
		3	3	0	1	6	10	24	29	39	23	1	2	2	7	21	46	42	43	31
		4	4	1	1	3	9	25	44	31	20	3	1	2	7	20	49	42	53	44
	Year	21/22	3	1	1	4	10	24	35	41	22	2	1	1	7	20	46	44	49	38
	Episodes	F/N	8	8	26	126	1,107	1,454	429	251	48	6	11	43	230	2,024	2,386	578	384	141
South East	Quarter	1	4	0	1	4	13	25	37	42	29	5	1	1	7	25	37	44	50	49
		2	4	1	1	4	14	24	33	41	39	4	2	2	6	23	32	38	44	33
		3	2	1	1	3	13	26	31	35	35	3	2	2	6	23	34	34	43	40
		4	1	1	2	3	14	24	32	43	39	1	0	2	7	26	36	39	45	40
	Year	21/22	3	0	1	4	13	25	33	40	36	3	1	2	7	24	35	39	45	40
	Episodes	F/N	9	7	50	146	1,198	2,224	1,067	824	265	9	16	82	256	2,143	3,080	1,321	1,113	494
South West	Quarter	1	3	1	2	4	19	27	35	44	43	3	1	3	7	24	38	41	57	43
		2	5	1	2	3	17	28	34	40	32	0	2	2	8	28	39	38	47	34
		3	5	2	2	5	17	28	36	48	32	5	2	3	7	25	39	35	39	44
		4	7	2	2	3	19	30	36	40	28	0	0	1	6	28	38	45	56	50
	Year	21/22	5	1	2	4	18	28	35	43	34	2	1	3	7	26	39	40	50	42
	Episodes	F/N	8	12	45	84	943	1,583	838	673	178	3	10	58	149	1,357	2,194	1,012	903	366

Mean weekly incidence rate per 100,000 Persons.

Meningitis and Encephalitis (ICD10: A170 - A171; A 390; A83 - A85; A87; G00 - G05)																			
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
	5	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0
	6	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
	7	3	0	0	0	0	0	1	0	0	3	0	0	0	0	0	0	0	1
	8	3	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
	9	1	1	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0
	10	5	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	11	5	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	1
	12	8	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	1	0
	13	7	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	1
Quarter	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	1	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0
	3	3	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
	4	6	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	1
Year	21/22	3	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
Episodes	F/N	39	14	22	19	68	70	41	17	2	24	11	14	37	98	80	26	19	15

Mean weekly incidence rate per 100,000 Persons.

Meningitis and Encephalitis (ICD10: A170 - A171; A 390; A83 - A85; A87; G00 - G05)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	1
		2	4	0	1	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0
		3	7	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0
		4	15	0	1	0	0	0	1	0	0	0	0	0	1	0	0	0	0	1
	Year	21/22	7	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0
	Episodes	F/N	7	0	5	1	6	10	4	3	0	1	0	1	8	6	8	4	1	2
North West	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	4	1	0	0	0	0	0	0	1
		3	3	1	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	1
		4	5	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	Year	21/22	2	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
	Episodes	F/N	5	6	2	3	14	13	9	3	0	3	3	2	8	23	15	3	4	4
East of England	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	1	1	0	0	1	0	8	0	0	0	0	0	0	0	0
		3	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0
		4	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	1	1	0
	Year	21/22	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
	Episodes	F/N	0	0	0	2	5	4	1	1	0	1	0	0	0	2	4	1	1	0
Midlands	Quarter	1	4	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
		2	2	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	1	0	0	2	0	0	0	0	0	0	0	1
		4	2	0	0	0	0	0	0	0	0	2	0	0	0	0	1	0	0	0
	Year	21/22	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
	Episodes	F/N	4	4	3	2	8	2	7	1	0	4	0	3	9	11	13	2	1	3
London	Quarter	1	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	1
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0
		4	5	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	2
	Year	21/22	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	Episodes	F/N	4	2	2	0	11	12	6	1	0	1	4	1	3	17	12	1	0	3
South East	Quarter	1	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
		2	3	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0
		3	2	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0
		4	8	0	0	0	0	0	0	0	0	4	1	0	0	0	0	0	0	0
	Year	21/22	4	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0
	Episodes	F/N	11	1	5	8	14	17	9	6	1	9	3	1	6	20	17	6	7	2
South West	Quarter	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0
		2	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0
		3	9	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	0	0
		4	10	0	0	0	0	0	0	0	0	7	0	1	0	0	0	0	0	0
	Year	21/22	5	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0
	Episodes	F/N	8	1	5	3	10	12	5	2	1	5	1	6	3	19	11	9	5	1

Mean weekly incidence rate per 100,000 Persons.

		Musculoskeletal Symptoms (ICD10: R25-R29)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	8	12	6	3	3	8	21	48	118	7	8	5	5	6	11	20	55	121
	2	12	11	7	3	3	8	22	49	131	5	10	4	5	6	13	26	55	111
	3	10	7	4	3	3	8	25	55	124	13	8	4	5	5	13	26	56	116
	4	13	9	3	2	3	8	25	50	111	11	9	3	5	5	12	27	54	129
	5	12	9	4	3	3	8	21	48	112	10	9	2	4	5	11	25	54	120
	6	14	10	4	3	4	8	22	49	124	11	8	4	6	6	10	22	55	127
	7	6	9	4	4	3	8	21	47	103	10	7	3	4	5	9	26	56	116
	8	12	13	4	3	3	8	23	53	116	9	7	4	5	5	9	22	50	123
	9	9	6	2	2	2	6	17	43	116	7	5	2	3	4	9	17	45	114
	10	11	10	5	3	3	8	23	52	130	4	10	4	6	6	10	24	53	137
	11	6	9	5	3	3	8	20	44	131	14	6	5	5	5	11	25	52	125
	12	14	11	4	3	3	8	25	54	119	11	8	4	5	5	11	22	58	118
	13	11	10	4	3	3	7	19	48	112	4	6	3	4	5	9	22	52	123
Quarter	1	10	10	5	3	3	8	23	51	124	9	9	4	5	6	12	24	55	116
	2	12	9	4	3	3	8	22	50	113	11	9	3	5	5	11	25	54	125
	3	9	9	4	3	3	8	21	48	119	8	7	3	4	5	9	22	51	122
	4	12	10	4	3	3	8	21	49	120	9	7	4	5	5	10	23	54	124
Year	21/22	11	10	4	3	3	8	22	49	119	9	8	4	5	5	11	23	54	122
Episodes	F/N	142	614	765	491	1,337	3,031	2,914	4,065	3,269	117	477	594	812	2,197	3,907	3,314	5,248	5,523

Mean weekly incidence rate per 100,000 Persons.

Musculoskeletal Symptoms (ICD10: R25-R29)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	8	7	3	1	4	9	28	50	137	8	13	3	6	7	17	26	62	152
		2	23	6	4	1	4	8	26	55	137	16	10	3	7	6	12	26	60	136
		3	15	13	4	3	4	9	24	54	133	8	8	4	6	8	11	30	53	150
		4	15	13	4	3	4	10	26	57	140	12	11	4	6	6	12	28	69	146
	Year	21/22	15	10	4	2	4	9	26	54	137	11	10	4	6	7	13	28	61	146
	Episodes	F/N	16	49	57	26	133	313	345	427	338	11	50	51	82	213	433	386	574	605
North West	Quarter	1	13	11	7	4	4	11	25	58	113	14	15	5	5	7	17	32	58	82
		2	15	12	5	3	4	10	24	52	88	12	12	3	6	6	13	27	54	101
		3	12	8	5	3	4	10	21	47	106	13	11	4	3	6	11	25	50	89
		4	11	12	6	3	4	11	26	52	98	7	9	5	4	6	13	25	54	100
	Year	21/22	13	11	6	3	4	10	24	52	101	11	12	4	5	6	13	27	54	93
	Episodes	F/N	31	124	182	106	290	713	588	739	442	26	130	128	155	449	871	694	918	687
East of England	Quarter	1	8	9	4	5	3	5	14	56	157	17	5	5	4	5	9	19	44	115
		2	7	9	2	5	1	7	17	41	96	8	6	3	8	3	7	20	42	115
		3	7	6	3	1	2	5	21	41	97	0	6	2	5	3	7	20	49	84
		4	8	7	3	4	2	8	21	42	104	8	7	5	6	3	8	18	45	101
	Year	21/22	7	8	3	4	2	6	18	45	113	8	6	3	6	3	8	19	45	104
	Episodes	F/N	4	20	24	26	33	110	110	176	148	4	15	25	36	53	132	126	206	218
Midlands	Quarter	1	9	10	6	2	2	8	19	39	85	5	5	4	6	4	10	17	41	86
		2	4	8	3	2	3	7	19	33	80	13	7	2	4	5	10	21	44	96
		3	11	7	4	3	2	7	16	39	96	10	8	2	5	4	10	16	39	78
		4	14	11	4	2	3	6	18	37	98	6	4	4	3	4	8	16	41	88
	Year	21/22	10	9	4	2	3	7	18	37	90	8	6	3	4	4	9	18	41	87
	Episodes	F/N	19	84	109	62	154	406	393	511	395	16	52	76	108	248	522	400	670	624
London	Quarter	1	9	12	5	3	3	8	26	70	117	8	7	4	5	6	14	29	64	100
		2	11	10	3	4	3	9	26	57	82	7	7	3	4	5	13	29	63	106
		3	4	8	3	3	2	7	27	50	134	5	6	3	4	4	10	26	60	110
		4	16	7	3	3	2	7	26	53	105	10	5	3	5	4	12	31	71	122
	Year	21/22	10	9	4	3	3	8	26	57	110	8	6	3	4	5	12	29	64	110
	Episodes	F/N	29	111	112	96	292	451	324	348	240	21	77	98	149	479	630	378	506	405
South East	Quarter	1	10	11	5	3	3	7	22	48	121	8	9	4	5	6	9	22	50	122
		2	11	9	4	3	2	7	22	45	113	9	9	4	4	6	9	21	50	113
		3	7	9	3	3	3	6	19	47	118	6	4	2	5	5	7	20	49	128
		4	8	11	5	3	3	6	18	49	110	15	6	4	5	5	9	22	50	129
	Year	21/22	9	10	4	3	3	6	20	47	115	10	7	3	5	5	9	21	50	123
	Episodes	F/N	27	144	170	113	261	584	649	977	861	27	93	139	183	466	765	726	1,224	1,510
South West	Quarter	1	8	7	5	3	3	9	23	50	158	5	8	4	6	6	10	22	67	152
		2	15	11	5	3	4	7	20	64	166	13	9	2	3	5	11	27	67	189
		3	9	13	4	3	3	8	22	58	145	9	6	3	4	6	9	22	58	180
		4	7	10	4	2	3	9	20	53	173	2	8	4	6	5	9	23	61	162
	Year	21/22	10	10	5	3	3	8	21	57	160	8	8	3	5	6	10	24	63	171
	Episodes	F/N	16	82	111	62	174	454	505	887	845	12	60	77	99	289	554	604	1,150	1,474

7. Genitourinary System Disorders:

Mean weekly incidence rate per 100,000 Persons.

Urinary Tract Infections (ICD10: N30,N390)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	11	3	1	2	2	6	16	37	76	21	20	10	23	20	20	31	50	72
	2	15	5	1	1	3	6	15	36	80	18	16	11	25	22	22	29	58	83
	3	14	4	1	1	2	6	15	45	75	20	18	8	22	24	22	33	54	86
	4	12	4	1	2	2	6	18	41	89	22	18	8	26	26	27	29	54	94
	5	12	4	2	1	3	6	16	38	79	21	17	11	27	28	24	36	57	88
	6	15	4	2	1	3	7	17	36	71	18	19	11	31	28	25	36	53	87
	7	17	5	1	2	2	6	18	33	79	15	19	11	30	27	25	36	58	96
	8	15	5	2	1	2	7	17	37	78	20	21	12	32	24	25	32	61	83
	9	16	3	2	2	2	6	17	34	84	24	16	10	25	26	22	31	51	81
	10	20	4	1	1	2	7	19	37	77	13	20	12	29	27	24	34	58	91
	11	14	5	1	2	2	6	20	35	86	13	18	12	28	27	24	35	58	87
	12	13	4	2	1	2	7	14	39	85	20	19	12	25	25	22	35	60	85
	13	18	6	2	2	3	7	18	34	89	18	15	9	28	24	23	35	53	82
Quarter	1	13	4	1	2	2	6	15	39	77	20	18	10	23	22	21	31	54	80
	2	14	4	2	1	3	6	17	38	80	19	18	10	28	27	25	34	54	89
	3	17	4	1	1	2	6	17	35	80	19	19	11	29	26	24	33	56	88
	4	15	5	2	2	3	7	18	36	86	16	17	11	27	25	23	35	58	85
Year	21/22	15	4	2	1	2	6	17	37	81	18	18	10	27	25	23	33	56	86
Episodes	F/N	199	274	273	253	1,035	2,460	2,259	3,059	2,216	239	1,102	1,774	4,551	10,538	8,659	4,708	5,461	3,898

Mean weekly incidence rate per 100,000 Persons.


Urinary Tract Infections (ICD10: N30,N390)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	12	3	3	1	3	8	17	42	80	65	19	10	26	20	19	28	50	88
		2	39	4	2	2	2	8	20	43	85	16	14	10	37	27	23	34	65	87
		3	11	6	2	1	2	8	25	37	110	20	24	12	30	29	21	28	51	90
		4	33	6	3	0	3	8	19	34	94	8	19	14	29	24	21	33	61	94
	Year	21/22	24	5	2	1	2	8	20	39	93	27	19	11	31	25	21	31	57	90
	Episodes	F/N	25	23	35	12	80	261	270	306	229	27	92	161	397	784	706	431	533	372
North West	Quarter	1	18	3	0	2	4	7	18	42	72	21	24	13	28	29	27	40	67	98
		2	12	5	2	2	3	8	17	46	89	21	26	12	40	35	35	41	71	101
		3	15	5	1	2	3	9	21	38	92	11	27	16	37	35	31	41	69	114
		4	11	6	3	2	4	7	22	43	89	12	20	16	32	34	29	46	76	95
	Year	21/22	14	5	2	2	3	8	19	42	86	16	24	14	34	34	30	42	71	103
	Episodes	F/N	34	55	51	71	246	529	483	603	375	37	265	438	1,105	2,346	1,998	1,074	1,203	755
East of England	Quarter	1	8	3	1	1	2	3	10	43	41	17	10	5	12	13	14	23	45	69
		2	15	3	3	2	2	4	13	20	69	32	11	6	14	17	17	21	35	86
		3	14	4	0	1	2	4	9	23	71	0	11	7	15	16	17	22	38	66
		4	31	5	1	1	2	5	7	16	62	59	14	5	13	17	17	21	39	51
	Year	21/22	17	4	1	1	2	4	10	25	61	26	11	6	14	16	16	22	39	68
	Episodes	F/N	9	10	9	8	29	68	62	100	80	13	28	43	87	251	275	143	177	144
Midlands	Quarter	1	4	4	1	2	3	5	14	30	77	9	17	9	22	20	19	29	45	71
		2	8	2	1	1	3	6	16	31	74	22	18	11	27	28	22	32	51	99
		3	13	4	1	1	2	6	14	34	68	19	16	11	29	27	23	30	54	90
		4	4	5	2	1	3	7	17	38	81	10	17	8	29	22	23	32	53	81
	Year	21/22	8	4	1	1	2	6	15	34	75	15	17	10	27	24	22	31	51	86
	Episodes	F/N	15	34	34	34	138	359	335	467	328	29	155	248	647	1,348	1,211	707	829	616
London	Quarter	1	19	3	1	1	2	6	13	34	68	16	16	7	19	21	21	34	56	54
		2	16	4	2	1	2	4	18	37	84	12	15	6	20	23	21	31	45	67
		3	17	3	2	1	2	5	18	37	70	16	15	7	22	21	21	32	57	71
		4	19	4	1	2	2	6	20	38	89	14	14	10	18	22	22	36	49	78
	Year	21/22	17	4	2	1	2	5	17	37	78	14	15	7	20	22	22	33	52	68
	Episodes	F/N	50	47	50	46	222	314	213	223	170	40	180	216	660	2,239	1,127	437	406	251
South East	Quarter	1	13	6	2	1	2	6	16	44	91	11	19	9	23	20	20	28	55	78
		2	7	4	2	1	2	6	17	40	79	20	16	10	25	28	25	33	52	92
		3	18	5	1	1	2	6	16	32	76	15	20	12	27	23	22	33	53	86
		4	11	4	2	1	2	7	18	34	84	19	18	11	29	26	22	38	57	89
	Year	21/22	12	5	2	1	2	6	17	37	82	17	18	10	26	24	22	33	54	86
	Episodes	F/N	37	70	67	48	193	563	542	769	614	47	249	414	1,027	2,176	1,971	1,125	1,341	1,061
South West	Quarter	1	8	4	1	1	2	7	14	37	74	19	15	12	25	24	22	32	54	87
		2	15	5	1	1	3	6	16	37	75	23	21	11	28	29	26	33	49	79
		3	27	4	1	2	3	6	16	40	81	51	19	12	36	28	26	33	57	81
		4	20	4	2	2	2	7	15	36	88	20	14	10	31	26	23	26	54	77
	Year	21/22	18	4	1	2	2	7	15	38	80	29	17	11	30	27	24	31	53	81
	Episodes	F/N	29	35	27	34	127	366	354	591	420	46	133	254	628	1,394	1,371	791	972	699


Appendix E

COVID-19 incidence, disparities in presentation, and data tables for the first wave of infection during the period of this report

Weekly disease incidence by region




Weekly disease incidence by age group




COVID-19


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group



Conurbation, Urban and Rural Living



Mean weekly incidence rate per 100,000 Persons.

		COVID-19																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	9	12	46	70	40	27	11	8	10	5	16	47	72	46	28	7	7	8
	2	47	62	191	411	167	81	31	23	17	40	55	207	439	177	95	22	19	26
	3	133	140	439	908	504	244	116	72	66	130	133	458	866	506	269	95	68	69
	4	139	124	248	635	338	257	170	117	124	136	133	277	772	420	302	150	104	100
	5	128	147	686	425	237	266	173	159	136	119	158	747	493	365	317	167	129	113
	6	119	177	1,264	439	259	379	246	192	198	108	169	1,371	487	446	458	230	161	146
	7	152	244	890	324	341	451	304	181	167	155	237	935	405	526	504	270	142	159
	8	219	360	1,247	609	710	559	195	114	120	207	381	1,279	823	972	592	170	86	122
	9	666	788	1,640	1,825	1,870	1,394	887	741	823	557	814	1,704	2,653	2,553	1,762	766	590	849
	10	521	829	2,474	874	990	875	616	540	679	451	807	2,457	1,297	1,846	1,324	599	410	730
	11	320	298	553	350	566	645	674	630	692	251	302	579	623	987	964	649	490	621
	12	529	409	756	503	856	1,196	1,347	1,312	1,442	480	440	754	857	1,564	1,828	1,366	1,067	1,299
	13	171	65	68	113	191	299	411	424	585	127	58	68	206	344	503	411	373	653
Episodes	F/N	3,310	17,832	143,028	99,023	237,322	197,285	53,053	28,894	10,687	2,780	17,173	141,250	129,999	344,934	254,061	53,032	27,743	17,056
Quarter	1	63	71	225	464	238	117	53	34	31	58	68	237	460	243	131	41	32	34
	2	131	152	742	487	283	314	207	161	154	120	156	807	573	420	372	191	136	125
	3	415	597	1,648	970	1,044	852	507	398	454	363	604	1,677	1,380	1,564	1,083	455	310	472
	4	337	263	502	346	551	713	791	767	883	288	270	512	593	981	1,094	787	623	840
Year	21/22	245	280	805	576	545	512	396	351	389	215	283	834	770	829	687	374	283	376

Mean weekly incidence rate per 100,000 Persons.

		COVID-19																		
		F									M									
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	
East of England	Episodes	F/N	111	820	6,939	4,789	12,809	10,592	2,156	1,099	590	114	848	6,918	3,827	8,656	8,345	2,196	1,225	421
	Quarter	1	0	38	154	321	134	87	24	10	15	0	51	151	319	155	82	26	18	3
		2	136	201	849	616	413	319	129	73	80	147	188	760	505	271	281	141	91	114
		3	395	731	2,004	1,401	1,586	989	350	249	271	399	714	1,946	982	1,118	813	439	294	358
		4	354	336	679	683	1,098	1,166	865	646	796	271	340	667	388	658	802	883	861	829
Year	21/22	224	329	939	759	808	632	330	241	280	210	327	898	557	555	491	360	311	321	
London	Episodes	F/N	435	2,214	14,357	18,587	62,872	26,960	4,596	2,200	1,213	553	2,386	14,595	12,777	47,229	22,227	4,448	2,015	867
	Quarter	1	34	38	131	297	198	102	50	37	30	58	42	132	276	183	83	52	44	25
		2	54	77	335	293	244	244	148	118	100	70	81	319	258	171	180	152	125	179
		3	287	433	1,153	1,129	1,255	974	568	430	618	369	437	1,147	800	844	709	584	506	677
		4	223	159	271	418	639	645	571	484	497	238	175	256	251	407	441	594	579	632
Year	21/22	157	186	496	558	611	515	350	280	329	193	193	486	409	419	370	362	330	397	
Midlands	Episodes	F/N	400	2,522	21,693	18,653	48,160	38,093	7,559	4,090	2,458	470	2,599	22,328	14,668	32,502	28,930	7,581	4,189	1,512
	Quarter	1	63	53	227	441	231	116	28	30	33	48	70	216	431	231	105	42	23	43
		2	167	187	972	642	535	404	207	143	124	133	179	927	533	364	342	225	145	140
		3	358	611	1,713	1,426	1,698	1,122	418	307	441	424	598	1,673	989	1,119	857	486	380	415
		4	230	224	420	524	910	1,013	649	495	738	321	205	417	304	492	654	619	620	745
Year	21/22	212	278	859	776	871	681	331	251	341	239	272	835	575	568	502	349	302	344	
North East and Yorkshire	Episodes	F/N	215	1,410	11,984	11,142	30,084	24,911	5,303	2,584	1,562	290	1,343	11,946	8,662	20,525	18,788	5,585	2,699	986
	Quarter	1	110	106	356	682	365	183	57	46	28	119	90	318	695	361	170	78	62	40
		2	121	211	909	616	550	459	254	177	147	212	201	845	520	366	386	273	197	204
		3	372	591	1,636	1,518	1,811	1,173	460	290	476	423	561	1,641	1,043	1,222	947	520	397	430
		4	239	243	462	604	1,064	1,103	722	554	820	330	222	440	308	554	660	786	672	883
Year	21/22	211	290	847	860	963	741	380	274	377	276	270	818	640	633	549	421	343	399	
North West	Episodes	F/N	566	3,050	24,174	27,167	63,801	47,273	10,019	5,543	3,338	649	3,079	24,458	19,930	44,141	37,077	9,878	5,565	1,936
	Quarter	1	113	126	446	692	414	213	72	52	82	103	133	398	653	358	188	87	63	59
		2	133	165	803	567	518	427	243	180	174	175	155	742	452	346	360	249	223	173
		3	467	608	1,489	1,566	1,771	1,224	539	393	609	452	564	1,441	1,058	1,156	930	577	502	609
		4	225	165	334	481	810	918	674	636	897	290	177	347	276	439	590	639	715	871
Year	21/22	244	277	790	847	911	720	393	326	454	265	266	754	618	593	534	399	391	443	
South East	Episodes	F/N	640	4,585	40,691	31,425	78,171	64,824	14,239	7,575	4,661	777	5,009	41,184	24,809	52,365	51,499	14,227	7,926	2,963
	Quarter	1	29	40	164	355	164	93	29	27	27	40	41	168	395	176	91	36	21	23
		2	113	145	921	609	396	349	162	119	84	119	153	829	530	265	315	179	145	132
		3	377	738	2,124	1,438	1,633	1,097	456	290	434	432	773	2,106	1,035	1,109	919	513	386	382
		4	341	380	706	718	1,206	1,295	991	751	932	409	355	673	427	700	884	1,016	926	1,011
Year	21/22	226	338	1,018	801	880	729	416	308	380	260	344	983	610	581	569	444	384	397	
South West	Episodes	F/N	413	2,572	21,412	18,236	49,037	41,408	9,160	4,652	3,234	457	2,568	21,599	14,350	31,904	30,419	9,138	5,275	2,002
	Quarter	1	51	84	188	476	216	118	32	18	16	57	77	190	508	245	99	42	23	17
		2	170	195	941	828	481	392	171	114	155	131	182	844	701	329	333	196	153	156
		3	309	590	1,701	1,250	1,485	928	360	235	416	395	555	1,648	889	994	751	415	315	399
		4	478	456	811	880	1,526	1,474	888	644	915	502	430	814	507	810	963	891	837	949
Year	21/22	258	336	930	868	944	734	360	255	375	277	316	894	657	605	542	385	337	380	

Oxford-Royal College of General Practitioners (RCGP) Research and Surveillance Centre (RSC)