

RSC Communicable and Respiratory Disease Report for England

Key Statistics:

Week Number/Year..... 32/2023
 Week Starting - Ending..... 07/08/2023 - 13/08/2023
 No. of Practices..... 1,520
 Population..... 15,036,588

National (England)

- **Acute Bronchitis** : decreased from 7.1 in week 31 to 6.4 in week 32.
- **Asthma** : decreased from 9.1 in week 31 to 8.5 in week 32.
- **Common Cold** : was unchanged at 1.4 in week 31 and 1.4 in week 32.
- **Influenza-like illness** : increased from 1.3 in week 31 to 1.4 in week 32.
- **Respiratory System Diseases** : decreased from 245.6 in week 31 to 235.4 in week 32.
- **COVID-19** : increased from 10.3 in week 31 to 12.9 in week 32.

Regional (North, South, London and Midlands and East)

- **Acute Bronchitis** : decreased from 4.1 in week 31 to 3.4 in week 32 in the London region, decreased from 11.0 in week 31 to 9.7 in week 32 in the North region, increased from 5.3 in week 31 to 5.5 in week 32 in the South region, and decreased from 8.0 in week 31 to 6.4 in week 32 in the Midlands And East region.
- **Asthma** : decreased from 7.5 in week 31 to 6.9 in week 32 in the London region, increased from 8.8 in week 31 to 9.0 in week 32 in the North region, decreased from 9.6 in week 31 to 9.2 in week 32 in the South region, and decreased from 10.0 in week 31 to 8.3 in week 32 in the Midlands And East region.
- **Common Cold** : increased from 1.4 in week 31 to 1.6 in week 32 in the London region, increased from 1.0 in week 31 to 1.8 in week 32 in the North region, decreased from 1.4 in week 31 to 1.1 in week 32 in the South region, and decreased from 1.7 in week 31 to 1.2 in week 32 in the Midlands And East region.
- **Influenza-like illness** : decreased from 2.1 in week 31 to 1.8 in week 32 in the London region, increased from 1.3 in week 31 to 1.6 in week 32 in the North region, increased from 1.1 in week 31 to 1.3 in week 32 in the South region, and was unchanged at 0.9 in week 31 and 0.9 in week 32 in the Midlands And East region.
- **Respiratory System Diseases** : decreased from 185.1 in week 31 to 176.8 in week 32 in the London region, decreased from 302.1 in week 31 to 291.6 in week 32 in the North region, decreased from 231.7 in week 31 to 225.3 in week 32 in the South region, and decreased from 254.6 in week 31 to 236.5 in week 32 in the Midlands And East region.
- **COVID-19** : increased from 5.5 in week 31 to 8.4 in week 32 in the London region, increased from 12.0 in week 31 to 14.7 in week 32 in the North region, increased from 11.3 in week 31 to 14.5 in week 32 in the South region, and increased from 11.0 in week 31 to 12.5 in week 32 in the Midlands And East region.

Comment:

Overall presentations with respiratory infections have decreased this week and most monitored conditions are below the levels usually seen at this time of year except in the North (page 9).


Rates of COVID-19 have been increasing since week 26 since the last week of June 2023. The highest rates are in the North and South regions and in the population aged 65 years and over. Scabies rates are above the seasonal norm particularly in the North and London regions, and in recent weeks rates have increased in the South (page 12).

This report includes a virology update. SARS-CoV-2, influenza and RSV are the predominant circulating viruses detected.


2023 Focus

Please see page 15 for explanatory notes on the data.



(A) Influenza-like illness: national incidence rate 2023 by region*



(B) RCGP/UKHSA RSV, Influenza and SARS-CoV-2 Virology Swab Surveillance 2023*



* The seasonal average line (blue) is based on 5 year historic RCGP RSC data (Graph A & B). The weekly virology samples displayed are offset from the ISO Week (Graphs B & C). **No specified subtype, or coinfection with H1N1 and H3N2.

(C) RCGP/UKHSA RSV, Influenza and SARS-CoV-2 Virology Swab Surveillance 2023 by viral strain***(D) Influenza-like illness: national incidence rate 2023 by age group***


(E) Influenza-like illness: national incidence rate 2023 by age group*

This table shows the level of intensity of ILI by age band. MEM thresholds have been calculated separately for each age band - the ranges are shown in the table Threshold levels by age band.



Table 1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
15-64yrs	22.3	13.6	8.2	6.3	6.4	7.1	6.2	5.6	5.3	5.1	5.4	5.0	4.4	2.6	2.7	3.0	2.2	1.8
65+yrs	32.9	16.6	9.0	4.6	5.5	4.0	4.5	4.1	4.1	3.8	2.7	2.4	3.1	2.0	2.2	1.8	1.2	1.5
<15yrs	9.5	7.2	5.4	4.5	4.8	4.9	3.6	3.4	3.5	2.4	3.7	3.1	2.6	1.5	0.8	1.1	0.7	0.6
All ages	21.9	13.0	7.9	5.7	6.0	6.2	5.5	5.0	4.8	4.4	4.6	4.3	3.9	2.3	2.3	2.5	1.7	1.5

	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
<15yrs	0.8	1.2	0.8	0.5	0.7	0.9	0.6	0.9	0.6	1.6	0.9	0.7	0.2	0.4				
15-64yrs	1.7	1.6	1.7	1.4	1.8	1.0	0.8	1.0	1.2	1.8	1.4	1.8	1.6	1.7				
65+yrs	1.1	0.8	0.7	0.6	0.7	0.6	0.4	0.5	0.8	1.2	0.7	1.1	1.3	1.2				
All ages	1.5	1.4	1.4	1.1	1.4	0.9	0.7	0.9	1.0	1.7	1.2	1.5	1.3	1.4				

Table 2	Below Threshold ¹	Threshold to Medium ²	Medium to High ³	High to Very High ⁴	Above Very High ⁵
15-64yrs	<14.62	14.62 to 16.81	16.81 to 60.16	60.16 to 105.70	105.70+
65+yrs	<12.54	11.03 to 12.54	12.54 to 45.79	45.79 to 81.19	81.19+
<15yrs	<8.05	8.05 to 13.38	13.38 to 30.96	30.96 to 44.85	44.85+
All Ages	<11.47	11.47 to 15.06	15.06 to 46.46	46.46 to 76.44	76.44+

Threshold levels¹Below baseline threshold²baseline threshold breach to < 40th percentile³40th to <90th percentile⁴90th to <97.5th percentile⁵97.5th+ percentile**(F) Acute Bronchitis: national incidence rate 2023 by age group*****Weekly Influenza-like illness and Acute Bronchitis incidence rates per 100,000 persons**


Influenza-like illness		Bronchitis		Influenza-like illness		Acute Bronchitis	
<1yr	2.2	54.1	London	1.8	3.4		
1-4yrs	0.2	4.8	North	1.6	9.7		
5-14yrs	0.3	0.2	South	1.3	5.5		
15-24yrs	1.0	0.7	Midlands And East	0.9	6.4		
25-44yrs	1.9	1.2	National	1.4	6.4		
45-64yrs	1.8	7.0					
65-74yrs	1.5	17.1					
75-84yrs	0.9	26.2					
85+yrs	0.8	15.3					
All ages	1.4	6.4					

(G) COVID-19 : national incidence rate 2023 by age group***(H) COVID-19 : national incidence rate 2023 by region***


1. Water & Food Borne Disorders:

5yr Avg National North London South Midlands And East


Infectious Intestinal Disease (ICD10: A00-A09)
Weekly incidence (per 100,000 **all ages**) by regions
for 2023 compared with 5 year average




Infectious Intestinal Disease (ICD10: A00-A09)
Weekly incidence (per 100,000 **0-4 years**) by regions
for 2023 compared with 5 year average



Non-Infective Enteritis & Colitis (ICD10: K50-K52)
Weekly incidence (per 100,000 **all ages**) by region
for 2023 compared with 5 year average




Viral Hepatitis (ICD10: B15-B19)
Weekly incidence (per 100,000 **all ages**) by region
for 2023 compared with 5 year average




2. Environmentally Sensitive Disorders:

5yr Avg National North London South Midlands And East


Asthma (ICD10: J45-J46)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average




Disorders of Conjunctiva (ICD10: H10-H13)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average



Hayfever/Allergic Rhinitis (ICD10: J30)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average




Symptoms involving Respiratory & Chest (ICD10: R05-R07,R09)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average




3. Respiratory Infections:

5yr Avg National North London South Midlands And East


Acute Bronchitis (ICD10: J20-J21,J40)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average




Common Cold (ICD10: J00,J06)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average




Influenza-like illness (ICD10: J09-J11)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average




Acute Laryngitis/Tracheitis (ICD10: J04)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average



Pleurisy (ICD10: R091)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average




Pneumonia/Pneumonitis (ICD10: J12-J18)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average




3. Respiratory Infections(Continued):

5yr Avg National North London South Midlands And East


Respiratory System Diseases (ICD10: J00-J99)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average




Acute Sinusitis (ICD10: J01)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average




Strep Sore Throat, Scarletina and Peritonsillar Abscess (ICD10: A38,J020,J36)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average




Acute Tonsillitis/Pharyngitis (ICD10: J02-J03)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average



Upper Respiratory Tract Infections (URTI)(ICD10: J00-J06)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average




Whooping Cough (ICD10: A37)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average




3. Respiratory Infections(Continued):

5yr Avg National North London South Midlands And East


Infectious Mononucleosis (ICD10: B27)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average



Lower Respiratory Tract Infections (LRTI)(ICD10: J20-J22)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average




Acute Otitis Media (ICD10: H650-H651,H660,H669)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average




4. Vaccine Sensitive Disorders

5yr Avg National North London South Midlands And East


Measles (ICD10: B05)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average



Mumps (ICD10: B26)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average




Rubella (ICD10: B06)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average




5. Skin Contagions

Bullous Dermatoses (ICD10: L10-L14)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average




Chickenpox (ICD10: B01)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average




5. Skin Contagions (Continued)

■ 5yr Avg ■ National ■ North ■ London ■ South ■ Midlands And East


Herpes Simplex (ICD10: B00)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average




Herpes Zoster (ICD10: B02)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average




Infections of Skin & Subcutaneous Tissue (ICD10: L00-L08)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average




Scabies (ICD10: B86)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average



Symptoms involving Skin & Oth Integument Tiss (ICD10: R20-R23)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average




Impetigo (ICD10: L01)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average




6. Disorders Affecting the Nervous System

5yr Avg National North London South Midlands And East


Disorders of The Peripheral Nervous System (ICD10: G50-G64,G70-G72)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average



Meningitis/Encephalitis (ICD10: A170-A171,A390,A38-A85,A87,G00-G05)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average




Symptoms Involving Nervous & Musculoskeletal (ICD10: R25-R29)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average



7. Genitourinary System Disorders

Urinary Tract Infection/Cystitis (ICD10: N30,N390)
Weekly incidence (per 100,000 all ages) by region
for 2023 compared with 5 year average



8. Tabular Summary by Disease

Disease Name	Week beginning Week ending		07/08/2023 13/08/2023		31/07/2023 06/08/2023		24/07/2023 30/07/2023		17/07/2023 23/07/2023	
	Rate	Numer	Rate	Numer	Rate	Numer	Rate	Numer	Rate	Numer
Acute Bronchitis	6.4	958	7.1	1,043	6.4	983	5.9	826		
Allergic Rhinitis	5.3	796	5.5	802	6.5	993	8.1	1,128		
Asthma	8.5	1,275	9.1	1,326	9.5	1,457	9.7	1,353		
Bullous Dermatoses	0.2	32	0.2	35	0.3	39	0.2	29		
Chickenpox	2.4	357	2.8	413	2.9	440	3.4	474		
Common Cold	1.4	209	1.4	198	1.7	265	1.6	224		
Conjunctival Disorders	12.1	1,815	12.2	1,786	13.6	2,084	14.4	2,011		
COVID-19	12.9	1,935	10.3	1,497	8.8	1,351	6.3	883		
Herpes Simplex	2.8	428	2.6	377	2.8	426	2.6	359		
Herpes Zoster	5.1	761	5.6	819	5.6	859	5.6	787		
Impetigo	3.3	500	3.2	471	3.4	522	3.3	467		
Infectious Intestinal Diseases	6.0	899	5.9	855	6.5	997	6.8	943		
Infectious Mononucleosis	0.2	37	0.3	46	0.3	42	0.2	33		
Influenza-like illness	1.4	209	1.3	187	1.5	227	1.2	166		
Laryngitis and Tracheitis	1.4	218	1.3	195	1.9	288	2.2	302		
Lower Respiratory Tract Infections	43.6	6,563	46.0	6,711	45.5	6,993	42.5	5,928		
Measles	0.0	1	0.0	0	0.0	5	0.0	4		
Meningitis and Encephalitis	0.1	20	0.1	15	0.1	15	0.1	16		
Mumps	0.1	13	0.1	8	0.0	7	0.1	7		
Non-infective Enteritis and Colitis	2.6	389	2.6	379	2.6	396	2.6	365		
Otitis Media Acute	12.0	1,797	12.9	1,886	15.3	2,354	15.5	2,160		
Peripheral Nervous Disease	17.2	2,593	17.6	2,572	17.4	2,671	17.6	2,456		
Pleurisy	0.2	25	0.2	29	0.3	41	0.2	21		
Pneumonia and Pneumonitis	2.6	386	2.3	329	2.5	382	2.4	329		
Respiratory System Diseases	235.4	35,402	245.6	35,832	255.0	39,160	256.0	35,739		
Rubella	0.0	2	0.0	1	0.0	0	0.0	0		
Scabies	1.9	287	1.8	257	1.7	261	1.3	188		
Sinusitis	13.7	2,061	13.6	1,980	14.3	2,190	14.1	1,967		
Skin and Subcutaneous Tissue Infections	83.9	12,620	84.1	12,271	84.7	13,013	85.3	11,909		
Strep Throat and Peritonsillar Abscess	1.1	168	1.3	189	1.6	251	1.6	224		
Symptoms involving musculoskeletal	14.9	2,235	14.9	2,170	14.7	2,255	15.5	2,159		
Symptoms involving Respiratory and Chest	202.8	30,488	210.0	30,646	217.4	33,374	215.6	30,107		
Symptoms involving Skin and Integument Tissues	116.5	17,520	118.5	17,291	120.7	18,530	122.3	17,081		
Tonsillitis and acute Pharyngitis	24.5	3,690	26.9	3,929	30.2	4,637	34.1	4,763		
Upper Respiratory Tract Infections	83.2	12,510	87.8	12,818	98.6	15,145	101.7	14,196		
Urinary Tract Infections	19.6	2,953	19.4	2,833	19.5	2,987	18.7	2,608		
Viral Hepatitis	0.2	33	0.2	34	0.2	32	0.3	38		
Whooping Cough	0.1	9	0.0	7	0.1	10	0.1	13		
Practice Count		1,520		1,456		1,574		1,460		
Denom		15,036,588		14,592,119		15,354,792		13,962,521		

FURTHER INFORMATION:

About the report

Focus

The first two pages of data within this report focus on Influenza-like illness and COVID-19, in order to provide information about seasonal influenza and early warnings of any epidemic.

Rate calculation

Each weekly incidence rate is presented per 100,000 population. All presentations are for males and females, and for all age groups, unless otherwise stated.

The denominator used for this report is taken from our most recent extract of data from GP practice systems, and includes all patients currently registered with eligible practices. The denominator varies week-on-week as patients register and deregister; it may also be the case that all patients from an individual practice are excluded because of problems with the data extraction from that practice in a specific week. As stated above, patients who have withheld consent for data-sharing are excluded.

In addition to the national rate, we present data for the four NHS England regions: North; Midlands and East; South; and London.

Five-year averages

Weekly rates are set against a five-year average, previously we reported against a ten-year average. The change to a five-year average was made because longer-term trends in the incidence of disease have led to weekly rates for certain diseases becoming increasingly divergent from their ten-year average. The use of five-year averages lessens this effect and enables more meaningful comparison.

Threshold calculation for Influenza-Like Illness (ILI)

We are now using the Moving Epidemic Method (MEM) to calculate threshold and intensity levels for Influenza-Like Illness (Graph A, page 2 and Table E, page 4 of this report). MEM works by identifying seasonal epidemic peaks and then calculates thresholds and intensity levels based on the pre and post epidemic values. This allows us to report the severity of ILI against multiple thresholds, rather than a simple comparison with the five-year average as the wide variation in ILI year on year, especially during the seasonal peak, makes the average less representative.

In addition to the All Ages thresholds, we have also calculated thresholds for three age bands: those aged under 15, 15-64 year olds and those aged 65 and over. ILI incidence rates vary among different age groups, and the age-specific thresholds allow us to highlight epidemics where ILI disproportionately affects a particular age group.

This methodology is used by the European Centre for Disease Prevention and Control to standardise reporting of influenza activity across Europe, and is also in use by the UK Health Security Agency. Full details of the methodology can be found in: Vega *et al.* (2012) Influenza surveillance in Europe: establishing epidemic thresholds by the moving epidemic method. Influenza and Other Respiratory Viruses 7(4), 546–558.

Both the *all-ages* thresholds and the *age-specific* thresholds are shown in Table E, page 4. Ten years of data were used for *all-ages* and *age-specific* thresholds calculation (winter seasons 2011/12- 2021/22 excluding the pandemic year 2020/21).

About the Royal College of General Practitioners (RCGP) Research and Surveillance Centre (RSC)

Acknowledgement:

Staff from the Data Science department at the National Physical Laboratory (<https://www.npl.co.uk/data-science>) assisted in the provision of and extension of the primary care national surveillance reports during the 2020 SARS-CoV-2 pandemic; as well as adding resilience.

What we do

The RCGP RSC was established in 1957, with the current name in use since 2009. The Centre is an internationally renowned source of information, analysis and interpretation concerning the onset, patterns, prevalence and trends over time of morbidity in primary care. The RSC is an active research and surveillance unit that collects and monitors data; its most important research is the surveillance of influenza and the monitoring of vaccine effectiveness.

The RSC data and analytics hub is housed at the Oxford-Royal College of General Practitioners Research and Surveillance Centre.

Further information about the RSC can be found on our website:

<http://www.rcgp.org.uk/rsc>

Our data extraction process and information governance

Data are extracted twice weekly from practice systems by Magentus data management and EMIS-X on the RCGP's behalf. Patients who have withheld consent for data sharing are excluded from the extraction process.

Data are pseudonymised as close to source as possible. Data are held on secure servers at the RCGP data and analytics hub at the Oxford-Royal College of General Practitioners Research and Surveillance Centre. Both Magentus data management and the University of Oxford are Registered and compliant with the Data Protection Act and fully compliant with all relevant NHS Digital data information governance best practice.

What the data is used for

The RCGP RSC has been providing reports weekly about health and disease, called the Weekly Returns Service (WRS) since 1964. The WRS monitors the number of patients consulting with new episodes of illness classified by diagnosis in England and provides weekly incidence rates per 100,000 population for these new episodes of illness. It is the key primary care element of the national disease monitoring systems run by the UK Health Security Agency. The bulletin can be found at the following URL:

<https://www.gov.uk/government/collections/syndromic-surveillance-systems-and-analyses>

In addition to the WRS, the data is used for other research studies. Any other uses of the data for research follow ethical approval or agreement from NIHR proportionate review, and where relevant Health Research Authority Confidential Advisory Group advice that further approval is not needed. Full details can be found on our website:

<http://www.rcgp.org.uk/rsc>

For further information

For further information about the work of the RSC, or if you would like to be included on our email notification list, please contact:

RCGP Research & Surveillance Centre
Policy, Research and Campaigns
Royal College of General Practitioners
30 Euston Square, London, NW1 2FB
Tel: switchboard 020 3188 7400

Director: Professor Simon de Lusignan

MedicalDirectorRSC@rcgp.org.uk

University of Oxford
Nuffield Department of Primary Care Health
Sciences
Eagle House
7 Walton Well Road
Oxford OX2 6ED

