

REGISTERED
CHARITY

NUMBER 223106

RC
GP

Royal College of General Practitioners

Annual Report 2020-2021

Research & Surveillance Centre

Weekly Returns Service Annual Report 2020-2021

Report contents

Executive summary	4
1. Introduction	5
2. What we do	6
RSC's aim	6
Monitoring disease incidence	6
Collecting virology and serology samples	8
Measuring vaccine effectiveness	8
Identifying disparities in the clinical presentation of diseases	9
Helping to change clinical practice	9
3. What was new this year	9
4. The RSC dataset	9
Our data extraction process and information governance	9
The dataset used for the RSC annual report 20/21	10
Representativeness of the RSC sample population	10
5. COVID-19 and Influenza	12
Virology sampling programme	12
Serology sampling programme	13
Vaccine uptake	14
Vaccine effectiveness	14
6. Disease incidence	14
7. Episode typing	16
8. Research Projects	17
9. RSC Publications	19
10. Contributors	22
11. References	23
12. Appendices	24

List of tables

Table 1.	The 38 conditions / groups of conditions monitored by the Oxford-Royal College of General Practitioners (RCGP) Research and Surveillance Centre (RSC) network and their mappings to the World Health Organisation's (WHO) International Classification of Disease version 10 (ICD-10).....	7
Table 2.	Number of serology samples collected in the 2020/21 season.....	13
Table 3.	Influenza vaccine uptake in the RSC practices in the 2020-2021 season	14
Table 4.	Highlights of weekly incidence of 38 monitored conditions.....	15
Table 5.	Episode typing by disease in the 2020/21 season at the RSC.....	17

List of figures

Figure 1.	The age-sex profile of the RSC sample population compared with the England national population.....	11
Figure 2.	Distribution of RSC member practices among NHS regions in England in the 2020/21 season	12
Figure 3.	RSC's RSV, Influenza and SARS-CoV-2 Virology Swab Surveillance 2020/21 by viral strain .	13
Figure 4.	Episode typing by disease in the 2020/21 season at the RSC shown by the percentage of appointments	17

Glossary of abbreviations

ARI	Acute Respiratory Illness
CMMS	Cambridge Multimorbidity Score
CMR	Computerised Medical Record
DSA	Data Sharing Agreement
DSP	Data Security and Protection
EMIS	Egton Medical Information Systems (a CMR provider)
EU	European Union
GDPR	General Data Protection Regulation
GP	General Practice
ICD	International Classification of Diseases
ILI	Influenza-like illness
IMD	Index of Multiple Deprivation
ISO	International Standards Organisation (week)
NHS	National Health Service
ORCHID	Oxford Royal College of General Practitioners Clinical Informatics Digital Hub
PCSC	Primary Care Sentinel Cohort
PHE	Public Health England (superseded by UKHSA on 1 st October 2021)
PRINCIPLE	Platform Randomised trial of treatmeNts in the Community for epldemic and Pandemic iLLnEsses
RCGP	Royal College of General Practitioners
RSC	Research and Surveillance Centre
RSV	Respiratory Syncytial Virus
SOP	Standard Operating Procedures
SQUIRE	Surveillance, quality improvement, research and education
TPP	The Phoenix Partnership, providers of the SystmOne CMR system
UKHSA	UK Health Security Agency
WHO	World Health Organisation

Executive summary

The Oxford-Royal College of General Practitioners (RCGP) Research & Surveillance Centre (RSC) has been collaborating with the UK Health Security Agency (UKHSA, formerly Public Health England) on infectious disease surveillance in primary care for over 50 years. For over half a century, the RSC has produced a Weekly Return of respiratory diseases and other infectious disease surveillance, along with an Annual Report summarising network changes and surveillance highlights of the year. This annual report covers the activities of the RCGP RSC during the 2020/21 season, spanning from 4th May 2020 to 9th May 2021 (International Standards Organisation (ISO) Week 19 of 2020 to ISO Week 18 of 2021).

The 2020/21 season saw the strike of the COVID-19 pandemic, during which the RCGP RSC restructured its workforce to accommodate emerging needs. The RSC continued its infectious disease surveillance during the 2020/21 season, but the incidence rates of most of the 38 RSC-monitored communicable and respiratory diseases were below the 5-year average due to the impact of COVID-19 lockdowns.

For virological surveillance, the RSC introduced COVID-19 virology testing and shifted from testing for influenza and other respiratory viruses to exclusively testing for COVID-19. The RSC initiated take-a-test self-sampling at home to extend the reach of virology sampling for COVID-19. The RSC also extended serology sampling to facilitate asymptomatic testing for COVID-19 infections.

The RSC continued to support the vaccine effectiveness studies conducted by UKHSA, particularly focusing on the effectiveness of COVID-19 vaccines during this season. The RSC continued its assessment of disparities in the clinical presentation of diseases, vaccine uptake and episode typing during this season.

The RSC's general practice network expanded significantly during the 2020/21 season, growing to 4,525,159 registered patients across 462 practices by week 18 of 2021, compared to 3,161,217 patients across 304 practices by week 18 of 2020. We provided member practices with the opportunity to participate in research studies, including trials, particularly those related to COVID-19 during this season.

The RSC implemented a range of activities, for example, take-a-test self-sampling at home, in response to the COVID-19 pandemic during the 2020/21 season. We are committed to continuing our surveillance work and contributing to public health in England.

1. Introduction

Welcome to the Oxford-Royal College of General Practitioners (RCGP) Research and Surveillance Centre's (RSC) Annual Report for 2020-2021. This is our 54th year of infectious disease surveillance in primary care in England ¹. For over half a century, the RSC has produced a Weekly Return of respiratory diseases and other infectious disease surveillance, along with an Annual Report summarising network changes and surveillance highlights of the year. The network's primary area of interest was the surveillance of influenza,² which was extended to include COVID-19 after the outbreak of the pandemic in March 2020. The principal elements of RSC's work are infectious disease surveillance, virology and serology sampling and vaccine effectiveness studies.

Oxford-RCGP RSC reports the incidence rate of 38 monitored communicable and respiratory conditions in the member practices every week. This surveillance is facilitated by the routinely collected computerised medical records (CMRs) in participating general practices. We detect any abnormal trends in disease incidence and alert participating practices and the UK Health Security Agency (UKHSA), which replaced Public Health England (PHE) on 1st October 2021, to the potential risk of a disease outbreak.

In addition to disease surveillance supported by CMR, RSC actively collects virology and serology samples from member practices to enhance its respiratory disease surveillance. RSC also shares data to support the vaccine effectiveness analyses carried out by the UKHSA, and some other research projects.

The number of RSC's participating general practices increased significantly this year in response to the COVID-19 pandemic. RSC maintains a close relationship with member practices and benefits them in multiple ways. At the beginning of each surveillance season, a commissioning letter signed off by RSC and UKHSA, detailing the activities within RSC, is shared with all participating practices. Every week, RSC communicates network updates to member practices through a newsletter. RSC also provides publicly available virology and serology dashboards to inform member practices of circulating viruses.

We would like to thank all the member practices and their patients within our network. Without the support of our member practices and the use of their pseudonymised patients' data, we would not be able to carry out our crucial work of monitoring disease rates, assuring the effectiveness of national vaccination programmes, and participating in other research projects.

This report is based on the clinical data of all RSC member practices and testing results of the samples collected from 462 member practices, bringing together the principal elements of our work. It covers the period from 4th May 2020 to the 9th of May 2021 (International Standards Organisation (ISO) Week 19 of 2020 to ISO Week 18 of 2021), which includes the entire 2020-2021 winter flu season. We summarise the key surveillance findings of the year and highlight the changes in the RSC surveillance network.

2. What we do

RSC's aim

RSC is dedicated to ensuring the health and safety of communities by implementing comprehensive disease surveillance and conducting advanced research.

RSC builds a nationally representative Primary Care Sentinel Cohort (PCSC) by recruiting member practices across England and Wales, ensuring a wide and balanced geographical distribution. The representativeness of the population was evaluated based on region, age, sex, ethnicity, socioeconomic status (measured by the Index of Multiple Deprivation, IMD), smoking status, obesity status, comorbidities (measured by the Cambridge Multimorbidity Score, CMMS), and frailty (Appendix A).³

RSC's pseudonymised patient-level primary care database captures clinical information of patients registered with RSC member practices through the CMR system. We are particularly interested in capturing clinical information on (1) the presentation of symptoms suggestive of respiratory infections such as influenza-like illness (ILI) or acute respiratory illness (ARI); (2) the diagnoses of respiratory infectious diseases, including influenza, COVID-19, and other pathogens; (3) the diagnoses of diseases caused by environmental factors, such as hay fever; and (4) detailed vaccination and some other treatment records of the patients. A subset of the PCSC collects virology swabs and/or blood samples for virological and/or serological analysis.

RSC's disease surveillance was conducted across the PCSC but reported separately for both the entire population and carefully curated risk groups, such as geographical areas and age groups. The purpose was to identify high-risk groups for the monitored conditions.

Monitoring disease incidence

The Oxford-RCGP RSC works in close collaboration with the UKHSA. The principal funding of the RSC is from the UKHSA. This collaboration with UKHSA and its predecessors has been running successfully for over 50 years¹. The RSC is UKHSA's principal primary care surveillance system, working in collaboration with other sources of health service data.

Our data feeds into UKHSA's surveillance system, providing an early warning of epidemics or unusual patterns of disease. Our monitoring alerts health services to seasonal events that place pressure on resources, such as the start of seasonal influenza epidemics, and allows services to be planned accordingly.

In the 2020/21 season, we monitored every week the incidence rate of 38 communicable and respiratory diseases (Table 1). The incidence rate is based on the diagnoses recorded in CMR by general practitioners in our member practices during the week.

The legal basis of our work with UKHSA is The Health Service (Control of Patient Information) Regulations 2002, which establishes a legal basis in England and Wales for data to be disclosed for public health purposes without patient consent. It is renewed annually under Regulation 7, with the role of the practice set out in an annual commissioning letter. Our surveillance work with UKHSA is under Regulation 3, and some health promotion work is under Regulation 5. The specific projects, including the extension to conduct COVID-19 surveillance, were individually approved by the Public

Health England Caldicott Guardian, and then on an annual basis. All other studies obtain their own ethical approval.

Table 1. The 38 conditions / groups of conditions monitored by the Oxford-Royal College of General Practitioners (RCGP) Research and Surveillance Centre (RSC) network and their mappings to the World Health Organisation's (WHO) International Classification of Disease version 10 (ICD-10)

Condition Name	ICD-10
1. Water and Food Borne Disorders	
Intestinal Infections	A00-A0
Viral Hepatitis	B15-B19
Non-infective Enteritis / Colitis	K50-K52
2. Environmentally Sensitive Disorders	
Asthma	J45-J46
Conjunctivitis	H10-H13
Respiratory / Chest symptoms	R05-R07; R09
Hay fever / Allergic Rhinitis	J30
3. Respiratory Infections	
Acute Bronchitis	J20-J21; J4
Laryngitis / Tracheitis	J04
Respiratory disorders	J00-J99
Tonsillitis / Pharyngitis	J02-J03
Infectious Mononucleosis	B27
Common Cold	R05 - R07; R09
Pleurisy	R091
Acute Sinusitis	J01
Upper Respiratory Tract Infection	J00-J06
Lower Respiratory Tract Infection	J20-J22
Influenza-like illness	J09-J11
Pneumonia / Pneumonitis	J12-J18
Strep throat / peritonsillar abscess	A38; J020; J36
Pertussis	A37
Acute Otitis Media	H650-H651; H660; H669
COVID-19 infection	U07
4. Vaccine Sensitive Disorders	
Measles	B05
Mumps	B26
Rubella	B06
5. Skin Contagions	
Bullous Dermatoses	L10-L14
Herpes Zoster	B02
Skin symptoms	R20-R23
Chickenpox	B01
Skin / subcutaneous infection	L00-L08
Impetigo	L01
Herpes Simplex	B00
Scabies	B86
6. Disorders Affecting the Nervous System	

Peripheral Neuropathy	G50-G64; G70-G72
Meningitis and Encephalitis	A170-A171; A390; A83-A85; A87; G00-G05
Musculoskeletal symptoms	R25-R29
7. Genitourinary System Disorders	
Urinary Tract Infection	N30; N390

Collecting virology and serology samples

A subset of the PCSC collects virology swabs and/or blood samples for virological and/or serological analysis. Only virological results are reported back to PCSC practices and the patient, although it must be stressed that this is not a diagnostic service. Practices are reimbursed for each virology and serology sample they submit for testing and code accurately. Both virology and serology samples are transported to UKHSA reference laboratories, where they are analysed and stored in dedicated biobanks for onward research.

Virology samples were collected from throat swabs taken from patients presenting with ILI in RSC participating practices. This is to identify organisms with epidemic or pandemic potential and analyse the details (i.e. sequencing) of the circulating viruses, especially in winter seasons. Virological samples collected in RSC participating practices were analysed in UKHSA's respiratory virus reference laboratory in Colindale, London. The UKHSA analysis of viruses other than SARS-CoV-2, such as influenza and respiratory syncytial virus (RSV), was suspended this season to support the mass testing of COVID-19.

The virology sampling strategy in RSC has substantially changed since January 2020, with the arrival of COVID-19 in England ². Participating practices have been extremely flexible in introducing home-based take-a-test self-swabbing during the pandemic. The virology samples were collected either through in-practice swabbing or patient self-swabbing during the 2020/21 season.

Serology samples were obtained opportunistically from volunteer patients attending routine blood tests at sampling practices within the PCSC. These patients may be having blood tests as part of an acute illness or chronic disease management or prevention, leading to an overrepresentation of risk groups. These samples are primarily used to estimate population exposure to COVID-19; however, serological surveillance has also been successfully applied to monitoring levels of population exposure to influenza and diphtheria. This work also collects data on incidences of rare clotting events postvaccination via platelet factor 4 levels. Serology samples are managed by UKHSA's Vaccine Evaluation Unit in Manchester.

Measuring vaccine effectiveness

RSC contributes crucial clinical data for vaccine effectiveness studies carried out by the UKHSA. UKHSA regularly evaluated the effectiveness of influenza vaccines before the COVID-19 pandemic to inform its vaccination policy. During 2020/21, the vaccines that were evaluated using RSC data were the influenza vaccine and the COVID-19 vaccine. RSC provided patient clinical data and vaccination records to support vaccine uptake studies in both general and target populations and vaccine effectiveness studies on circulating viruses, especially influenza.

Identifying disparities in the clinical presentation of diseases

The richness of RSC's clinical data allows us to identify demographic factors around clinical presentations. The aim is to understand disparities in clinical presentation related to key demographic characteristics. This should guide clinical practice in identifying at-risk groups and provide a strong basis for public health interventions.

Helping to change clinical practice

The RSC relies on practices agreeing to share their pseudonymised patient data with us – and, in return, their aggregated data provides evidence for research that is used to improve clinical practice and patient outcomes.

We want to provide benefits for our practices beyond their altruism in supporting public health. We pay practices for the time involved in taking specimens, and our practice liaison team provides a range of feedback to practices to improve engagement with our work and the quality of data collected. This includes the weekly newsletter and access to real-time dashboards for practices to see the number of microbiological samples they have provided in comparison to the whole RSC network. We continue to encourage high-quality clinical records, such as primary care CMR and vaccine exposure data, to support vaccine effectiveness studies for COVID-19 and influenza vaccines.

Member practices also have the opportunity to participate in research studies, including trials. This year, RSC supported the patient recruitment and follow-up of the Platform Randomised trial of treatments in the Community for epidemic and Pandemic iLInEsses (PRINCIPLE) Trial which evaluated treatments for COVID-19 in the community. Around 80% of the subjects recruited to PRINCIPLE during the period of this report were from RSC practices ⁴⁻⁶.

3. What was new this year

The virology testing at RSC has changed significantly since March 2020 to accommodate the COVID-19 pandemic. In the 2020/21 season, we introduced COVID-19 virology testing and shifted from testing for influenza and other respiratory viruses to exclusively testing for COVID-19. We initiated take-a-test self-sampling at home to extend the reach of virology sampling for COVID-19.

We extended serology sampling to facilitate asymptomatic testing for COVID-19 infections. Serology samples were collected from volunteer patients who had blood tests scheduled at the practice for their health conditions. The samples were batch-processed in different labs based on operational needs. We also added the incidence of COVID-19 to our routine disease incidence reports.

4. The RSC dataset

Our data extraction process and information governance

We have a data sharing agreement (DSA) with RSC member practices. They agree to provide pseudonymised data for "SQuIRE" purposes ⁵, namely surveillance, quality improvement, research and education. Patients who have withheld consent for data sharing, for any reason, are excluded from our analyses. These patients are identified through an 'opt-out' code, which the automatic extraction process uses to exclude them.

CMR data from member practices is extracted using a pseudonymised NHS number as the unique key linking identifier, either daily or twice weekly. Data are pseudonymised (this is a process that scrambles any strong identifiers such as name, NHS number, and date of birth) as close to the source as possible, this varies between brands of computer systems, for example, Egton Medical Information Systems (EMIS) and The Phoenix Partnership (TPP) SystmOne. All data transfers are encrypted.

The pseudonymised NHS numbers and pseudonymisation algorithm for data linkage enable us to link data to other data sources at an individual level, without knowing the identity of these individuals. This includes linkage to results held by UKHSA, hospital and death data, and other disease registries.

Additionally, we can link to other data collected from individually consented patients. All of the data were handled following the OXFORD-RCGP RSC Data Management Standard Operating Procedures (SOP). This met the NHS Digital's Data Security and Protection (DSP) Toolkit requirements.

The Oxford Royal College of General Practitioners Clinical Informatics Digital Hub (ORCHID) is compliant with Data Protection Legislation, which relates to the protection of individuals with regard to the Processing of Personal Data to which a Party is subject, including the Data Protection Act 1998 and EU Directive 95/46/EC, and the subsequent General Data Protection Regulation ((EU) 2016/679) (GDPR). It is also compliant with the NHS DSP and subject to DSA with all relevant parties.

The dataset used for the RSC annual report 20/21

The dataset used in this report was extracted at the end of December 2021. This report covers the period 4th May 2020 to the 9th of May 2021 (ISO Week19 of 2020 to ISO Week 18 of 2021). It includes 3,288,045 registrants from 315 practices in week 19 of 2020 and 4,525,159 registrants from 462 practices in week 18 of 2021. This includes all patients who were registered with one of the RSC member practices for at least one week during the reporting period. There is one exception to this: the dataset used to calculate influenza vaccine coverage. The datasets for swabbing results and vaccine effectiveness were defined differently for the specific purposes of the end-of-influenza season report.

For the week-by-week disease incidence graphs, we include episodes of disease in the numerator if the patient was permanently registered with a practice within the RSC network at the time of the episode. The denominator includes all registered patients for that particular week.

Representativeness of the RSC sample population

Our goal is to ensure that the RSC database is as representative of the national population, thereby minimising sampling bias in studies conducted using our data. This section presents the demographic (age and gender) breakdown of our sample population for the 2020/21 season and compares it with that of England as a whole. The geographical distribution of the RSC practices is also presented in this section. The sample population includes all patients who were registered with an RSC member practice for at least one week during the reporting period.

The RSC sample population has significantly increased after 158 additional practices joined our network during the pandemic, but it remains generally representative of the national population in

terms of age and sex distribution. However, individuals under 18 years old are slightly under-represented (Figure 1). A detailed age-sex breakdown of the RSC network across NHS regions is presented in Appendix A.

Age Sex Profile




Figure 1. The age-sex profile of the RSC sample population compared with the England national population

Note: the bars show the number of patients within our dataset, by gender and age band, and the lines show the distribution of the corresponding population of England as a whole.

We aim to maintain a balanced geographical distribution of the RSC member practices by varying our priorities for recruitment. The distribution of the RSC member practices in the 2020/21 season is presented in Figure 2.




Figure 2. Distribution of RSC member practices among NHS regions in England in the 2020/21 season

5. COVID-19 and Influenza

Work on COVID-19 and influenza is the central part of the RSC's activity in the 2020/21 season. In addition to surveillance of weekly incidence of influenza-like illness, we conducted a programme of virological swabbing and analysed vaccine uptake and effectiveness.

Virology sampling programme

For most of the period covered by this 2020/21 annual report, UKHSA suspended testing for influenza and other viruses, focusing solely on SARS-CoV-2 strains through the virology swabbing program within RSC. A total of 10,046 virology samples were collected in RSC, of which 1,972 tested positive for SARS-CoV-2 (Figure 3). UKHSA resumed testing for other viruses starting in Week 17 of 2021.




Figure 3. RSC's RSV, Influenza and SARS-CoV-2 Virology Swab Surveillance 2020/21 by viral strain

Serology sampling programme

In the 2020/21 season, a total of 40,335 serology samples were collected, of which 38,243 were linkable to the RSC's primary care data (Table 2). Most of the serology samples were taken from the adult population.

Table 2. Number of serology samples collected in the 2020/21 season

Age band	Number of Samples Collected	Number of Samples Matched
Missing	445	420
<1yr	69	63
1-4yrs	5	4
5-14yrs	76	74
15-24yrs	1,255	1,171
25-44yrs	6,795	6,184
45-64yrs	13,744	13,049
65-74yrs	9,252	8,880
75-84yrs	6,967	6,721
85+yrs	1,727	1,677
Total	40,335	38,243

Vaccine uptake

At RSC, we monitor the uptake of the influenza vaccine in the population groups outlined in the flu vaccination program rolled out by UKHSA ⁷. The population groups eligible for the flu vaccination program changed slightly this season due to the COVID-19 pandemic ⁷. Adults aged 55-64 and children aged 11, who were not previously included, were added to the program this year.

In the 2020/21 season, the influenza vaccine uptake in the over 65 years group was satisfactory (79%), while the uptake was comparatively low in pregnant women (37%) and children aged 4-11 (38%) (Table 3).

GP records are of high quality for vaccinations carried out in primary care. However, where vaccinations are carried out outside primary care, data about these may not reach the primary care CMR ⁸.

Table 3. Influenza vaccine uptake in the RSC practices in the 2020-2021 season

Eligible group	Total eligible population	Vaccine coverage
Adults aged 55-64	495,100	40%
Adults aged 65+	1,189,147	79%
Children aged 2-3	137,560	58%
Children aged 4-11	548,302	38%
Other*	3,091,734	6%
Pregnant women	56,852	37%
Risk group patients	980,963	49%
All patients	6,499,658	32%

* The "other" group tend to be carers and health workers

Vaccine effectiveness

RSC data was one of the primary data sources for UKHSA's evaluation of COVID-19 and influenza vaccine effectiveness during the 2020/21 season. The text below is taken from the published evaluations.

We measured COVID-19 vaccine effectiveness (VE) against symptomatic SARS-CoV-2 infection at primary care/outpatient level among adults ≥ 65 years old using a multicentre test-negative design in eight European countries. We included 592 SARS-CoV-2 cases and 4,372 test-negative controls in the main analysis. The VE was 62% (95% CI: 45-74) for one dose only and 89% (95% CI: 79-94) for complete vaccination. COVID-19 vaccines provide good protection against COVID-19 presentation at primary care/outpatient level, particularly among fully vaccinated individuals ⁹.

6. Disease incidence

At RSC, we monitor and report the incidence of 38 communicable and respiratory conditions in our weekly disease surveillance reports. The incidence was presented by regions and age bands, and it was also compared with our 5-year average (Appendix B).

Graphs showing the weekly incidence of all monitored conditions in the 2020/21 season are included in Appendix B. These graphs follow the same format as those in the RSC weekly surveillance report

but are presented as an annual amalgamation. The five-year average presented in the graphs was calculated using data from the 5-year period prior to the start of the season.

Lockdowns and social distancing policies implemented to suppress the spread of COVID-19 during the 2020/21 season led to a reduction in the incidence rate of many infectious diseases (Table 4). The first national lockdown started in late March 2020 and ended in June 2020 ¹⁰. The second national lockdown started in January 2021 and ended in July 2021 ¹⁰. There were also local lockdowns restricting gatherings and movements between the national lockdowns.

Table 4. Highlights of weekly incidence of 38 monitored conditions

Condition Name	Compare to the 5-year rolling average	Comment
1. Water and Food Borne Disorders		
Intestinal Infections	Below average	Higher incidence observed in the under 5-year age groups.
Viral Hepatitis	Below average	
Non-infective Enteritis / Colitis	Below average	
2. Environmentally Sensitive Disorders		
Asthma	Below average	A peak was seen in London around week 20. A peak was observed in week 38 in the 5-14 years age group.
Conjunctivitis	Below average	
Respiratory / Chest symptoms	Below average	
Hay fever / Allergic Rhinitis	Similar to average	The peak occurred earlier than the 5-year average, shifting from week 25 to week 23.
3. Respiratory Infections		
Acute Bronchitis	Below average	Higher incidence observed in the over 65 years age group.
Laryngitis / Tracheitis	Below average	An increase in incidence was seen since week 15 of 2021.
Respiratory disorders	Below average	Higher incidence observed in the under 1-year age group.
Tonsillitis / Pharyngitis	Below average	
Infectious Mononucleosis	Below average	
Common Cold	Below average	A peak was observed around week 38. Higher incidence observed in the under 1-year age group.
Pleurisy	Below average	
Acute Sinusitis	Below average	North West showed higher incidence than other areas.
Upper Respiratory Tract Infection	Below average	
Lower Respiratory Tract Infection	Below average	
Influenza-like illness	Below average	

Pneumonia / Pneumonitis	Fluctuating	Incidence similar to 5-year average till week 44 of 2020 and then incidence lower than 5-year average.
Strep throat / peritonsillar abscess	Below average	
Pertussis	Below average	
Acute Otitis Media	Below average	
COVID-19 infection	NA	Peaked in Week 1 of 2021.
4. Vaccine Sensitive Disorders		
Measles	Below average	
Mumps	Below average	
Rubella	Small number	
5. Skin Contagions		
Bullous Dermatoses	Similar	
Herpes Zoster	Below average	
Skin symptoms	Below average	
Chickenpox	Below average	
Skin / subcutaneous infection	Below average	
Impetigo	Below average	
Herpes Simplex	Below average	
Scabies	Below average	The Midlands and Northwest exhibited peaks higher than the average.
6. Disorders Affecting the Nervous System		
Peripheral Neuropathy	Below average	
Meningitis and Encephalitis	Below average	
Musculoskeletal symptoms	Similar to average	
7. Genitourinary System Disorders		
Urinary Tract Infection	Below average	

7. Episode typing

Episode typing is defined as the episode type recorded by GPs at consultations that differentiate first or new presentations from ongoing care. Episode type is the sole method through which we can differentiate incident cases (first and new presentations) from prevalent cases (ongoing care or reviews) using CMR. The ability to distinguish between incident and prevalent cases would enable a more accurate estimation of disease incidence for surveillance purposes.

At the RSC, we regularly assess the episode typing for six conditions: allergic rhinitis, asthma, bronchitis, influenza-like illness, intestinal infectious diseases, and urinary tract infections. To enhance the quality of episode typing, RSC practices received continuous feedback on the quality of their episode typing and reminders emphasising the importance of data quality. RSC's quality check for episode typing is based on the ratios of incident to prevalent cases. For example, we expect:

- Only a small proportion of people with influenza or influenza-like illness will be seen more than once by their general practitioner. We therefore expect there to be very few follow-ups.
- A higher proportion of people with acute bronchitis and/or bronchiolitis will be followed up.
- Most people with asthma (a long-term condition) will be seen for follow-up/review. In asthma, we anticipate there will be many more reviews than new cases.

The episode typing of the six conditions in the 2020/21 season is shown in Table 5 and Figure 4.

Table 5. Episode typing by disease in the 2020/21 season at the RSC

Disease	First and New (n)	Ongoing (n)	Unknown (n)	Total (n)
Allergic Rhinitis	24,817	9,253	10,817	44,887
Asthma	42,589	216,908	1,668,730	1,948,227
Bronchitis	10,389	4,409	4,543	19,341
Influenza-like illness	2,613	990	11,621	15,224
Intestinal Infectious Diseases	15,382	3,749	3,225	22,356
Urinary Tract Infections	52,224	25,808	23,866	101,898
Grand Total	148,014	261,117	1,742,802	2,151,933

*Data source: the RSC bulk data source of December 2021 covering 4th May 2020 to 9th May 2021.




Figure 4. Episode typing by disease in the 2020/21 season at the RSC shown by the percentage of appointments

8. Research Projects

Project name	Funder	Documents
GP Teams / Workforce - How general practice team composition and climate relate to quality, effectiveness and	National Institute for Health and Care Research (NIHR)	Publication 1 Publication 2

human resource costs: a mixed methods study in England	Health and Social Care Delivery Research (HSDR)	
Improving Labour Productivity in Primary Care,	Health Foundation	
I-MOVE-COVID Multidisciplinary European network for research, prevention and control of the COVID-19 Pandemic' — 'I-MOVE-COVID-19	European Commission H2020	Webpage
Health PROS - The impact of automated international comparisons using routine large scale databases to improve diabetes care	European Commission H2020	
Development of Robust and Innovative Vaccine Effectiveness (DRIVE)	Innovative Health Initiative	Webpage
Measuring the use and impact of social prescribing through a common outcomes framework	NHS England	Protocol Publication
CASNET2: Evaluation of an e-safety netting cancer template in primary care: a pragmatic stepped-wedge RCT	Cancer Research UK	
Remote-by-Default Care in the COVID-19 Pandemic: addressing the micro-, meso-, and macro-level challenges of a radical new service model	ESRC Economic & Social Research Council	
RAPid community Testing fOR COVID-19 (RAPTOR-C19)	University of Oxford MSD: COVID-19 Research Response Fund (SPCR grant)	
The impact of the COVID-19 pandemic on childhood vaccination uptake and vaccine preventable disease in England	University of Oxford COVID-19 Research Response Fund Call 4	
Integrated Network for Surveillance, Trials and Investigations into COVID-19 Transmission (INSTINCT)	NIHR Health Protection Research Units (HPRU)	Publication
Oxford-RCGP RSC quinquagenarian (QQG) practice network. Creating a longitudinal linked sentinel database of 50 years clinical and virology data and prospective research	Wellcome Trust	
RSV ComNet: Disease burden of RSV in young children in primary care: Italy, United Kingdom and the Netherlands, winter of 2020/21	NIVEL/Sanofi Pasteur SA	

Variation in renal function in people with non-valvular atrial fibrillation (NVAf)	B-MSUK Bristol-Myers Squibb Pharmaceuticals Ltd	
Adjuvanted vaccine study (Seqirus)	Seqirus	
A Possible Covid-19 Modifying Drug? -Real World Observations in a Covid-19 Positive Cohort	Diabetes Therapy Evaluation Net (DTENet)	

9. RSC Publications

1. Espinosa-Gonzalez AB, Neves AL, Fiorentino F, Prociuk D, Husain L, Ramtale SC, Mi E, Mi E, Macartney J, Anand SN, Sherlock J. Predicting risk of hospital admission in patients with suspected COVID-19 in a community setting: protocol for development and validation of a multivariate risk prediction tool. *JMIR research protocols*. 2021 May 25;10(5):e29072.
2. Irving P, Barrett K, Nijher M, de Lusignan S. Prevalence of depression and anxiety in people with inflammatory bowel disease and associated healthcare use: population-based cohort study. *BMJ Ment Health*. 2021 Aug 1;24(3):102-9.
3. Bernal JL, Sinnathamby MA, Elgohari S, Zhao H, Obi C, Coughlan L, Lampos V, Simmons R, Tessier E, Campbell H, McDonald S. The impact of social and physical distancing measures on COVID-19 activity in England: findings from a multi-tiered surveillance system. *Eurosurveillance*. 2021 Mar 18;26(11):2001062.
4. de Lusignan S, Hoang U, Liyanage H, Tripathy M, Sherlock J, Joy M, Ferreira F, Diez-Domingo J, Clark T. Using Point of Care Testing to estimate influenza vaccine effectiveness in the English primary care sentinel surveillance network. *Plos one*. 2021 Mar 11;16(3):e0248123.
5. Gaudio M, Dozio N, Feher M, Scavini M, Caretto A, Joy M, Van Vlymer J, Hinton W, de Lusignan S. Trends in factors affecting pregnancy outcomes among women with type 1 or type 2 diabetes of childbearing age (2004–2017). *Frontiers in Endocrinology*. 2021 Feb 22;11:596633.
6. De Lusignan S, Bernal JL, Byford R, Amirthalingam G, Ferreira F, Akinyemi O, Andrews N, Campbell H, Dabrera G, Deeks A, Elliot AJ. Influenza and respiratory virus surveillance, vaccine uptake, and effectiveness at a time of cocirculating COVID-19: protocol for the English primary care sentinel system for 2020-2021. *JMIR public health and surveillance*. 2021 Feb 19;7(2):e24341.
7. Irving PM, de Lusignan S, Tang D, Nijher M, Barrett K. Risk of common infections in people with inflammatory bowel disease in primary care: a population-based cohort study. *BMJ open Gastroenterology*. 2021 Feb 1;8(1):e000573.
8. Parimalanathan V, Joy M, Van Dam PJ, Fan X, de Lusignan S. Association between influenza vaccine administration and primary care consultations for respiratory infections: Sentinel network study of five seasons (2014/2015–2018/2019) in the UK. *International Journal of Environmental Research and Public Health*. 2021 Jan;18(2):523.
9. de Lusignan S, Sherlock J, Akinyemi O, Pebody R, Elliot A, Byford R, Yonova I, Zambon M, Joy M. Household presentation of influenza and acute respiratory illnesses to a primary care sentinel network: retrospective database studies (2013–2018). *BMC Public Health*. 2020 Dec;20:1-1.
10. Hinton W, Nemeth B, de Lusignan S, Field B, Feher MD, Munro N, Roberts LN, Arya R, Whyte MB. Effect of type 1 diabetes and type 2 diabetes on the risk of venous thromboembolism. *Diabetic medicine*. 2021 May;38(5):e14452.

11. de Lusignan S, Hobbs FR, Liyanage H, Ferreira F, Tripathy M, Munro N, Feher M, Joy M. Improving the management of atrial fibrillation in general practice: protocol for a mixed methods study. *JMIR Research Protocols*. 2020 Nov 9;9(11):e21259.
12. Akyea RK, Qureshi N, Kai J, de Lusignan S, Sherlock J, McGee C, Weng S. Evaluating a clinical tool (FAMCAT) for identifying familial hypercholesterolaemia in primary care: a retrospective cohort study. *BJGP open*. 2020 Dec 1;4(5).
13. de Lusignan S. COVID-19 surveillance in a primary care sentinel network: In-pandemic development of an application ontology. *JMIR Public Heal Surveill* (2020).
14. Joy M, Hobbs FR, Bernal JL, Sherlock J, Amirthalingam G, McGagh D, Akinyemi O, Byford R, Dabrera G, Dorward J, Ellis J. Excess mortality in the first COVID pandemic peak: cross-sectional analyses of the impact of age, sex, ethnicity, household size, and long-term conditions in people of known SARS-CoV-2 status in England. *British Journal of General Practice*. 2020 Dec 1;70(701):e890-8.
15. Galloway J, Barrett K, Irving P, Khavandi K, Nijher M, Nicholson R, de Lusignan S, Buch MH. Risk of venous thromboembolism in immune-mediated inflammatory diseases: a UK matched cohort study. *RMD open*. 2020 Sep 1;6(3):e001392.
16. Jani A, Liyanage H, Hoang U, Moore L, Ferreira F, Yonova I, Brown VT, de Lusignan S. Use and impact of social prescribing: a mixed-methods feasibility study protocol. *BMJ open*. 2020 Sep 1;10(9):e037681.
17. Irving P, Barrett K, Tang D, Nijher M, De Lusignan S. Common infections, mental health problems and healthcare use in people with inflammatory bowel disease: a cohort study protocol. *BMJ Ment Health*. 2021 May 1;24(2):82-7.
18. de Lusignan S, Alexander H, Broderick C, Dennis J, McGovern A, Feeney C, Flohr C. Epidemiology and management of atopic dermatitis in England: an observational cohort study protocol. *BMJ open*. 2020 Sep 1;10(9):e037518.
19. De Lusignan S, Joy M, Oke J, McGagh D, Nicholson B, Sheppard J, Akinyemi O, Amirthalingam G, Brown K, Byford R, Dabrera G. Disparities in the excess risk of mortality in the first wave of COVID-19: cross sectional study of the English sentinel network. *Journal of Infection*. 2020 Nov 1;81(5):785-92.
20. Fleming S, Nicholson BD, Bhuiya A, de Lusignan S, Hirst Y, Hobbs R, Perera R, Sherlock J, Yonova I, Bankhead C. CASNET2: evaluation of an electronic safety netting cancer toolkit for the primary care electronic health record: protocol for a pragmatic stepped-wedge RCT. *BMJ open*. 2020 Aug 1;10(8):e038562.
21. Lemanska A, Byford RC, Cruickshank C, Dearnaley DP, Ferreira F, Griffin C, Hall E, Hinton W, de Lusignan S, Sherlock J, Faithfull S. Linkage of the CHHiP randomised controlled trial with primary care data: a study investigating ways of supplementing cancer trials and improving evidence-based practice. *BMC Medical Research Methodology*. 2020 Dec;20:1-2.
22. Hinton W, Feher M, Munro N, de Lusignan S. Does renal function or heart failure diagnosis affect primary care prescribing for sodium-glucose co-transporter 2 inhibitors in type 2 diabetes?. *Diabetes Therapy*. 2020 Sep;11:2169-75.
23. Joy M, McGagh D, Jones N, Liyanage H, Sherlock J, Parimalanathan V, Akinyemi O, van Vlymen J, Howsam G, Marshall M, Hobbs FR. Reorganisation of primary care for older adults during COVID-19: a cross-sectional database study in the UK. *British Journal of General Practice*. 2020 Aug 1;70(697):e540-7.

24. Liyanage H, Akinyemi O, Pathirannahelage S, Joy M, de Lusignan S. Near real time feedback of seasonal influenza vaccination and virological sampling: dashboard utilisation in a primary care sentinel network. In *Digital Personalized Health and Medicine 2020* (pp. 1339-1340). IOS Press.
25. Cross JW, Joy M, McGee C, Akinyemi O, Gatenby P, de Lusignan S. Adverse events of interest vary by influenza vaccine type and brand: Sentinel network study of eight seasons (2010–2018). *Vaccine*. 2020 May 8;38(22):3869-80.
26. de Lusignan S, Bernal JL, Zambon M, Akinyemi O, Amirthalingam G, Andrews N, Borrow R, Byford R, Charlett A, Dabrera G, Ellis J. Emergence of a novel coronavirus (COVID-19): protocol for extending surveillance used by the Royal College of General Practitioners Research and Surveillance Centre and Public Health England. *JMIR public health and surveillance*. 2020 Apr 2;6(2):e18606.
27. Nikiphorou E, de Lusignan S, Mallen CD, Khavandi K, Bedarida G, Buckley CD, Galloway J, Raza K. Cardiovascular risk factors and outcomes in early rheumatoid arthritis: a population-based study. *Heart*. 2020 Oct 1;106(20):1566-72.
28. Braeye T, Emborg HD, Llorente-García A, Huerta C, Martín-Merino E, Duarte-Salles T, Danieli G, Tramontan L, Weibel D, McGee C, Villa M. Age-specific vaccination coverage estimates for influenza, human papillomavirus and measles containing vaccines from seven population-based healthcare databases from four EU countries–The ADVANCE project. *Vaccine*. 2020 Apr 3;38(16):3243-54.
29. Hinton W, Feher M, Munro N, Joy M, de Lusignan S. Sodium–glucose co-transporter-2 inhibitor cardiovascular outcome trials and generalizability to English primary care. *Diabetic medicine*. 2020 Sep;37(9):1499-508.
30. de Lusignan S, Damaso S, Ferreira F, Byford R, McGee C, Pathirannahelage S, Shende V, Yonova I, Schmidt A, Schuind A, Dos Santos G. Brand-specific enhanced safety surveillance of GSK's Fluarix Tetra seasonal influenza vaccine in England: 2017/2018 season. *Human Vaccines & Immunotherapeutics*. 2020 Aug 2;16(8):1762-71.
31. Sturkenboom M, Braeye T, van der Aa L, Danieli G, Dodd C, Duarte-Salles T, Emborg HD, Gheorghe M, Kahlert J, Gini R, Huerta-Alvarez C. ADVANCE database characterisation and fit for purpose assessment for multi-country studies on the coverage, benefits and risks of pertussis vaccinations. *Vaccine*. 2020 Dec 22;38:B8-21.
32. Pericleous M, Kelly C, Odin JA, Kallis Y, McGee C, Sherlock J, Yonova I, de Lusignan S, Ala A. Clinical ontologies improve case finding of primary biliary cholangitis in UK primary and secondary care. *Digestive diseases and sciences*. 2020 Nov;65:3143-58.
33. Armstrong D, Dregan A, Ashworth M, White P, McGee C, de Lusignan S. The association between colorectal cancer and prior antibiotic prescriptions: case control study. *British journal of cancer*. 2020 Mar 17;122(6):912-7.
34. Gini R, Dodd CN, Bollaerts K, Bartolini C, Roberto G, Huerta-Alvarez C, Martín-Merino E, Duarte-Salles T, Picelli G, Tramontan L, Danieli G. Quantifying outcome misclassification in multi-database studies: the case study of pertussis in the ADVANCE project. *Vaccine*. 2020 Dec 22;38:B56-64.
35. Htar MT, de Ridder M, Braeye T, Correa A, McGee C, de Lusignan S, Duarte-Salles T, Huerta-Alvarez C, Martín-Merino E, Tramontan L, Danieli G. Advance system testing: Vaccine benefit studies using multi-country electronic health data–The example of pertussis vaccination. *Vaccine*. 2020 Dec 22;38:B31-7.

36. Bollaerts K, Ledent E, de Smedt T, Weibel D, Emborg HD, Danieli G, Duarte-Salles T, Huerta-Alvarez C, Martín-Merino E, Picelli G, Tramontan L. ADVANCE system testing: Benefit-risk analysis of a marketed vaccine using multi-criteria decision analysis and individual-level state transition modelling. *Vaccine*. 2020 Dec 22;38:B65-75.
37. Weibel D, Dodd C, Mahaux O, Haguinet F, De Smedt T, Duarte-Salles T, Picelli G, Tramontan L, Danieli G, Correa A, McGee C. Advance system testing: can safety studies be conducted using electronic healthcare data? an example using pertussis vaccination. *Vaccine*. 2020 Dec 22;38:B38-46.
38. Nikiphorou E, De Lusignan S, Mallen C, Roberts J, Khavandi K, Bedarida G, Buckley CD, Galloway J, Raza K. Prognostic value of comorbidity indices and lung diseases in early rheumatoid arthritis: a UK population-based study. *Rheumatology*. 2020 Jun 1;59(6):1296-305.
39. Nikiphorou E, de Lusignan S, Mallen C, Khavandi K, Roberts J, Buckley CD, Galloway J, Raza K. Haematological abnormalities in new-onset rheumatoid arthritis and risk of common infections: a population-based study. *Rheumatology*. 2020 May;59(5):997-1005.

10. Contributors

University of Oxford

Xinchun Gu, Cecilia Okusi, Uy Hoang, Shuma Banik, Karina O'Neill, Filipa Ferreira, Simon de Lusignan

UK Health Security Agency

Conall Watson, Nick Andrews, Maria Zambo, Jamie Lopez-Bernal

Royal College of General Practitioners

Nicholas Thomas, Will Victor, Duleep Allirajah

XG wrote this report. CO completed the data extraction and visualisation. SdeL, UH, SB, KO, and FF contributed to the report. JLB, MZ, NA, and CW managed the surveillance services during the season. SdeL, DA, WV, and NT managed the RCGP RSC work.

11. References

1. de Lusignan S, Correa A, Smith GE, et al. RCGP Research and Surveillance Centre: 50 years' surveillance of influenza, infections, and respiratory conditions. *Br J Gen Pract* 2017;67(663):440-41. doi: 10.3399/bjgp17X692645
2. de Lusignan S, Lopez Bernal J, Zambon M, et al. Emergence of a Novel Coronavirus (COVID-19): Protocol for Extending Surveillance Used by the Royal College of General Practitioners Research and Surveillance Centre and Public Health England. *JMIR Public Health Surveill* 2020;6(2):e18606. doi: 10.2196/18606 [published Online First: 20200402]
3. Leston M, Elson WH, Watson C, et al. Representativeness, Vaccination Uptake, and COVID-19 Clinical Outcomes 2020-2021 in the UK Oxford-Royal College of General Practitioners Research and Surveillance Network: Cohort Profile Summary. *JMIR Public Health Surveill* 2022;8(12):e39141. doi: 10.2196/39141 [published Online First: 20221219]
4. PRINCIPLE Trial Collaborative Group. Azithromycin for community treatment of suspected COVID-19 in people at increased risk of an adverse clinical course in the UK (PRINCIPLE): a randomised, controlled, open-label, adaptive platform trial. *Lancet* 2021;397(10279):1063-74. doi: 10.1016/s0140-6736(21)00461-x [published Online First: 20210304]
5. de Lusignan S, Jones N, Dorward J, et al. The Oxford Royal College of General Practitioners Clinical Informatics Digital Hub: Protocol to Develop Extended COVID-19 Surveillance and Trial Platforms. *JMIR Public Health Surveill* 2020;6(3):e19773. doi: 10.2196/19773 [published Online First: 20200702]
6. de Lusignan S, Joy M, Sherlock J, et al. PRINCIPLE trial demonstrates scope for in-pandemic improvement in primary care antibiotic stewardship: a retrospective sentinel network cohort study. *BJGP Open* 2021;5(5) doi: 10.3399/bjgp.2021.0087 [published Online First: 20211026]
7. Annual flu programme 2013 [cited 2024 27 June]. Available from: <https://www.gov.uk/government/collections/annual-flu-programme> accessed 27 June 2024.
8. de Lusignan S, Hoghton M, Rafi I. Flu vaccination by pharmacists leads to suboptimal medical records. *BMJ* 2017;359:j5084. doi: 10.1136/bmj.j5084
9. Kissling E, Hooiveld M, Sandonis Martín V, et al. Vaccine effectiveness against symptomatic SARS-CoV-2 infection in adults aged 65 years and older in primary care: I-MOVE-COVID-19 project, Europe, December 2020 to May 2021. *Euro Surveill* 2021;26(29) doi: 10.2807/1560-7917.Es.2021.26.29.2100670
10. Institute for Government. Timeline of UK government coronavirus lockdowns and restrictions. *London* 2022

12.Appendices

Appendix A

Representativeness of the Oxford-RCGP RSC


This section shows the demographic (age and gender) breakdown of our sample population, and how it compares with that of England as a whole. This report covers the period 4th May 2020 to the 9th of May 2021 (ISO Week 19 of 2020 to ISO Week 18 of 2021). This includes all patients who were registered for at least one week during the reporting period, within a practice from the RCGP RSC network for which we received data.

Age Sex Breakdown by NHS Region

NHS Region	Gender	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	F	2,793	13,890	38,383	38,261	88,079	91,074	37,968	25,750	13,266
	M	2,766	14,406	40,205	38,349	90,887	93,635	36,742	21,785	8,115
North West	F	4,402	22,876	60,986	68,040	145,379	130,036	50,688	34,013	17,653
	M	4,605	24,266	64,292	65,664	153,016	139,601	50,071	28,895	10,522
East of England	F	2,122	11,798	32,773	31,438	76,802	76,411	31,255	21,370	12,015
	M	2,289	12,374	34,127	32,403	77,557	78,702	29,695	18,919	7,417
London	F	5,519	26,255	59,451	68,234	231,474	108,445	28,449	17,377	9,464
	M	5,683	27,312	62,265	61,473	235,313	124,233	26,654	13,731	5,792
Midlands	F	4,114	21,647	57,571	59,896	131,454	129,181	53,211	38,212	20,363
	M	4,377	22,914	60,758	60,912	135,845	134,978	51,465	32,893	12,386
South East	F	5,231	28,908	80,836	86,446	190,454	180,855	71,018	51,147	30,452
	M	5,647	30,863	84,718	85,157	190,008	185,613	66,950	43,303	18,633
South West	F	4,260	22,240	63,964	62,657	149,567	158,110	71,435	50,587	28,548
	M	4,414	23,684	66,572	62,404	148,149	157,295	67,380	43,839	17,211
National	F	28,441	147,614	393,964	414,972	1,013,209	874,112	344,024	238,456	131,761
	M	29,781	155,819	412,937	406,362	1,030,775	914,057	328,957	203,365	80,076

We work very hard to ensure that the demographics of our sample population closely resemble the country as a whole. This correspondence can be seen in the age-sex profile below; the bars show the number of patients within our dataset, broken down by gender and age-band, and the lines show the distribution of the corresponding population of England as a whole.


Age Sex Profile



The trends of sum of MalePop, sum of MaleONS, sum of FemalePop and sum of FemaleONS for Age in 5-year age bands. Color shows details about Gender.

As can be seen from the map below, practices within the Network are spread across England in order to reflect the distribution of the population as a whole. We vary our priorities for recruiting to try to ensure an even spread of practices.

Distribution of RSC practices among NHS regions in England



NHS Regions

- East of England
- London
- Midlands
- North East and Yorkshire
- North West
- South East
- South West


Appendix B

Weekly incidence of the conditions monitored
by the Oxford-RCGP RSC


1. Water and Food Borne Disorders:




Intestinal Infections (All ages) (ICD10 : A00-A09)




Intestinal Infections (0-4 years) (ICD10 : A00-A09)



Non-infective Enteritis / Colitis (ICD10 : K50-K52)







2. Environmentally Sensitive Disorders:




Asthma (ICD10 : J45 - J46)




Conjunctivitis (ICD10 : H10 - H13)



Hayfever/Allergic Rhinitis (ICD10: J30)







3. Respiratory Infections:




Acute Bronchitis (ICD10: J20-J21,J4)



Common Cold (ICD10 : R05 - R07; R09)




Influenza-like illness (ICD10 : J09 - J11)




■ National	■ East of England	■ North East and Yorkshire	■ South East	■ 5yr Avg
■ London	■ Midlands	■ North West	■ South West	


Laryngitis / Tracheitis (ICD10 : J04)





Pleurisy (ICD10 : R091)



Pneumonia / Pneumonitis (ICD10 : J12 - J18)







Strep throat / peritonsillar abscess (ICD10 : A38; J020; J36)




Tonsilitis / Pharyngitis (ICD10 : J02 - J03)



Upper Respiratory Tract Infections (ICD10 : J00 - J06)




Pertussis (ICD10 : A37)







Infectious Mononucleosis (ICD10 : B27)



Lower Respiratory Tract Infections (ICD10 : J20-J22)




Acute Otitis Media (ICD10 : H650 - H651; H660; H669)




4. Vaccine Sensitive Disorders:




Measles (ICD10 : B05)



Mumps (ICD10 : B26)




Rubella (ICD10 : B06)




5. Skin Contagions:




Bullous Dermatoses (ICD10 : L10 - L14)








Chickenpox (ICD10 : B01)



Herpes Simplex (ICD10 : B00)









6. Disorders Affecting the Nervous System:

■ National ■ East of England ■ North East and Yorkshire ■ South East ■ 5yr Avg
■ London ■ Midlands ■ North West ■ South West


Peripheral Neuropathy (ICD10 : G50 - G64; G70 - G72)




Meningitis and Encephalitis (ICD10 : A170 - A171; A 390; A83 - A85; A87; G00 - G05)







Musculoskeletal symptoms (ICD10 : R25 - R29)




7. Genitourinary System Disorders:




Weekly disease incidence by age group







Common Cold




Intestinal Infections



Influenza-like illness






Appendix C

Disparities in the presentation of monitored conditions
by age and gender, ethnicity, socioeconomic status
(measured using IMD) and rurality


1. Water and Food Borne Disorders:

Intestinal Infections (ICD10 : A00-A09)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Viral Hepatitis (ICD10 : B15-B19)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Non-infective Enteritis / Colitis (ICD10 : K50-K52)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




2. Environmentally Sensitive Disorders:

Asthma (ICD10 : J45 - J46)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Respiratory / chest symptoms (ICD10 : R05 - R07; R09)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Hayfever/Allergic Rhinitis (ICD10: J30)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Conjunctivitis (ICD10 : H10 - H13)


Age-sex profile




Index of Multiple Deprivation (IMD)







Ethnic group



Conurbation, Urban and Rural Living




3. Respiratory Infections:




Common Cold (ICD10 : R05 - R07; R09)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Influenza-like illness (ICD10 : J09 - J11)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Laryngitis / Tracheitis (ICD10 : J04)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Pleurisy (ICD10 : R091)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group







Conurbation, Urban and Rural Living




Pneumonia / Pneumonitis (ICD10 : J12 - J18)

Age-sex profile




Respiratory disorders (ICD10 : J00-J99)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Acute Sinusitis (ICD10 : J01)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Strep throat / peritonsillar abscess (ICD10 : A38; J020; J36)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Tonsillitis / Pharyngitis (ICD10 : J02 - J03)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Upper Respiratory Tract Infections (ICD10 : J00 - J06)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Pertussis (ICD10 : A37)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Infectious Mononucleosis (ICD10 : B27)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Lower Respiratory Tract Infections (ICD10 : J20-J22)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Acute Otitis Media (ICD10 : H650 - H651; H660; H669)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




4. Vaccine Sensitive Disorders:

Measles (ICD10 : B05)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Mumps (ICD10 : B26)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Rubella (ICD10 : B06)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




5. Skin Contagions:

Bullous Dermatoses (ICD10 : L10 - L14)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Chickenpox (ICD10 : B01)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Herpes Simplex (ICD10 : B00)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Herpes Zoster (ICD10 : B02)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Skin / subcutaneous infections (ICD10 : L00 - L08)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Scabies (ICD10 : B86)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Skin symptoms (ICD10 : R20 - R23)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Impetigo (ICD10 - L01)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




6. Disorders Affective the Nervous System:

Peripheral Neuropathy (ICD10 : G50 - G64; G70 - G72)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Meningitis and Encephalitis (ICD10 : A170 - A171; A 390; A83 - A85; A87; G00 - G05)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Musculoskeletal symptoms (ICD10 : R25 - R29)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




7. Genitourinary System Disorders

Urinary Tract Infections (ICD10 : N30; N390)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group



Conurbation, Urban and Rural Living



Appendix D

Numeric data tables matching Appendix B

These data tables show the incidence of monitored diseases by age, gender and region, by 4-week period, quarter and year. We are also including disparities for each individual condition.

1. Water and Food Borne Disorders:

Mean weekly incidence rate per 100,000 Persons.

Intestinal Infectious Diseases (ICD10: A00-A09)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	17	14	5	3	3	3	3	7	3	11	17	7	3	4	3	4	5	8
	2	33	14	6	3	4	3	4	6	7	23	16	6	5	5	3	4	5	5
	3	28	14	6	3	4	4	5	7	8	21	17	6	4	5	4	5	7	7
	4	32	15	5	4	3	3	5	5	15	27	14	6	6	5	5	5	7	10
	5	20	16	6	5	3	4	5	8	10	22	18	6	5	5	4	6	8	6
	6	25	16	7	3	3	3	6	7	6	28	18	9	4	6	4	5	9	7
	7	17	16	6	3	3	4	6	6	10	22	16	6	5	4	4	5	6	10
	8	26	15	7	4	3	4	5	9	11	21	15	6	4	4	4	5	6	7
	9	21	14	6	2	2	3	4	5	6	28	15	4	3	4	4	5	5	8
	10	22	17	5	3	3	4	3	4	7	30	16	5	3	5	4	4	5	6
	11	23	13	4	3	3	4	4	5	5	23	13	6	3	4	4	5	4	6
	12	18	17	5	3	3	3	4	5	7	18	18	7	4	4	4	4	6	8
	13	22	17	5	4	3	3	4	6	7	20	16	7	4	4	4	4	6	5
Quarter	1	26	14	5	3	3	3	4	6	6	19	16	6	4	5	4	5	6	7
	2	24	16	6	4	3	4	6	7	10	26	17	7	5	5	4	5	8	8
	3	23	15	6	3	3	3	4	6	9	24	15	5	4	4	4	5	6	8
	4	21	16	5	3	3	3	4	6	6	23	16	6	4	4	4	4	5	7
Year	20/21	23	15	6	3	3	3	5	6	8	23	16	6	4	5	4	5	6	7
Episodes	F/N	301	966	962	528	1,233	1,279	608	491	210	278	969	1,037	670	1,810	1,457	678	567	330

Mean weekly incidence rate per 100,000 Persons.

Intestinal Infectious Diseases (ICD10: A00-A09)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	40	22	8	4	4	3	5	7	10	20	19	7	4	5	4	5	6	11
		2	20	16	6	5	3	4	9	9	14	48	21	10	4	7	6	5	9	13
		3	28	8	4	2	2	4	5	7	11	19	12	6	4	5	5	4	8	10
		4	25	18	5	4	3	5	4	5	6	28	15	5	6	5	4	3	7	11
	Year	20/21	28	16	6	4	3	4	6	7	10	29	17	7	5	6	5	4	7	11
	Episodes	F/N	29	88	88	51	106	141	81	55	26	30	86	103	63	180	170	64	71	49
North West	Quarter	1	36	19	8	4	5	4	6	8	8	26	21	7	6	6	6	8	8	11
		2	30	17	8	6	5	4	7	9	11	24	19	8	7	6	6	7	11	9
		3	37	18	9	3	3	4	5	6	2	40	17	7	5	5	6	4	7	12
		4	24	17	6	5	4	4	6	8	5	19	20	8	4	6	6	7	9	8
	Year	20/21	32	18	8	4	4	4	6	8	6	27	19	7	5	6	6	6	9	10
	Episodes	F/N	73	208	243	133	312	271	145	103	27	60	210	222	160	383	371	159	142	70
East of England	Quarter	1	13	4	2	0	2	1	4	4	3	7	5	3	2	2	1	3	0	5
		2	13	1	2	1	2	2	6	3	5	6	7	1	5	3	1	2	7	8
		3	20	9	1	0	0	1	1	2	0	20	4	2	1	1	2	2	3	2
		4	6	5	3	1	2	1	2	5	2	19	5	4	1	2	3	2	3	1
	Year	20/21	13	5	2	1	1	2	3	3	2	13	5	3	2	2	2	2	3	4
	Episodes	F/N	8	15	18	6	25	33	24	16	4	8	16	24	16	44	35	18	17	10
Midlands	Quarter	1	37	12	4	2	3	3	3	7	9	17	13	6	4	4	3	5	4	4
		2	27	14	5	3	3	3	4	8	9	27	14	5	4	5	4	6	6	5
		3	19	13	5	2	2	3	4	5	8	16	11	4	3	4	3	4	5	5
		4	16	19	5	2	2	2	4	3	9	28	13	7	2	3	2	4	3	4
	Year	20/21	24	15	4	2	2	3	4	6	9	22	13	5	3	4	3	5	4	5
	Episodes	F/N	45	134	112	55	123	145	72	72	35	38	113	129	73	199	154	99	66	31
London	Quarter	1	11	10	6	3	3	3	3	3	8	22	12	7	5	5	3	5	5	8
		2	30	17	8	5	3	4	4	5	6	31	16	9	7	5	5	7	7	7
		3	20	22	8	4	3	4	4	3	11	22	18	6	5	4	5	6	5	5
		4	18	18	7	4	2	4	3	3	4	26	17	7	5	5	5	4	8	4
	Year	20/21	20	17	7	4	3	4	3	4	7	25	16	7	6	5	4	5	6	6
	Episodes	F/N	52	198	200	109	292	209	37	21	15	64	183	199	158	424	208	67	46	21
South East	Quarter	1	26	11	3	3	3	3	4	6	4	21	16	6	3	4	3	3	4	7
		2	20	14	4	2	3	4	5	6	10	20	15	6	4	4	4	5	6	8
		3	22	12	5	2	2	3	5	8	12	21	15	5	3	4	4	5	5	7
		4	27	13	4	3	3	3	3	7	6	21	17	5	3	3	3	4	5	5
	Year	20/21	24	13	4	3	3	3	4	7	8	21	16	6	3	4	4	4	5	7
	Episodes	F/N	65	177	159	96	215	257	125	130	57	52	211	208	120	323	297	141	112	80
South West	Quarter	1	19	17	5	4	3	3	5	7	6	3	20	6	4	5	4	4	7	5
		2	17	20	7	3	3	5	6	7	14	21	22	7	4	5	4	4	7	8
		3	12	14	8	4	3	4	6	5	10	23	16	6	4	5	4	6	6	8
		4	19	16	3	3	3	3	3	5	5	18	15	6	3	4	3	5	4	10
	Year	20/21	17	17	6	3	3	4	5	6	9	16	18	6	4	5	4	5	6	8
	Episodes	F/N	29	146	142	78	160	223	124	94	46	26	150	152	80	257	222	130	113	69

Mean weekly incidence rate per 100,000 Persons.

		Viral Hepatitis (ICD10: B15-B19)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
	11	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	12	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	13	0	0	0	0	1	1	1	0	0	0	0	0	0	1	0	0	0	0
Quarter	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
Year	20/21	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
Episodes	F/N	0	0	1	13	216	246	47	8	1	1	1	3	14	129	87	24	5	4

Mean weekly incidence rate per 100,000 Persons.

Viral Hepatitis (ICD10: B15-B19)

			M									F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	
North East and Yorkshire	Quarter	1	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	
		2	0	0	0	0	1	1	1	0	0	0	0	0	0	1	0	0	0	0	
		3	0	0	0	0	2	0	1	0	0	0	0	0	0	0	0	0	0	0	
		4	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	1	0	0	
	Year	20/21	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	0	0	1	43	19	8	0	0	0	0	2	1	15	5	3	0	0	
North West	Quarter	1	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	
		2	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	
		3	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	
		4	0	0	0	0	1	1	0	0	0	0	0	0	0	0	1	0	0	1	
	Year	20/21	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	0	1	2	34	56	4	2	0	0	1	0	2	21	25	6	2	1	
East of England	Quarter	1	0	0	0	0	0	0	0	0	0	7	0	0	0	0	0	0	0	0	
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Year	20/21	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	0	0	1	1	6	1	0	0	1	0	0	1	0	3	1	0	0	
Midlands	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		3	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
		4	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Year	20/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	0	0	2	25	21	2	1	0	0	0	0	3	13	9	3	0	0	
London	Quarter	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	
		2	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	
		3	0	0	0	0	1	1	0	1	0	0	0	0	0	1	0	0	0	0	
		4	0	0	0	0	1	1	2	0	0	0	0	0	0	1	0	1	0	0	
	Year	20/21	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	0	0	4	61	52	11	1	0	0	0	0	2	43	13	5	0	0	
South East	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		2	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	
		3	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	
		4	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
	Year	20/21	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	0	0	3	23	52	9	2	1	0	0	1	3	20	17	3	2	1	
South West	Quarter	1	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	
		2	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	
		3	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
		4	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	
	Year	20/21	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	0	0	0	29	40	12	2	0	0	0	0	2	17	15	3	1	2	

Mean weekly incidence rate per 100,000 Persons.

Non-infective Enteritis and Colitis (ICD10: K50-K52)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	65	11	6	6	6	6	6	11	10	62	7	5	8	8	8	8	12	13
	2	70	12	7	9	7	6	7	12	11	70	9	6	10	9	10	10	12	11
	3	90	14	5	8	8	9	10	13	12	65	12	5	10	10	10	12	14	13
	4	91	17	6	9	8	8	12	16	19	64	12	5	9	10	10	14	15	13
	5	83	19	8	8	8	9	13	17	19	65	11	7	10	10	10	13	15	16
	6	87	15	9	10	8	9	14	12	12	78	13	8	10	10	10	12	14	16
	7	78	16	7	9	7	9	15	15	13	61	11	5	10	10	11	12	14	12
	8	98	18	9	9	8	10	12	17	14	60	13	7	10	10	11	16	14	13
	9	71	13	7	6	7	8	11	12	10	63	11	5	7	8	10	12	13	12
	10	95	15	5	7	8	9	11	13	17	83	11	4	9	9	9	11	12	12
	11	88	11	5	8	8	9	13	13	17	75	14	5	9	9	9	12	14	14
	12	94	18	7	9	8	8	12	13	16	79	14	7	10	9	10	9	14	14
	13	89	17	8	9	8	10	13	14	12	73	18	8	12	10	10	10	14	14
Quarter	1	75	12	6	8	7	7	8	12	11	64	10	5	9	9	9	10	13	12
	2	87	18	7	9	8	9	13	15	17	68	12	7	10	10	10	13	15	15
	3	84	15	8	8	7	9	13	14	13	66	12	6	9	9	10	13	13	12
	4	90	16	6	9	8	9	12	13	16	78	15	6	10	9	10	10	14	14
Year	20/21	84	15	7	8	8	9	12	14	14	69	12	6	10	9	10	12	14	13
Episodes	F/N	1,088	964	1,185	1,359	3,164	3,208	1,552	1,080	378	846	732	980	1,554	3,685	3,554	1,641	1,280	595

Mean weekly incidence rate per 100,000 Persons.

Non-infective Enteritis and Colitis (ICD10: K50-K52)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	87	14	8	8	10	9	8	12	10	85	11	5	10	11	11	13	13	16
		2	64	14	7	10	8	8	19	15	16	104	11	5	10	11	12	16	17	28
		3	51	15	6	7	8	9	15	13	16	72	11	3	9	9	10	16	16	13
		4	115	19	7	12	10	9	13	10	9	93	9	5	10	9	11	9	15	18
	Year	20/21	80	16	7	9	9	9	14	12	13	88	11	5	10	10	11	13	15	19
	Episodes	F/N	83	85	111	130	307	316	191	97	32	93	55	70	132	326	382	196	144	80
North West	Quarter	1	89	14	8	9	9	8	9	13	10	58	15	5	12	11	12	15	15	18
		2	107	23	8	11	10	10	15	17	18	71	12	7	12	11	11	13	18	17
		3	117	17	9	8	9	12	12	15	13	81	13	6	10	11	12	12	15	21
		4	129	17	8	11	11	11	16	15	15	63	23	9	10	12	13	13	19	17
	Year	20/21	111	18	8	10	10	10	13	15	14	68	16	7	11	11	12	13	17	18
	Episodes	F/N	255	211	262	301	694	685	316	198	59	151	172	207	339	750	767	331	270	130
East of England	Quarter	1	58	13	3	5	5	5	5	15	13	59	3	2	10	5	6	7	9	9
		2	32	6	7	5	6	8	14	10	18	13	11	4	8	6	7	10	13	12
		3	72	10	4	6	6	7	15	22	7	54	4	5	5	6	7	8	15	3
		4	37	7	2	7	8	7	9	11	12	51	7	4	8	6	8	13	13	12
	Year	20/21	49	9	4	6	7	7	11	15	12	44	6	4	8	6	7	9	12	9
	Episodes	F/N	31	29	38	48	123	144	83	68	20	27	19	34	59	111	145	77	67	24
Midlands	Quarter	1	76	9	4	6	6	7	7	11	14	57	7	4	9	9	7	8	11	8
		2	108	20	7	6	8	7	12	13	11	82	10	5	9	8	7	13	12	12
		3	76	15	7	7	6	7	12	14	16	55	8	6	7	9	10	12	14	9
		4	68	13	6	7	7	8	12	12	14	83	8	7	10	9	10	10	12	10
	Year	20/21	81	14	6	7	7	7	11	13	14	70	8	5	9	9	9	11	12	10
	Episodes	F/N	151	131	148	157	368	396	222	158	56	120	74	126	193	445	454	234	184	66
London	Quarter	1	53	11	7	9	7	7	6	10	8	65	11	7	10	8	10	10	16	18
		2	89	22	10	11	7	9	12	15	11	60	14	11	13	9	10	15	18	11
		3	82	24	11	9	7	8	13	12	10	54	18	8	10	8	11	17	6	7
		4	65	19	10	8	6	8	9	10	15	86	21	8	11	9	7	10	18	9
	Year	20/21	72	19	9	9	7	8	10	12	11	67	16	9	11	9	10	13	15	11
	Episodes	F/N	190	224	265	243	656	432	116	67	23	169	182	227	313	787	455	160	111	38
South East	Quarter	1	94	9	5	8	7	7	10	11	9	77	9	5	7	8	8	10	11	11
		2	87	15	7	7	7	9	12	16	18	64	12	6	9	10	11	13	14	17
		3	98	10	6	7	7	7	12	15	15	72	12	5	8	10	10	13	15	11
		4	97	15	5	8	8	10	14	16	18	91	13	5	10	9	9	14	14	14
	Year	20/21	94	12	6	8	7	8	12	15	15	76	11	5	9	9	10	11	13	13
	Episodes	F/N	257	173	228	289	609	716	379	279	107	192	152	195	322	751	801	370	302	154
South West	Quarter	1	60	15	4	9	8	8	7	14	14	46	8	4	8	9	9	9	14	8
		2	70	14	5	8	8	9	11	13	21	65	11	6	8	11	10	11	12	12
		3	55	8	8	9	7	10	12	13	8	64	9	6	9	9	9	10	9	11
		4	95	14	3	9	7	9	9	14	18	61	10	4	10	10	9	10	10	15
	Year	20/21	71	13	5	8	8	9	10	14	15	59	9	5	9	10	9	10	11	12
	Episodes	F/N	121	111	133	191	407	519	245	213	81	94	78	121	196	515	550	273	202	103

2. Environmentally Sensitive Disorders:

Mean weekly incidence rate per 100,000 Persons.

		Asthma (ICD10: J45-J46)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	7	15	11	13	11	10	7	5	0	6	10	15	19	19	15	12	14
	2	0	5	15	9	10	11	10	11	11	1	4	9	14	15	20	14	12	14
	3	0	6	11	6	8	10	8	10	9	0	2	6	10	13	16	15	15	9
	4	1	6	12	6	8	9	8	10	6	0	4	7	11	12	14	12	14	11
	5	0	16	21	10	6	8	9	8	4	0	8	14	11	14	15	14	12	9
	6	0	14	24	13	9	11	10	11	7	0	9	18	19	20	21	20	18	12
	7	1	9	19	10	9	11	10	13	7	0	6	15	14	20	21	17	15	7
	8	1	19	22	11	10	12	13	9	13	0	11	15	18	19	19	17	18	12
	9	1	9	11	8	8	10	8	9	10	0	7	8	14	17	18	12	11	10
	10	0	7	11	10	10	12	10	12	6	0	6	8	16	17	21	19	16	14
	11	1	6	10	10	10	12	11	12	5	0	6	9	17	20	21	17	16	13
	12	1	8	15	8	10	11	9	11	10	0	7	11	14	17	17	16	14	10
	13	2	13	13	8	11	11	12	10	11	0	8	10	16	17	17	16	12	10
Quarter	1	0	6	13	8	10	10	9	10	8	0	4	8	13	15	18	15	13	13
	2	0	12	20	10	8	10	10	10	6	0	7	14	14	16	17	16	14	9
	3	1	12	16	10	9	11	10	10	10	0	8	11	16	18	19	16	15	11
	4	1	9	12	9	10	11	11	11	8	0	7	10	15	18	19	17	14	11
Year	20/21	1	10	15	9	9	10	10	10	8	0	6	11	14	17	18	16	14	11
Episodes	F/N	8	619	2,660	1,506	3,858	3,960	1,326	807	216	1	393	1,761	2,355	6,777	6,640	2,227	1,334	501

Mean weekly incidence rate per 100,000 Persons.

Asthma (ICD10: J45 - J46)

			M								F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	7	8	6	6	9	6	6	2	0	7	6	8	12	12	12	6	11
		2	0	12	22	9	6	8	6	9	6	0	9	13	14	18	16	12	11	7
		3	0	14	14	5	9	10	7	5	0	0	10	10	16	20	17	14	10	5
		4	0	10	12	7	9	11	9	9	1	0	6	9	12	21	15	16	13	16
	Year	20/21	0	11	14	7	8	10	7	7	2	0	8	10	13	18	15	13	10	10
	Episodes	F/N	0	60	210	94	268	342	102	59	6	0	41	139	175	586	528	197	95	41
North West	Quarter	1	0	8	13	7	10	10	9	11	7	0	3	8	11	14	19	16	13	12
		2	0	13	25	11	10	12	13	14	10	0	8	17	16	20	21	26	22	15
		3	4	15	20	13	12	11	11	12	5	0	8	12	16	23	22	21	17	14
		4	2	13	15	10	12	12	14	12	7	0	9	12	17	21	23	19	13	13
	Year	20/21	1	12	18	11	11	11	12	12	7	0	7	12	15	19	21	21	16	14
	Episodes	F/N	3	142	565	330	785	755	288	160	30	0	75	368	463	1,307	1,342	510	261	98
East of England	Quarter	1	0	4	7	5	6	11	9	12	13	0	1	6	8	13	17	7	10	13
		2	0	9	14	3	4	7	8	3	8	0	8	8	4	9	13	12	13	2
		3	0	8	11	4	5	9	4	9	7	0	4	9	12	8	17	10	16	11
		4	0	5	12	9	7	8	8	8	10	0	2	5	8	11	16	13	11	10
	Year	20/21	0	6	11	5	6	9	7	8	9	0	4	7	8	10	16	11	12	9
	Episodes	F/N	0	20	104	44	105	186	56	38	15	0	12	62	60	192	326	88	67	23
Midlands	Quarter	1	0	7	11	6	9	8	7	8	8	2	3	5	13	11	15	12	10	7
		2	0	12	20	12	8	9	9	7	5	0	8	14	16	17	15	12	13	7
		3	0	8	14	12	8	9	7	8	7	0	5	10	19	16	18	12	10	8
		4	2	5	13	5	10	11	9	8	12	0	5	7	14	18	19	14	14	7
	Year	20/21	1	8	14	9	9	9	8	8	8	1	6	9	16	16	17	12	12	7
	Episodes	F/N	1	74	362	207	469	516	168	95	32	1	50	209	352	807	884	266	179	49
London	Quarter	1	0	8	27	14	14	17	16	22	29	0	6	17	21	22	29	31	32	35
		2	2	14	19	11	6	9	14	9	8	0	6	15	14	13	19	20	16	19
		3	0	13	18	11	8	10	9	10	19	0	9	9	14	14	22	21	20	13
		4	3	10	14	12	10	12	13	9	4	0	8	10	16	17	19	22	21	13
	Year	20/21	1	11	19	12	10	12	13	13	15	0	7	13	16	17	22	23	22	20
	Episodes	F/N	3	131	535	316	933	640	148	73	31	0	83	337	457	1,533	1,043	288	165	69
South East	Quarter	1	2	5	12	7	8	9	9	7	4	0	4	8	12	14	18	14	12	11
		2	0	12	18	9	8	9	9	8	5	0	5	13	13	17	16	14	13	8
		3	0	12	16	8	11	13	14	13	12	0	8	11	16	20	19	17	18	14
		4	0	8	11	8	11	11	12	13	11	0	6	9	16	18	18	16	13	10
	Year	20/21	0	9	14	8	9	11	11	10	8	0	6	10	14	17	18	15	14	10
	Episodes	F/N	1	132	557	301	793	910	336	195	56	0	78	384	538	1,412	1,482	502	316	124
South West	Quarter	1	0	4	9	10	9	9	9	12	9	0	3	6	12	15	15	13	15	11
		2	0	8	18	10	9	10	9	13	5	0	7	13	13	18	18	12	12	8
		3	0	10	13	8	9	12	11	11	14	0	8	12	16	20	19	14	13	11
		4	0	6	11	9	10	10	8	12	7	0	8	11	15	18	17	16	15	13
	Year	20/21	0	7	13	9	9	10	9	12	9	0	7	11	14	18	17	14	14	11
	Episodes	F/N	0	60	327	214	505	611	228	187	46	0	54	262	310	940	1,035	376	251	97

Mean weekly incidence rate per 100,000 Persons.

		Symptoms involving Respiratory & Chest (ICD10: R05-R07,R09)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	120	51	33	36	54	85	112	156	217	112	48	35	54	80	108	124	149	184
	2	131	46	38	38	56	84	110	160	224	118	40	32	62	76	104	121	157	191
	3	103	46	27	43	52	83	121	162	223	88	41	27	68	78	108	129	163	188
	4	134	79	29	41	51	80	118	155	200	110	55	32	71	74	101	125	175	181
	5	286	184	118	57	60	87	118	178	227	210	136	106	102	94	114	138	172	207
	6	316	215	93	64	69	99	147	188	265	206	156	84	112	119	142	161	189	232
	7	311	220	58	49	66	100	142	193	235	217	160	56	93	104	138	163	192	246
	8	252	249	67	49	67	104	141	179	252	191	191	63	86	104	133	145	189	218
	9	247	144	36	43	62	96	125	165	232	153	133	32	75	99	128	140	166	216
	10	176	120	31	47	71	110	133	178	271	168	108	33	77	103	139	140	178	218
	11	234	136	32	44	69	112	153	216	280	137	105	36	78	94	138	160	203	226
	12	304	230	64	49	67	104	148	176	249	230	182	63	87	100	131	153	175	218
	13	392	341	64	52	74	111	151	207	263	306	307	70	95	105	139	164	202	244
Quarter	1	116	50	32	39	54	84	116	159	217	105	45	31	62	78	107	124	158	188
	2	269	177	80	54	62	91	130	176	237	189	127	74	97	99	123	146	182	214
	3	247	182	49	46	66	101	134	178	243	175	151	46	82	103	134	146	177	223
	4	290	220	51	48	70	109	147	196	265	216	185	52	85	99	135	156	191	226
Year	20/21	233	159	53	47	63	97	132	178	241	173	129	51	82	95	125	143	178	213
Episodes	F/N	2,997	10,186	9,151	7,737	26,117	36,490	17,700	14,060	6,497	2,119	7,824	8,451	13,271	37,956	45,415	20,277	16,754	9,616

Mean weekly incidence rate per 100,000 Persons.

Symptoms involving Respiratory and Chest (ICD10: R05 - R07; R09)

			M								F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	91	43	38	48	62	99	135	176	229	117	39	32	68	84	116	138	157	179
		2	358	182	83	64	74	102	139	186	278	220	137	79	116	118	133	158	195	202
		3	352	181	54	47	72	110	139	192	248	162	121	46	95	116	152	159	186	238
		4	360	230	58	56	83	133	173	226	307	234	195	66	103	121	151	180	207	244
	Year	20/21	292	160	58	54	73	112	147	196	267	185	125	56	96	110	139	159	187	216
	Episodes	F/N	302	868	878	761	2,467	4,007	2,064	1,545	679	195	645	817	1,322	3,592	4,849	2,335	1,770	925
North West	Quarter	1	169	72	41	51	72	110	152	199	286	156	58	39	76	103	153	176	227	235
		2	382	233	104	64	86	126	172	221	261	301	171	98	117	138	178	205	245	278
		3	349	278	70	59	85	134	172	210	294	273	243	60	106	147	189	197	229	273
		4	533	386	79	61	93	144	189	257	322	425	336	78	111	143	193	206	253	272
	Year	20/21	364	247	74	59	84	129	172	223	291	293	207	70	103	133	179	196	239	265
	Episodes	F/N	834	2,871	2,312	1,819	6,010	8,739	4,156	2,966	1,218	648	2,256	2,060	3,168	8,957	11,407	4,854	3,832	1,888
East of England	Quarter	1	58	27	20	30	32	53	54	96	114	85	33	18	36	47	54	66	90	105
		2	222	126	48	42	43	50	80	107	221	167	100	50	62	54	73	86	106	140
		3	125	102	26	37	43	67	80	99	179	181	91	29	61	73	80	72	108	134
		4	143	113	29	36	50	64	101	131	170	166	102	28	65	59	77	95	100	159
	Year	20/21	137	92	31	36	42	59	79	109	172	150	82	32	56	59	71	80	101	135
	Episodes	F/N	86	293	290	298	792	1,229	611	508	275	92	251	283	433	1,125	1,472	657	543	359
Midlands	Quarter	1	124	42	30	30	53	77	107	142	179	79	40	28	59	76	97	106	127	149
		2	270	170	74	55	61	83	121	187	213	181	129	73	95	97	118	138	165	208
		3	216	154	38	42	61	91	120	176	231	166	129	43	82	100	118	134	162	224
		4	251	185	41	42	67	95	129	187	242	164	164	42	77	94	122	142	163	210
	Year	20/21	217	140	46	42	61	87	120	174	218	149	117	46	78	92	114	131	155	199
	Episodes	F/N	402	1,290	1,148	1,013	3,256	4,748	2,453	2,183	878	256	1,030	1,096	1,758	4,725	6,025	2,806	2,302	1,345
London	Quarter	1	115	49	34	39	45	81	118	169	222	87	41	34	54	66	114	120	176	197
		2	179	159	88	50	48	87	130	157	212	140	107	77	82	81	121	154	176	203
		3	146	164	53	45	55	98	144	188	273	129	137	50	70	84	141	158	200	192
		4	192	172	52	45	56	98	144	186	259	155	131	52	67	78	137	167	199	216
	Year	20/21	159	138	57	45	51	92	134	175	242	129	105	53	68	77	129	151	188	202
	Episodes	F/N	420	1,619	1,589	1,174	5,028	4,900	1,532	1,016	512	326	1,197	1,423	1,950	7,140	6,090	1,861	1,409	703
South East	Quarter	1	94	44	28	32	49	70	100	133	191	111	43	28	53	76	87	104	139	181
		2	228	171	66	45	54	74	111	149	206	164	114	62	87	88	95	117	156	180
		3	253	156	41	41	61	86	115	155	208	143	138	40	67	93	105	123	157	196
		4	235	182	41	41	65	97	126	171	238	190	150	45	77	89	114	135	174	211
	Year	20/21	204	140	44	40	57	82	113	153	211	153	112	44	71	87	101	120	157	192
	Episodes	F/N	556	1,955	1,743	1,531	4,802	7,078	3,491	2,922	1,502	385	1,487	1,654	2,665	7,217	8,490	3,966	3,595	2,277
South West	Quarter	1	111	50	28	43	58	85	114	176	250	78	47	29	75	79	100	128	160	218
		2	284	160	76	59	69	95	132	186	274	148	116	68	109	101	119	140	191	245
		3	272	182	43	48	76	103	140	192	264	183	137	45	88	101	131	147	177	250
		4	257	191	42	52	75	108	150	192	285	134	158	43	88	104	126	147	197	236
	Year	20/21	232	147	47	50	70	98	135	187	269	136	116	46	90	97	120	141	182	237
	Episodes	F/N	397	1,290	1,191	1,141	3,762	5,789	3,393	2,920	1,433	217	958	1,118	1,975	5,200	7,082	3,798	3,303	2,119

Mean weekly incidence rate per 100,000 Persons.

		Hayfever/Allergic Rhinitis (ICD10: J30)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	9	21	32	19	13	8	8	7	3	9	9	17	25	27	14	10	10	6
	2	21	33	83	57	34	15	9	9	5	17	15	48	58	56	22	13	10	9
	3	5	11	16	10	7	4	5	4	2	1	6	9	11	13	7	6	6	7
	4	4	8	10	5	4	3	3	3	1	10	5	7	7	8	4	4	4	2
	5	1	4	8	3	3	2	3	1	2	2	3	6	5	5	3	3	3	2
	6	0	5	7	4	2	2	1	1	1	1	1	4	3	4	3	2	1	0
	7	1	5	6	3	2	2	1	1	1	0	2	4	4	4	2	2	1	1
	8	1	3	6	4	2	2	1	1	0	0	1	4	4	4	2	2	1	1
	9	2	2	3	2	2	1	1	2	1	1	3	2	3	3	2	1	1	1
	10	0	2	5	3	3	1	2	2	0	0	1	3	3	3	2	1	1	0
	11	0	3	9	4	5	3	3	2	3	2	3	6	9	7	4	4	2	2
	12	7	9	14	8	6	5	4	3	3	2	5	9	12	13	6	6	3	2
	13	13	21	27	15	13	10	8	6	4	9	14	18	22	25	13	12	7	6
Quarter	1	11	20	41	27	17	9	7	6	3	9	9	24	30	30	13	9	9	7
	2	1	5	8	4	3	2	2	2	1	3	3	5	4	5	3	3	3	1
	3	1	3	4	3	2	1	1	1	1	0	2	3	3	3	2	1	1	1
	4	6	10	15	8	7	5	4	3	3	4	7	10	13	13	7	6	4	3
Year	20/21	5	9	17	10	7	4	4	3	2	4	5	10	12	13	6	5	4	3
Episodes	F/N	62	605	2,935	1,696	2,997	1,617	498	249	59	50	308	1,706	2,013	5,107	2,273	694	369	130

Mean weekly incidence rate per 100,000 Persons.

Hayfever/Allergic Rhinitis (ICD10: J30)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	12	26	44	32	15	6	6	4	5	4	9	24	32	29	12	9	7	7
		2	0	4	7	5	3	1	3	2	2	0	4	6	3	6	3	3	2	0
		3	0	2	4	1	1	1	0	2	2	0	2	3	4	3	1	2	0	1
		4	7	6	11	4	4	2	2	1	3	0	2	5	7	10	4	4	4	1
	Year	20/21	5	9	16	10	6	3	3	2	3	1	4	10	11	12	5	5	3	2
	Episodes	F/N	5	51	242	145	191	93	40	17	7	1	22	138	158	382	174	68	32	9
North West	Quarter	1	27	21	44	33	22	10	9	7	4	15	12	23	35	40	15	11	8	8
		2	0	7	11	6	4	2	2	2	2	5	3	7	5	7	4	2	5	2
		3	2	2	5	4	2	2	2	2	1	0	3	3	4	5	3	1	2	1
		4	6	13	16	9	8	5	5	4	3	12	9	11	14	14	10	7	3	3
	Year	20/21	9	11	19	13	9	5	4	4	2	8	7	11	14	16	8	6	4	3
	Episodes	F/N	20	125	582	394	615	327	104	48	10	18	72	323	437	1,096	499	138	71	22
East of England	Quarter	1	6	12	26	15	11	4	2	2	0	7	7	17	15	16	6	3	4	2
		2	0	3	6	1	1	1	0	0	0	0	3	2	2	2	1	0	3	2
		3	0	1	2	1	1	1	1	1	0	0	0	3	3	1	1	1	1	0
		4	0	11	9	3	4	3	0	3	0	6	2	6	2	6	3	4	2	1
	Year	20/21	2	7	10	5	4	2	1	2	0	3	3	7	5	6	3	2	2	1
	Episodes	F/N	1	21	98	41	81	41	7	7	0	2	9	62	41	119	54	18	13	3
Midlands	Quarter	1	7	20	41	24	15	8	7	8	1	2	10	24	28	26	13	7	9	6
		2	2	5	5	5	2	2	3	1	0	2	2	6	5	5	3	3	2	1
		3	2	2	4	2	2	1	2	1	2	0	0	3	3	3	2	1	1	2
		4	6	10	12	8	6	5	4	5	2	4	7	8	11	13	6	5	3	2
	Year	20/21	4	9	15	9	6	4	4	4	1	2	5	10	11	12	6	4	4	2
	Episodes	F/N	8	84	378	223	332	227	82	48	5	4	44	231	254	604	307	92	56	16
London	Quarter	1	5	17	45	22	16	15	8	12	10	3	10	30	27	29	20	18	12	14
		2	2	6	11	4	3	2	2	1	0	3	3	6	5	6	3	4	3	2
		3	0	5	9	4	2	2	1	2	0	2	4	6	4	4	3	2	1	1
		4	4	12	28	11	10	8	12	7	7	3	8	16	18	17	11	11	10	7
	Year	20/21	3	10	23	10	8	7	6	5	4	3	6	14	13	14	9	9	6	6
	Episodes	F/N	7	117	644	271	749	357	69	31	9	7	72	386	382	1,284	444	107	47	21
South East	Quarter	1	9	25	42	29	19	8	8	7	3	13	10	22	30	32	13	9	10	8
		2	3	4	8	4	3	2	2	2	2	3	2	3	4	4	3	3	2	2
		3	0	3	4	3	2	2	1	1	1	0	1	3	4	4	2	1	0	0
		4	7	9	15	10	9	7	5	3	3	1	6	11	15	14	8	6	5	5
	Year	20/21	5	10	17	11	8	5	4	3	2	4	4	10	13	13	6	5	4	4
	Episodes	F/N	13	144	673	430	703	393	121	62	15	11	58	366	495	1,096	533	159	92	45
South West	Quarter	1	10	17	36	24	15	7	7	4	3	13	5	22	30	25	11	7	8	4
		2	0	6	5	2	2	1	2	2	2	5	3	3	4	3	2	2	2	0
		3	2	1	1	1	2	1	0	1	0	0	1	2	2	2	1	1	1	1
		4	6	6	9	7	6	3	3	2	4	0	6	7	10	9	3	6	2	2
	Year	20/21	5	7	13	8	6	3	3	2	2	4	4	8	11	10	4	4	3	2
	Episodes	F/N	8	63	318	192	326	179	75	36	13	7	31	200	246	526	262	112	58	14

Mean weekly incidence rate per 100,000 Persons.

		Conjunctivitis (ICD10: H10-H13)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	96	18	9	4	4	7	11	18	34	83	9	5	4	6	11	15	24	32
	2	87	20	11	3	4	8	12	17	31	79	10	7	6	7	10	14	21	43
	3	76	10	5	3	4	7	10	14	23	76	7	4	3	7	9	15	19	36
	4	91	12	6	2	4	7	9	16	34	87	8	4	6	6	10	13	16	36
	5	71	14	6	4	4	6	10	17	31	79	13	4	4	6	9	13	17	36
	6	95	19	8	4	4	7	9	14	28	110	19	5	6	6	9	13	19	40
	7	114	21	7	3	4	6	11	14	23	97	19	6	5	7	10	12	18	35
	8	77	23	7	3	4	6	11	16	20	85	19	5	5	6	10	16	17	34
	9	77	19	4	2	3	6	7	11	24	90	15	4	4	5	8	10	15	32
	10	95	21	5	3	4	6	9	13	29	81	16	4	4	5	10	12	17	32
	11	76	19	4	2	4	6	9	16	26	86	16	5	4	5	10	14	20	34
	12	98	21	5	2	4	5	8	14	25	80	22	4	5	6	9	11	18	30
	13	101	38	6	4	4	6	10	15	23	115	29	6	5	6	10	13	16	33
Quarter	1	86	15	8	3	4	7	11	16	29	81	8	5	4	7	10	15	21	37
	2	90	16	7	3	4	7	10	15	29	91	16	4	5	6	9	12	18	38
	3	86	20	5	3	3	6	9	14	23	89	16	5	5	6	9	12	17	32
	4	92	26	5	3	4	6	9	15	26	92	22	5	5	6	10	13	18	32
Year	20/21	89	20	6	3	4	6	10	15	27	88	16	5	5	6	9	13	18	35
Episodes	F/N	1,142	1,258	1,120	498	1,606	2,387	1,291	1,181	723	1,083	952	773	768	2,413	3,436	1,833	1,719	1,566

Mean weekly incidence rate per 100,000 Persons.

Conjunctivitis (ICD10: H10-H13)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	95	14	8	4	3	9	12	18	46	65	8	4	5	7	12	16	23	42
		2	95	20	5	3	5	6	13	15	24	116	11	5	6	7	10	13	22	42
		3	83	19	5	3	4	7	12	15	35	94	17	6	5	7	10	12	17	24
		4	115	23	3	4	5	6	8	16	26	72	20	6	4	6	11	12	15	32
	Year	20/21	98	19	5	3	4	7	11	16	33	86	14	5	5	7	10	13	19	35
	Episodes	F/N	101	103	80	49	145	251	156	126	83	91	72	74	69	225	367	190	182	148
North West	Quarter	1	120	21	9	4	5	9	16	15	35	109	10	8	6	8	13	20	28	48
		2	143	29	8	4	5	8	14	22	35	135	23	5	6	7	11	15	22	55
		3	144	31	6	3	4	8	10	20	36	150	23	5	5	7	12	15	18	38
		4	142	51	6	4	5	7	10	18	30	161	40	6	5	7	12	18	21	39
	Year	20/21	137	34	7	4	5	8	13	19	34	140	25	6	5	7	12	17	22	45
	Episodes	F/N	315	390	230	115	350	544	303	247	142	309	268	184	168	492	757	419	353	320
East of England	Quarter	1	39	4	5	3	3	5	5	9	10	39	7	3	4	3	7	10	15	19
		2	25	10	3	2	3	5	4	10	10	45	5	2	3	4	7	10	8	18
		3	52	8	2	3	2	4	5	4	17	74	7	2	5	4	7	8	14	15
		4	31	6	3	1	3	4	4	7	12	19	11	3	2	2	6	9	12	12
	Year	20/21	37	7	3	2	3	5	5	8	12	44	8	2	4	3	7	9	12	16
	Episodes	F/N	23	22	31	17	56	95	35	36	20	27	23	21	27	62	138	76	66	42
Midlands	Quarter	1	89	17	7	3	3	6	9	16	24	89	11	5	6	6	9	16	20	34
		2	95	12	7	3	4	6	9	14	26	63	15	4	5	7	9	15	15	33
		3	80	16	7	3	3	7	9	12	15	81	17	4	5	6	8	12	16	34
		4	92	22	5	3	4	6	11	18	19	81	25	4	3	6	10	13	19	33
	Year	20/21	89	17	6	3	4	6	9	15	21	78	17	4	5	6	9	14	18	33
	Episodes	F/N	165	154	156	75	200	344	190	187	83	135	151	99	107	327	472	297	263	226
London	Quarter	1	104	19	11	3	5	7	13	16	27	64	9	7	4	7	13	16	21	34
		2	61	16	13	5	4	8	9	18	31	87	17	6	6	6	10	12	23	48
		3	62	23	9	3	3	5	7	17	15	78	18	6	5	6	11	15	23	34
		4	79	23	9	3	3	6	9	22	20	78	16	6	6	5	11	14	21	43
	Year	20/21	76	20	10	4	4	6	9	18	23	77	15	6	5	6	11	14	22	40
	Episodes	F/N	201	238	293	93	371	341	105	105	49	194	171	171	149	555	536	175	165	138
South East	Quarter	1	70	13	8	3	4	6	9	18	27	80	7	3	3	7	7	12	17	35
		2	74	12	6	3	4	5	8	14	32	74	15	3	5	5	8	12	15	38
		3	71	14	3	2	3	4	9	13	17	77	10	4	4	5	8	10	16	34
		4	73	20	4	2	4	5	8	10	30	76	14	4	5	5	8	11	17	24
	Year	20/21	72	15	5	2	4	5	8	14	26	77	12	3	4	5	8	11	16	32
	Episodes	F/N	197	205	210	94	302	448	260	259	188	193	155	123	151	446	660	366	372	384
South West	Quarter	1	51	11	8	3	3	7	9	17	32	86	6	5	5	5	9	12	21	37
		2	101	14	4	2	3	6	8	13	32	96	11	4	5	7	8	10	17	27
		3	88	23	4	3	3	6	10	12	27	53	17	5	4	6	9	12	15	34
		4	86	18	4	2	3	6	11	14	28	100	20	3	4	6	8	12	16	39
	Year	20/21	82	17	5	2	3	6	10	14	30	84	14	4	4	6	9	11	17	34
	Episodes	F/N	140	146	120	55	182	364	242	221	158	134	112	101	97	306	506	310	318	308

3. Respiratory Infections:

Mean weekly incidence rate per 100,000 Persons.

Acute Bronchitis (ICD10: J20-J21,J40)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	1	0	0	0	0	2	8	12	10	1	0	0	0	0	3	10	13	9
	2	0	0	0	0	1	3	9	12	13	0	0	0	0	0	4	9	12	13
	3	0	1	0	0	0	3	10	17	10	0	0	0	0	0	3	8	14	7
	4	3	1	0	0	0	3	8	14	9	1	1	0	0	0	4	9	13	10
	5	2	3	1	0	0	3	9	14	18	4	0	0	0	1	5	12	12	8
	6	4	2	1	0	1	4	11	17	13	3	2	0	0	1	6	14	18	14
	7	1	2	0	0	0	3	10	17	20	4	1	0	0	1	5	12	15	10
	8	4	1	0	0	0	3	11	15	19	0	1	0	0	1	4	11	14	8
	9	3	1	0	0	0	3	10	15	20	3	1	0	0	1	6	11	14	12
	10	1	1	0	0	0	3	8	17	14	0	0	0	0	1	4	11	14	9
	11	1	1	0	0	0	3	11	16	18	1	1	0	0	0	4	11	14	12
	12	3	3	0	0	1	3	9	12	13	2	1	0	0	1	5	12	14	11
	13	4	2	1	0	1	3	12	16	19	3	3	0	0	1	5	12	14	12
Quarter	1	1	1	0	0	0	3	9	14	11	0	0	0	0	0	3	9	13	10
	2	3	2	1	0	0	3	10	15	15	3	1	0	0	1	5	12	15	11
	3	3	1	0	0	0	3	10	16	19	2	1	0	0	1	5	11	14	10
	4	2	2	0	0	0	3	10	15	15	2	1	0	0	1	5	12	15	11
Year	20/21	2	2	0	0	0	3	10	15	15	2	1	0	0	1	4	11	14	10
Episodes	F/N	28	96	56	15	152	1,143	1,303	1,169	409	22	51	21	27	264	1,626	1,561	1,326	471

Mean weekly incidence rate per 100,000 Persons.

Acute Bronchitis (ICD10: J20-J21,J40)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	1	1	0	0	4	12	21	23	0	0	0	0	0	6	14	20	11
		2	4	2	0	0	1	6	12	22	16	4	1	1	0	1	8	19	21	13
		3	8	1	1	0	0	5	14	24	27	4	0	0	0	1	8	18	19	8
		4	7	2	1	0	1	5	18	21	21	0	2	0	0	1	8	17	20	15
	Year	20/21	5	1	1	0	1	5	14	22	22	2	1	0	0	1	8	17	20	12
	Episodes	F/N	5	7	10	3	20	177	202	173	55	2	4	4	1	26	265	245	187	50
North West	Quarter	1	2	0	0	0	1	5	14	24	17	0	0	0	0	1	7	20	28	22
		2	4	4	1	0	1	6	16	23	22	5	0	0	0	2	11	25	31	15
		3	2	2	0	0	1	5	16	24	40	0	2	0	0	1	10	24	24	14
		4	2	4	1	0	1	5	15	23	27	5	1	0	1	2	9	25	29	19
	Year	20/21	2	3	0	0	1	5	15	24	27	3	1	0	0	1	9	23	28	18
	Episodes	F/N	5	30	12	4	48	346	372	313	111	6	11	6	8	86	581	575	449	125
East of England	Quarter	1	0	1	0	0	0	1	4	10	8	0	0	0	0	0	0	2	4	6
		2	0	1	1	0	0	2	7	9	3	0	3	0	0	0	1	7	5	3
		3	0	0	0	0	0	1	3	9	10	13	0	0	0	0	1	3	7	0
		4	0	2	0	0	0	1	3	9	14	6	1	0	0	0	1	5	9	6
	Year	20/21	0	1	0	0	0	1	4	9	9	5	1	0	0	0	1	4	6	4
	Episodes	F/N	0	4	4	0	2	20	32	42	14	3	3	0	0	5	16	35	34	10
Midlands	Quarter	1	0	1	0	0	0	2	8	12	6	0	0	0	0	1	2	7	9	8
		2	4	0	0	0	0	2	7	17	12	2	1	0	0	0	3	8	9	13
		3	6	1	0	0	0	3	10	17	13	2	0	0	1	1	3	8	14	12
		4	6	1	0	0	0	3	7	18	12	4	3	0	0	1	3	9	12	11
	Year	20/21	4	1	0	0	0	3	8	16	11	2	1	0	0	1	3	8	11	11
	Episodes	F/N	8	9	2	0	17	144	165	201	44	4	10	1	9	31	164	170	164	75
London	Quarter	1	0	0	0	0	0	2	8	13	12	0	0	0	0	0	3	6	11	6
		2	0	2	0	0	0	3	7	20	21	0	1	0	0	1	4	5	12	13
		3	0	1	0	0	0	2	8	13	17	0	0	0	0	0	4	8	15	15
		4	1	2	0	0	0	1	9	8	7	0	1	0	0	0	3	8	10	16
	Year	20/21	0	1	0	0	0	2	8	13	14	0	0	0	0	0	3	7	12	13
	Episodes	F/N	1	14	6	1	18	109	94	77	30	0	5	1	2	35	158	86	89	44
South East	Quarter	1	2	1	0	0	0	2	6	9	8	2	0	0	0	0	2	5	8	8
		2	5	1	1	0	0	3	7	10	13	3	1	0	0	1	3	7	11	8
		3	4	1	0	0	0	2	6	11	12	2	0	0	0	1	3	6	8	11
		4	0	2	0	0	1	2	9	10	13	0	1	0	0	1	3	8	10	7
	Year	20/21	3	1	0	0	0	2	7	10	12	2	1	0	0	1	3	7	9	9
	Episodes	F/N	7	19	17	4	29	192	215	192	83	4	9	6	4	48	240	220	213	101
South West	Quarter	1	0	1	0	0	0	2	7	10	9	0	0	0	0	0	2	7	10	6
		2	2	2	0	0	0	3	9	10	16	5	2	0	1	1	4	10	11	10
		3	0	0	0	0	0	3	10	13	16	3	1	0	0	1	4	9	10	6
		4	2	2	0	0	1	3	9	12	13	0	1	0	0	1	4	8	11	7
	Year	20/21	1	1	0	0	0	3	9	11	14	2	1	0	0	1	3	9	10	7
	Episodes	F/N	2	13	5	3	18	155	223	171	72	3	9	3	3	33	202	230	190	66

Mean weekly incidence rate per 100,000 Persons.

		Common Cold (ICD10: J00,J06)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	1	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1
	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	1	0	0	0	0	0	0	0	7	1	0	0	0	0	0	0	1
	4	15	3	0	0	0	0	0	0	0	7	2	0	0	0	0	0	0	1
	5	24	10	6	1	0	0	0	1	0	18	9	4	1	1	1	1	0	1
	6	49	10	4	1	1	1	1	1	3	33	9	3	1	2	1	1	1	3
	7	28	8	1	0	0	0	0	0	1	25	8	1	1	0	1	0	0	0
	8	29	8	1	0	0	1	0	2	1	23	7	1	0	0	1	0	1	1
	9	17	3	1	0	0	0	1	1	2	22	2	0	0	1	0	1	1	1
	10	4	2	0	0	0	0	1	1	0	2	1	0	0	0	1	1	1	1
	11	9	3	0	0	0	0	0	1	0	9	3	0	0	0	0	1	0	0
	12	21	7	1	0	0	0	0	0	1	18	7	1	0	1	0	0	0	0
	13	22	8	1	0	0	1	1	0	0	26	8	1	1	1	1	1	0	0
Quarter	1	2	1	0	0	0	0	0	0	0	2	1	0	0	0	0	0	0	1
	2	31	8	3	1	0	1	0	1	1	22	7	3	1	1	1	1	1	1
	3	20	5	1	0	0	0	1	1	1	19	4	1	0	1	1	0	1	1
	4	16	5	1	0	0	0	0	0	1	15	5	0	0	1	0	1	0	0
Year	20/21	17	5	1	0	0	0	0	1	1	15	4	1	1	1	0	0	0	1
Episodes	F/N	220	318	201	48	113	134	53	49	21	182	267	156	89	229	177	63	47	32

Mean weekly incidence rate per 100,000 Persons.

Common Cold (ICD10: J00,J06)

			M									F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	
North East and Yorkshire	Quarter	1	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	1	
		2	48	10	4	0	1	0	1	2	3	8	7	2	1	1	1	1	2	0	
		3	32	6	1	1	0	0	1	1	0	26	3	1	1	1	0	1	2	1	
		4	7	3	0	1	0	1	1	0	0	7	4	0	1	1	1	1	1	0	
	Year	20/21	21	5	1	0	0	0	1	1	1	10	4	1	1	1	1	1	1	0	
	Episodes	F/N	22	25	18	4	8	10	12	6	2	11	20	12	7	19	18	9	10	2	
North West	Quarter	1	2	1	0	0	0	0	0	0	0	4	1	0	0	0	0	0	1	2	
		2	29	9	2	0	0	1	1	1	0	27	12	2	1	1	1	1	1	2	
		3	23	8	1	0	0	0	0	2	0	24	5	0	0	1	1	1	1	1	
		4	29	5	0	0	0	0	0	1	1	24	10	0	0	1	0	1	1	0	
	Year	20/21	21	6	1	0	0	0	0	1	0	20	7	1	1	1	1	1	1	1	
	Episodes	F/N	48	67	30	8	18	31	9	14	1	44	75	23	16	40	45	13	14	8	
East of England	Quarter	1	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	1	0	
		2	0	3	1	0	1	0	0	0	5	6	3	1	1	1	0	2	0	0	
		3	0	0	0	0	0	0	1	0	2	7	1	1	1	0	0	0	0	0	
		4	0	6	0	0	1	0	0	0	0	19	1	0	0	0	0	0	0	0	
	Year	20/21	0	2	1	0	0	0	0	0	2	8	2	1	0	0	0	1	0	0	
	Episodes	F/N	0	7	5	1	7	6	2	0	3	5	5	6	3	6	4	5	1	0	
Midlands	Quarter	1	5	3	1	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	
		2	20	8	3	1	1	0	1	1	1	34	6	3	1	1	0	1	0	2	
		3	15	4	0	0	0	0	1	1	0	23	5	0	1	0	1	0	1	2	
		4	18	8	1	0	0	0	1	0	2	17	5	1	1	1	0	0	0	0	
	Year	20/21	15	6	1	0	0	0	1	1	1	19	4	1	1	1	0	0	1	1	
	Episodes	F/N	27	54	26	4	19	17	11	8	4	32	35	31	14	34	19	9	8	9	
London	Quarter	1	0	0	0	0	0	0	0	0	0	3	1	0	0	0	0	0	1	1	
		2	36	12	5	1	0	1	0	2	0	23	8	4	1	1	1	0	0	2	
		3	24	7	2	0	0	1	1	3	2	14	6	1	0	1	1	0	2	0	
		4	18	4	2	1	0	0	0	1	0	16	6	0	0	0	0	1	0	0	
	Year	20/21	20	6	2	1	0	1	0	1	0	14	5	1	0	1	0	0	1	1	
	Episodes	F/N	52	69	59	16	24	31	5	8	1	36	61	38	12	55	23	4	4	3	
South East	Quarter	1	2	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0	0	0	
		2	35	6	4	1	0	0	0	0	1	25	6	3	1	1	1	1	0	1	
		3	13	4	0	0	0	0	0	1	1	21	4	1	0	0	1	0	1	1	
		4	12	5	0	0	0	0	0	0	1	16	4	0	1	1	0	0	0	1	
	Year	20/21	15	4	1	0	0	0	0	0	1	16	4	1	1	1	0	0	0	1	
	Episodes	F/N	42	57	39	9	26	19	7	7	6	40	47	33	23	45	40	11	6	6	
South West	Quarter	1	2	1	0	0	0	0	0	0	0	5	1	0	0	0	0	0	0	0	
		2	36	7	3	1	0	0	0	0	2	13	5	1	1	1	1	0	0	0	
		3	24	4	1	0	0	0	1	1	2	15	3	1	1	1	1	1	0	1	
		4	6	5	0	0	0	0	0	0	0	2	2	1	0	0	0	1	0	0	
	Year	20/21	17	4	1	0	0	0	0	0	1	9	3	1	1	1	0	0	0	0	
	Episodes	F/N	29	39	24	6	11	20	7	6	4	14	24	13	14	30	28	12	4	4	

Mean weekly incidence rate per 100,000 Persons.

		Influenza-like illness (ICD10 : J09 - J11)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	1	0	1	1	1	2	2	2	1	1	0	1	2	2	2	1	3
	2	0	1	0	0	1	1	0	1	2	0	0	0	1	1	1	1	1	1
	3	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	1	1	1
	4	0	1	0	0	0	0	0	0	0	1	0	0	1	1	0	0	0	0
	5	2	1	1	0	1	1	1	1	0	1	2	2	1	1	1	1	1	0
	6	3	1	1	2	1	2	1	1	1	1	2	1	1	2	3	2	1	1
	7	3	2	0	1	1	1	1	1	1	3	1	0	1	2	2	1	2	2
	8	3	3	0	1	1	1	0	1	1	1	1	1	1	2	2	1	1	1
	9	2	1	0	0	1	1	1	1	1	0	0	0	1	1	2	1	1	1
	10	0	0	0	0	1	1	1	1	2	0	1	0	1	1	2	1	2	1
	11	3	1	0	0	1	1	0	1	0	1	0	0	1	1	1	1	0	0
	12	1	1	0	0	0	1	0	0	0	2	1	0	0	1	1	0	1	0
	13	1	0	0	0	0	1	1	0	2	0	1	0	1	1	1	1	0	0
Quarter	1	0	1	0	0	1	1	1	1	1	0	0	0	0	1	1	1	1	1
	2	3	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1
	3	2	1	0	1	1	1	1	1	1	1	1	0	1	2	2	1	1	1
	4	1	1	0	0	0	1	0	0	1	1	1	0	1	1	1	1	0	0
Year	20/21	1	1	0	1	1	1	1	1	1	1	1	0	1	1	1	1	1	1
Episodes	F/N	19	62	58	94	293	345	101	58	27	11	48	58	125	469	523	120	87	37

Mean weekly incidence rate per 100,000 Persons.

Influenza-like illness (ICD10: J09 - J11)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	0	0	0	1	1	1	1	0	0	0	0	1	1	1	1	0	1
		2	0	0	1	0	1	1	1	1	3	0	0	0	2	2	3	1	2	0
		3	0	0	0	1	2	1	1	2	2	0	0	0	1	1	2	1	1	0
		4	0	0	0	0	1	1	0	0	0	0	0	0	0	1	1	1	0	0
	Year	20/21	0	0	0	0	1	1	0	1	1	0	0	0	1	1	2	1	1	0
	Episodes	F/N	0	0	4	5	35	39	7	7	3	0	0	1	14	32	56	14	6	1
North West	Quarter	1	0	0	0	1	1	1	1	1	4	2	0	0	1	1	2	1	1	4
		2	5	1	1	1	1	1	2	1	1	5	2	1	1	2	2	1	3	3
		3	5	2	0	1	2	2	1	2	2	0	1	1	0	2	3	1	3	2
		4	0	1	0	0	0	1	0	1	0	2	2	0	1	1	2	1	1	1
	Year	20/21	3	1	0	1	1	1	1	1	2	2	1	0	1	2	2	1	2	2
	Episodes	F/N	6	16	11	24	72	81	25	16	7	5	13	12	29	109	129	27	32	16
East of England	Quarter	1	0	0	0	0	0	0	1	1	0	0	0	0	1	1	0	1	0	0
		2	0	0	0	1	1	0	0	0	0	0	3	0	1	0	1	0	1	0
		3	13	1	0	0	0	1	1	0	2	7	0	0	1	1	1	0	1	3
		4	0	0	0	0	0	1	0	0	5	0	0	0	0	1	0	0	0	0
	Year	20/21	3	0	0	0	0	1	0	0	2	2	1	0	0	1	0	0	1	1
	Episodes	F/N	2	1	2	2	9	13	3	1	3	1	2	1	3	11	9	4	3	2
Midlands	Quarter	1	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	1	1	0
		2	4	3	0	1	1	1	1	1	0	0	0	1	1	2	2	1	0	1
		3	0	1	0	1	1	1	2	1	2	0	0	0	1	1	1	1	1	1
		4	2	0	0	0	0	1	1	1	2	0	0	0	0	0	0	1	0	0
	Year	20/21	2	1	0	1	1	1	1	1	1	0	0	0	1	1	1	1	1	0
	Episodes	F/N	3	8	4	13	32	36	20	8	4	0	3	8	14	54	49	18	8	3
London	Quarter	1	0	0	0	0	0	0	0	1	0	0	1	0	0	0	1	1	0	0
		2	0	0	1	0	1	1	0	1	0	0	2	1	0	1	1	1	0	0
		3	0	1	0	1	1	1	1	1	0	2	0	1	1	1	3	1	2	1
		4	0	1	0	1	0	0	1	0	2	1	0	0	1	1	1	0	0	0
	Year	20/21	0	1	0	0	0	1	1	1	0	1	1	0	0	1	1	1	0	0
	Episodes	F/N	0	6	12	13	44	36	7	4	1	2	9	10	13	83	62	9	3	1
South East	Quarter	1	0	1	0	1	0	1	1	1	0	0	0	0	1	1	2	1	1	1
		2	5	1	1	1	1	1	1	0	1	2	1	1	1	2	2	0	1	0
		3	0	1	0	1	1	1	0	1	0	2	0	0	1	1	2	1	2	1
		4	3	0	0	0	0	1	0	0	1	0	1	0	0	1	1	0	0	0
	Year	20/21	2	1	0	0	1	1	0	1	0	1	1	0	1	1	1	1	1	0
	Episodes	F/N	5	10	10	19	50	63	15	11	2	2	9	8	24	98	126	23	21	5
South West	Quarter	1	0	3	1	1	1	1	1	1	4	0	1	1	1	1	2	1	2	2
		2	0	3	1	1	1	1	1	1	0	0	2	1	2	2	1	2	1	1
		3	2	1	0	0	1	1	1	1	1	0	2	1	2	2	2	1	0	0
		4	4	2	0	0	0	1	0	0	1	2	0	0	0	1	1	0	0	0
	Year	20/21	2	2	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1
	Episodes	F/N	3	21	15	18	51	77	24	11	7	1	12	18	28	82	92	25	14	9

Mean weekly incidence rate per 100,000 Persons.

		Acute Laryngitis/Tracheitis (ICD10: J04)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	3	1	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0
	3	2	12	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	0
	4	7	15	1	0	0	0	0	0	0	7	7	0	0	0	0	0	0	0
	5	36	37	7	0	0	0	0	1	0	8	16	2	0	1	0	0	0	0
	6	26	21	3	0	0	0	0	0	0	10	10	1	0	1	0	1	0	1
	7	23	21	2	0	0	0	0	0	0	7	11	1	0	1	1	0	0	1
	8	16	22	2	0	0	0	0	0	0	10	11	1	0	1	1	0	0	1
	9	21	12	1	0	0	0	0	0	0	11	5	0	0	0	1	1	1	1
	10	10	9	1	0	0	0	0	0	0	7	5	0	0	1	1	0	0	0
	11	17	13	1	0	0	0	0	0	0	7	10	0	0	0	1	0	0	0
	12	52	50	5	0	0	0	0	0	0	22	24	3	0	1	1	1	0	1
	13	47	54	8	0	0	0	0	0	0	37	31	3	1	1	1	1	0	1
Quarter	1	3	6	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
	2	25	25	3	0	0	0	0	0	0	9	12	1	0	1	0	0	0	0
	3	17	15	1	0	0	0	0	0	0	9	7	1	0	0	1	1	0	1
	4	35	35	4	0	0	0	0	0	0	20	20	2	0	1	1	0	0	0
Year	20/21	20	21	2	0	0	0	0	0	0	10	10	1	0	1	1	0	0	0
Episodes	F/N	262	1,327	401	10	70	79	31	17	7	121	622	170	45	220	197	53	25	19

Mean weekly incidence rate per 100,000 Persons.

Acute Laryngitis/Tracheitis (ICD10: J04)

			M									F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	
North East and Yorkshire	Quarter	1	0	3	1	0	0	0	0	0	0	4	2	0	0	1	0	0	0	0	
		2	24	17	4	0	0	1	1	0	0	8	10	1	0	0	0	0	0	0	
		3	36	13	1	0	0	0	0	0	2	8	5	2	0	1	0	0	0	0	
		4	58	52	8	0	0	0	0	0	0	28	20	2	0	1	1	0	0	0	
	Year	20/21	30	22	4	0	0	0	0	0	0	12	9	1	0	1	0	0	0	0	
	Episodes	F/N	31	117	56	2	6	10	4	1	1	13	48	17	1	24	17	1	2	0	
North West	Quarter	1	4	11	1	0	0	0	0	0	0	0	4	1	0	0	0	0	1	0	
		2	41	29	4	0	0	0	1	0	0	13	12	2	0	1	0	0	0	1	
		3	25	18	1	0	0	0	0	0	0	13	10	1	1	1	1	1	1	1	
		4	47	59	7	0	0	0	1	0	0	30	35	3	0	1	1	1	0	1	
	Year	20/21	30	30	3	0	0	0	0	0	0	14	15	2	0	1	1	1	0	1	
	Episodes	F/N	68	348	98	0	21	17	11	2	0	32	169	47	10	48	39	15	7	4	
East of England	Quarter	1	0	4	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
		2	13	6	1	0	0	0	0	0	0	6	9	0	0	0	0	0	0	0	
		3	13	14	0	0	0	0	0	0	0	7	5	0	0	0	0	0	1	0	
		4	12	18	2	0	1	0	0	0	0	19	10	1	0	1	0	0	0	0	
	Year	20/21	10	11	1	0	0	0	0	0	0	8	6	0	0	0	0	0	0	0	
	Episodes	F/N	6	34	8	0	4	4	0	0	0	5	19	3	1	8	2	2	1	0	
Midlands	Quarter	1	0	5	1	0	0	0	0	0	0	2	1	0	0	0	0	1	0	0	
		2	31	21	2	0	0	0	0	0	0	12	9	2	0	0	0	0	0	1	
		3	17	15	0	0	0	0	0	0	0	7	7	1	0	0	1	1	0	0	
		4	30	26	3	0	0	0	0	0	0	23	19	1	0	1	1	1	0	0	
	Year	20/21	20	17	2	0	0	0	0	0	0	12	9	1	0	1	1	1	0	0	
	Episodes	F/N	37	156	40	2	8	13	2	1	0	20	82	22	4	36	36	12	4	1	
London	Quarter	1	0	3	0	0	0	0	0	1	2	0	1	0	0	0	1	0	0	0	
		2	11	17	3	0	0	0	0	0	0	5	9	0	1	0	0	0	1	0	
		3	11	12	1	0	0	0	0	1	0	6	6	0	1	0	0	1	0	0	
		4	29	27	3	0	0	0	0	0	0	16	12	1	0	0	1	0	0	1	
	Year	20/21	13	15	2	0	0	0	0	0	0	7	7	0	0	0	1	0	0	0	
	Episodes	F/N	35	178	55	1	10	7	2	2	1	18	81	13	11	27	26	3	1	1	
South East	Quarter	1	8	4	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
		2	23	31	4	0	0	0	0	1	1	10	16	2	1	1	0	1	0	0	
		3	13	14	2	0	0	0	0	0	0	11	6	1	0	1	0	0	0	2	
		4	32	31	3	0	0	0	0	1	2	15	19	2	0	1	1	1	0	1	
	Year	20/21	19	20	3	0	0	0	0	0	1	9	11	1	0	1	1	1	0	1	
	Episodes	F/N	53	283	100	3	14	17	7	7	4	23	143	45	13	50	45	17	4	11	
South West	Quarter	1	2	12	0	0	0	0	1	0	1	0	1	0	0	0	0	0	0	0	
		2	26	38	4	0	0	0	0	0	0	5	13	2	0	0	0	0	0	0	
		3	14	20	1	0	0	0	0	0	0	5	10	1	0	0	1	0	0	0	
		4	30	26	1	0	0	0	0	1	0	14	14	1	0	1	1	0	0	0	
	Year	20/21	19	24	2	0	0	0	0	0	0	6	10	1	0	1	1	0	0	0	
	Episodes	F/N	32	211	44	2	7	11	5	4	1	10	80	23	5	27	32	3	6	2	

Mean weekly incidence rate per 100,000 Persons.

		Pleurisy (ICD10: R091)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	3	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	1
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1
	8	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Year	20/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Episodes	F/N	0	0	1	15	61	75	26	16	8	0	0	8	41	180	172	33	27	16

Mean weekly incidence rate per 100,000 Persons.

Pleurisy (ICD10: R.09)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0
		2	0	0	0	0	0	1	0	0	0	0	0	0	0	1	1	0	1	2
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	1
		4	0	0	0	0	0	0	1	0	0	0	0	0	1	1	1	0	0	0
	Year	20/21	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1
	Episodes	F/N	0	0	0	2	7	14	3	0	0	0	0	1	5	27	32	5	4	3
North West	Quarter	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	1	0
		2	0	0	0	0	0	0	1	1	0	0	0	0	0	1	1	0	1	1
		3	0	0	0	0	1	0	1	1	1	0	0	0	1	1	2	1	0	1
		4	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0
	Year	20/21	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1	1	0	0
	Episodes	F/N	0	0	0	6	22	23	10	7	2	0	0	5	13	56	61	13	7	3
East of England	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
		3	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	1	0	0
		4	0	0	0	0	0	0	0	2	0	0	0	0	0	0	1	0	0	0
	Year	20/21	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	0	0	0	2	1	0	3	0	0	0	0	2	3	9	2	0	1
Midlands	Quarter	1	0	0	0	0	0	0	0	0	2	0	0	0	0	1	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
		3	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	1
		4	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
	Year	20/21	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0
	Episodes	F/N	0	0	1	0	8	9	4	0	4	0	0	0	2	35	12	3	5	3
London	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0
	Year	20/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	0	0	0	4	2	0	0	1	0	0	2	5	19	9	2	0	0
South East	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Year	20/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	0	0	2	10	15	2	3	0	0	0	0	7	26	20	4	7	3
South West	Quarter	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	1
		3	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	Year	20/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	0	0	5	8	11	7	3	1	0	0	0	7	14	29	4	4	3

Mean weekly incidence rate per 100,000 Persons.

		Pneumonia and Pneumonitis (ICD10: J12 - J18)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	1	0	0	1	4	10	23	45	0	0	0	1	1	3	6	14	37
	2	1	0	0	0	1	3	9	23	48	0	0	0	0	1	2	7	14	40
	3	2	0	0	0	0	3	11	24	45	3	0	0	0	1	2	9	13	30
	4	1	0	1	0	1	4	12	23	50	0	0	0	0	1	2	7	16	40
	5	2	1	0	0	1	4	8	21	40	1	1	0	0	1	3	7	12	36
	6	1	1	1	0	1	5	10	27	57	0	0	1	0	1	4	9	18	38
	7	1	1	0	1	1	4	13	28	59	0	1	1	1	1	4	8	17	41
	8	0	1	0	0	1	4	11	22	50	2	1	0	0	1	3	7	15	43
	9	1	1	0	1	2	6	12	19	47	2	0	0	0	1	5	7	18	36
	10	1	1	0	1	2	7	10	24	51	1	0	0	1	1	4	10	18	52
	11	1	1	0	0	1	4	10	26	45	1	0	0	0	1	3	6	17	39
	12	0	1	0	0	1	3	10	15	53	0	0	0	0	1	3	7	16	34
	13	0	1	0	0	1	3	10	18	60	0	0	0	0	1	3	7	13	33
Quarter	1	1	0	0	0	1	3	10	23	46	1	0	0	0	1	2	7	14	35
	2	2	1	0	0	1	4	10	24	50	0	1	0	0	1	3	8	16	40
	3	1	1	0	1	1	5	12	21	51	2	1	0	0	1	4	8	17	40
	4	0	1	0	0	1	4	10	21	52	0	0	0	0	1	3	7	15	38
Year	20/21	1	1	0	0	1	4	10	22	50	1	0	0	0	1	3	7	15	38
Episodes	F/N	11	43	44	62	448	1,536	1,398	1,760	1,345	10	29	36	59	405	1,146	1,043	1,453	1,724

Mean weekly incidence rate per 100,000 Persons.

Pneumonia and Pneumonitis (ICD10: J12-J18)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	1	0	1	1	4	12	21	52	0	0	0	0	2	3	8	16	30
		2	0	0	1	1	1	6	12	22	50	0	1	0	0	1	4	9	13	54
		3	0	0	1	1	1	5	13	20	76	0	1	0	0	2	4	8	25	42
		4	0	1	0	1	2	5	12	23	66	0	1	0	1	1	3	8	18	38
	Year	20/21	0	1	0	1	1	5	12	22	61	0	1	0	0	2	4	8	18	41
	Episodes	F/N	0	3	5	11	45	180	170	170	156	0	3	2	3	50	125	120	171	175
North West	Quarter	1	2	0	1	0	1	5	13	28	65	2	0	0	1	1	3	11	19	38
		2	4	1	0	0	2	5	16	36	52	0	1	0	0	1	4	10	18	38
		3	0	0	0	0	2	7	17	28	59	2	0	0	0	2	5	10	21	40
		4	2	0	0	0	1	5	12	27	65	0	1	0	0	2	4	10	21	52
	Year	20/21	2	0	0	0	1	5	15	30	60	1	0	0	0	1	4	10	20	42
	Episodes	F/N	4	4	11	9	105	371	352	395	252	2	5	6	11	90	264	254	321	302
East of England	Quarter	1	0	0	0	0	0	2	9	22	31	0	0	0	0	0	2	4	11	39
		2	0	0	0	0	1	3	10	18	40	0	0	0	1	1	2	8	13	30
		3	0	1	0	1	1	5	5	18	32	0	0	0	1	0	2	7	16	33
		4	0	0	0	0	0	2	7	15	31	0	0	0	0	1	2	8	11	37
	Year	20/21	0	0	0	0	1	3	8	18	34	0	0	0	1	1	2	7	13	35
	Episodes	F/N	0	1	0	2	12	62	61	85	54	0	0	2	5	15	43	55	68	93
Midlands	Quarter	1	2	0	0	0	1	3	8	28	46	0	0	1	0	1	3	7	15	39
		2	0	0	0	0	1	4	10	25	50	0	0	0	1	1	3	8	16	41
		3	2	0	0	1	1	6	10	23	44	0	1	0	0	1	5	9	21	39
		4	0	1	0	1	1	4	8	25	42	0	0	0	0	1	4	6	17	35
	Year	20/21	1	0	0	0	1	4	9	25	45	0	0	0	0	1	4	7	17	38
	Episodes	F/N	2	3	4	10	57	237	186	315	183	0	2	6	7	49	195	160	255	260
London	Quarter	1	0	0	0	0	1	3	7	17	44	0	0	0	0	0	2	6	9	27
		2	2	1	0	0	1	4	8	16	44	0	1	1	0	1	3	6	19	26
		3	0	1	0	1	1	4	10	17	29	3	1	0	1	1	4	8	9	37
		4	0	1	0	1	1	3	8	18	42	0	0	0	0	1	2	7	15	30
	Year	20/21	0	1	0	0	1	3	8	17	40	1	1	0	0	1	3	7	13	30
	Episodes	F/N	1	10	6	12	86	180	96	99	84	2	7	7	10	60	119	83	98	104
South East	Quarter	1	2	1	0	0	1	3	10	20	45	3	1	0	0	1	2	6	13	37
		2	2	2	1	0	1	3	10	25	52	2	1	0	0	1	3	7	18	45
		3	0	1	0	0	2	5	11	22	47	3	1	0	1	1	4	7	14	46
		4	0	1	0	0	1	3	8	19	60	0	0	0	0	1	3	7	12	38
	Year	20/21	1	1	0	0	1	4	10	21	51	2	1	0	0	1	3	7	14	42
	Episodes	F/N	2	14	11	12	94	322	302	408	364	5	10	7	13	81	243	222	323	492
South West	Quarter	1	0	0	0	0	0	2	9	24	37	0	0	0	1	1	2	7	12	32
		2	2	1	1	0	1	3	7	18	51	0	0	1	1	1	2	6	11	37
		3	2	0	0	0	1	4	10	16	57	0	0	0	0	1	4	6	12	32
		4	0	2	0	0	1	3	10	16	44	2	0	0	0	1	2	4	13	33
	Year	20/21	1	1	0	0	1	3	9	18	47	1	0	0	0	1	3	6	12	33
	Episodes	F/N	2	8	7	6	49	184	231	288	252	1	2	6	10	60	157	149	217	298

Mean weekly incidence rate per 100,000 Persons.

		Respiratory System Diseases (ICD10: J00-J99)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	193	130	79	60	61	75	114	156	214	120	100	64	97	114	119	131	151	189
	2	184	143	134	104	83	87	125	170	255	141	103	104	144	144	133	137	157	204
	3	211	142	73	65	59	80	131	190	241	164	107	63	106	112	121	145	167	209
	4	288	182	79	66	60	81	133	191	269	239	135	87	122	113	117	139	178	222
	5	554	345	159	81	68	90	133	187	262	463	262	157	152	140	136	157	167	224
	6	718	368	133	87	78	105	160	221	316	504	270	130	168	166	170	184	213	294
	7	582	343	89	73	68	101	159	216	307	432	250	93	139	138	160	166	204	246
	8	500	374	103	71	71	100	158	200	298	432	273	105	136	142	154	163	191	234
	9	409	229	61	58	66	89	141	178	270	345	180	62	118	130	149	148	170	228
	10	337	193	56	63	69	98	138	190	267	252	155	64	119	131	153	156	173	262
	11	393	217	66	67	71	92	144	222	293	279	171	66	124	129	146	165	197	244
	12	606	406	105	66	72	90	143	187	283	457	305	108	130	139	138	161	180	226
	13	701	510	119	78	81	101	155	200	326	535	408	106	147	151	152	175	186	244
Quarter	1	200	143	92	75	67	81	124	173	239	147	104	77	116	122	124	137	160	204
	2	561	317	123	78	69	95	147	203	290	423	237	124	148	142	146	162	190	249
	3	439	282	78	65	68	96	149	192	283	367	213	80	127	135	153	158	182	236
	4	539	351	91	69	74	94	145	202	294	403	275	89	132	138	146	165	186	241
Year	20/21	438	276	96	72	70	92	141	193	277	338	209	92	131	135	142	156	180	233
Episodes	F/N	5,647	17,644	16,618	11,819	28,796	34,535	18,903	15,237	7,460	4,136	12,726	15,269	21,291	53,801	51,709	22,045	16,930	10,498

Mean weekly incidence rate per 100,000 Persons.

Respiratory System Diseases (ICD10: J00-J99)

			M									F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	
North East and Yorkshire	Quarter	1	218	166	101	90	72	87	138	193	290	162	110	93	140	142	141	151	172	241	
		2	620	330	129	96	82	112	164	226	347	516	228	129	179	184	176	199	217	301	
		3	533	327	91	63	76	109	164	208	317	404	233	87	154	167	174	181	215	254	
		4	616	402	106	71	88	108	173	223	323	506	261	93	155	166	172	177	219	269	
	Year	20/21	500	308	107	80	80	104	160	213	319	402	209	100	157	165	166	177	206	266	
	Episodes	F/N	517	1,668	1,614	1,128	2,697	3,740	2,244	1,678	814	423	1,081	1,458	2,165	5,378	5,810	2,597	1,957	1,138	
North West	Quarter	1	296	195	106	91	85	106	158	221	282	230	145	91	136	162	168	192	226	247	
		2	794	420	153	93	87	123	188	273	339	619	310	154	180	195	203	236	250	310	
		3	661	429	100	79	89	119	195	244	354	567	296	104	157	189	218	224	245	278	
		4	902	597	122	86	95	116	175	250	358	662	487	129	174	194	208	234	247	311	
	Year	20/21	671	416	120	87	89	116	179	247	334	524	315	120	162	186	200	222	242	287	
	Episodes	F/N	1,539	4,843	3,758	2,692	6,346	7,872	4,328	3,292	1,398	1,161	3,441	3,558	4,998	12,461	12,747	5,490	3,883	2,047	
East of England	Quarter	1	135	79	56	45	36	43	66	120	187	92	68	46	61	58	59	64	107	152	
		2	216	169	74	43	38	55	109	129	228	206	157	67	75	70	73	106	115	167	
		3	223	137	40	35	43	67	92	125	199	221	95	44	69	60	82	84	108	158	
		4	267	201	49	39	40	58	96	143	228	249	127	49	60	71	79	96	100	163	
	Year	20/21	211	147	55	40	39	56	91	129	211	192	112	51	66	65	74	88	107	160	
	Episodes	F/N	132	467	510	334	739	1,170	700	604	338	118	343	460	509	1,251	1,520	720	575	426	
Midlands	Quarter	1	179	131	94	71	66	74	115	169	234	129	100	75	120	128	124	131	136	211	
		2	453	285	110	82	73	93	146	204	256	410	209	126	162	153	146	153	182	252	
		3	404	232	73	65	64	94	139	186	248	373	197	78	135	149	153	157	181	234	
		4	468	294	86	64	75	95	136	198	266	369	260	86	131	148	139	156	184	229	
	Year	20/21	380	238	90	70	70	89	134	190	252	323	194	91	137	145	141	150	172	232	
	Episodes	F/N	705	2,195	2,254	1,676	3,742	4,897	2,756	2,381	1,014	557	1,701	2,156	3,075	7,441	7,413	3,217	2,547	1,568	
London	Quarter	1	155	123	93	60	55	79	124	155	243	128	91	73	92	98	112	133	148	207	
		2	462	295	130	66	51	79	126	176	279	341	246	122	117	103	129	131	196	225	
		3	392	246	82	63	52	83	138	165	213	285	198	72	104	94	134	154	175	224	
		4	421	300	96	65	58	82	147	185	286	340	223	82	106	104	122	167	180	250	
	Year	20/21	360	243	100	64	54	81	134	170	256	276	191	87	105	100	124	147	175	227	
	Episodes	F/N	951	2,864	2,798	1,679	5,316	4,318	1,529	987	542	698	2,170	2,320	2,992	9,238	5,871	1,819	1,313	789	
South East	Quarter	1	193	140	94	75	71	75	119	155	227	132	106	74	111	119	115	119	149	189	
		2	609	313	122	76	72	90	138	189	290	420	228	118	135	138	128	142	178	228	
		3	381	272	75	63	71	90	137	189	286	338	209	74	117	131	137	136	161	235	
		4	483	300	80	68	74	92	137	189	306	336	236	82	126	135	133	148	169	218	
	Year	20/21	418	258	92	70	72	87	133	181	278	307	196	87	122	131	128	137	164	218	
	Episodes	F/N	1,141	3,613	3,655	2,689	6,037	7,449	4,087	3,459	1,978	775	2,591	3,271	4,592	10,889	10,816	4,498	3,760	2,575	
South West	Quarter	1	189	124	78	76	71	77	114	170	213	116	79	74	125	123	109	129	148	183	
		2	535	296	107	76	73	88	130	182	271	324	211	112	159	141	133	138	162	234	
		3	368	230	65	65	72	92	140	176	287	287	176	78	130	139	137	138	161	227	
		4	450	256	74	70	75	89	133	195	261	279	206	76	126	129	129	143	165	230	
	Year	20/21	387	228	81	72	73	86	129	181	259	254	170	85	135	133	127	137	159	219	
	Episodes	F/N	662	1,994	2,029	1,621	3,919	5,089	3,259	2,836	1,376	404	1,399	2,046	2,960	7,143	7,532	3,704	2,895	1,955	

Mean weekly incidence rate per 100,000 Persons.

		Acute Sinusitis (ICD10: J01)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	0	1	2	5	7	7	4	1	0	0	1	4	11	18	16	9	5
	2	0	0	1	3	5	6	8	3	3	0	0	0	5	12	16	13	11	5
	3	1	0	1	3	5	6	8	5	4	0	0	0	5	13	16	16	11	5
	4	0	0	1	2	4	5	7	5	3	1	0	1	4	12	14	12	10	3
	5	2	0	2	4	6	9	9	7	2	0	0	2	8	20	20	17	13	5
	6	2	1	2	4	10	11	10	6	4	0	0	3	8	26	27	23	13	6
	7	0	1	1	3	7	9	9	9	3	1	0	2	7	20	27	19	13	5
	8	1	1	1	3	8	10	12	8	6	1	0	2	6	21	24	21	16	4
	9	1	1	1	3	7	8	10	7	3	1	1	1	6	21	26	20	11	3
	10	0	1	0	3	7	9	10	6	2	0	0	1	7	20	29	18	11	9
	11	0	0	1	3	7	9	12	10	6	0	0	1	7	19	25	22	17	7
	12	0	1	1	4	7	9	9	7	3	0	1	1	7	21	22	19	12	3
	13	0	1	1	3	8	10	9	8	4	0	2	1	7	20	23	21	11	5
Quarter	1	0	0	1	3	5	6	8	4	3	0	0	0	4	12	16	14	11	5
	2	1	0	2	3	7	9	9	6	3	0	0	2	7	20	22	18	13	5
	3	1	1	1	3	7	9	11	8	4	1	0	1	7	20	26	20	12	4
	4	0	1	1	3	7	9	10	8	4	0	1	1	7	20	24	20	13	5
Year	20/21	1	1	1	3	7	8	9	7	3	0	0	1	6	18	22	18	12	5
Episodes	F/N	7	34	177	492	2,710	3,102	1,243	524	92	4	25	204	1,034	7,283	8,015	2,570	1,152	220

Mean weekly incidence rate per 100,000 Persons.

Acute Sinusitis (ICD10: J01)

			M									F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	
North East and Yorkshire	Quarter	1	0	0	1	4	4	7	9	5	5	0	0	0	5	15	19	12	9	7	
		2	0	1	1	1	7	9	14	4	0	0	1	1	7	24	22	21	18	7	
		3	0	1	1	4	7	9	11	5	3	0	0	1	6	20	25	21	13	2	
		4	0	2	0	2	8	9	11	7	4	0	1	1	11	21	25	21	13	5	
	Year	20/21	0	1	1	3	7	8	11	5	3	0	0	1	7	20	23	19	13	5	
	Episodes	F/N	0	5	11	42	227	298	154	41	8	0	2	9	96	652	796	276	125	22	
North West	Quarter	1	0	0	1	3	7	9	13	6	6	0	0	0	6	19	24	24	15	6	
		2	2	0	3	4	10	12	12	11	1	2	0	3	12	31	34	29	18	5	
		3	0	2	1	3	11	12	15	11	7	0	1	3	9	33	40	28	20	7	
		4	0	1	1	3	12	11	13	7	8	0	2	2	10	34	37	31	19	6	
	Year	20/21	0	1	1	3	10	11	13	9	6	0	1	2	9	29	34	28	18	6	
	Episodes	F/N	1	12	42	105	716	749	318	117	23	1	8	63	292	1,977	2,164	694	291	42	
East of England	Quarter	1	0	0	0	1	3	2	3	5	0	0	0	0	1	7	7	5	10	3	
		2	0	1	0	3	4	5	5	4	3	0	0	1	3	11	11	5	5	0	
		3	7	0	0	2	3	5	6	7	0	0	0	0	1	12	16	11	8	3	
		4	0	0	1	1	3	5	8	2	0	0	1	1	3	11	14	11	6	4	
	Year	20/21	2	0	0	2	3	4	5	5	1	0	0	1	2	10	12	8	7	3	
	Episodes	F/N	1	1	3	16	64	90	41	22	1	0	1	5	16	191	245	65	39	7	
Midlands	Quarter	1	0	0	1	3	5	6	8	4	3	0	0	0	6	10	19	16	11	4	
		2	2	0	1	4	8	9	8	8	3	0	1	1	6	20	23	19	13	6	
		3	0	0	2	2	7	9	8	8	5	0	0	1	6	21	26	20	13	1	
		4	0	1	1	2	8	10	9	10	4	0	1	1	7	19	24	20	13	6	
	Year	20/21	1	0	1	3	7	8	8	7	4	0	1	1	6	18	23	19	12	4	
	Episodes	F/N	1	3	29	69	370	452	169	94	16	0	5	22	140	907	1,229	405	183	30	
London	Quarter	1	2	0	1	3	3	5	6	3	2	0	0	1	4	9	10	13	8	4	
		2	3	1	2	3	4	7	3	3	6	0	0	1	6	13	17	11	10	6	
		3	2	2	1	2	5	7	9	7	4	2	0	1	7	12	18	20	9	3	
		4	0	0	1	3	5	8	9	7	4	0	1	1	7	13	16	21	11	8	
	Year	20/21	2	1	1	3	4	7	7	5	4	0	0	1	6	12	15	17	9	5	
	Episodes	F/N	4	8	32	78	404	355	81	29	8	1	4	33	170	1,087	731	204	71	18	
South East	Quarter	1	0	0	1	2	5	4	7	4	2	0	0	1	4	11	15	10	9	4	
		2	0	1	1	3	8	9	8	6	4	0	0	3	6	21	19	15	9	5	
		3	0	1	1	3	7	9	10	8	5	0	1	1	7	21	25	16	10	5	
		4	0	0	1	4	7	9	8	10	5	0	1	1	5	21	22	18	14	6	
	Year	20/21	0	0	1	3	7	8	8	7	4	0	0	1	5	19	20	15	11	5	
	Episodes	F/N	0	4	43	112	570	682	260	132	27	0	5	52	203	1,553	1,706	486	246	59	
South West	Quarter	1	0	0	0	2	5	6	7	3	1	3	0	0	3	11	15	14	11	4	
		2	0	0	1	3	7	8	8	5	2	0	0	1	6	20	19	17	12	7	
		3	0	0	1	5	7	9	11	7	3	3	0	1	6	21	23	18	10	4	
		4	0	0	0	2	7	9	9	7	1	0	0	1	7	16	20	17	11	4	
	Year	20/21	0	0	1	3	7	8	9	6	2	1	0	1	5	17	19	16	11	5	
	Episodes	F/N	0	1	17	70	359	476	220	89	9	2	0	20	117	916	1,144	440	197	42	

Mean weekly incidence rate per 100,000 Persons.

		Strep Sore Throat, Scarletina and Peritonsillar Abscess (ICD10: A38,J020,J36)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	2	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	1	1	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0
	4	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	5	0	1	1	1	0	0	0	0	0	1	2	0	1	0	0	0	0	0
	6	1	1	0	1	0	0	0	0	0	0	1	0	1	0	0	0	0	0
	7	3	2	0	0	0	0	0	0	0	2	1	1	0	0	0	0	0	0
	8	0	3	1	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0
	9	2	2	0	1	0	0	0	0	0	0	2	0	0	0	0	0	0	0
	10	2	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0
	11	1	1	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
	12	3	2	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0
	13	0	2	0	0	0	0	0	0	0	1	2	0	1	0	0	0	0	0
Quarter	1	1	1	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
	2	0	1	0	1	0	0	0	0	0	1	1	0	1	0	0	0	0	0
	3	2	2	0	1	0	0	0	0	0	0	2	1	0	0	0	0	0	0
	4	1	2	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0
Year	20/21	1	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Episodes	F/N	14	90	58	75	96	44	9	6	0	6	82	70	69	110	37	12	7	2

Mean weekly incidence rate per 100,000 Persons.

Strep Sore Throat, Scarlatina and Peritonsillar Abscess (ICD10: A38,J020,J36)

			M									F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	
North East and Yorkshire	Quarter	1	0	0	1	0	0	0	0	1	0	0	2	0	0	0	0	1	0	0	
		2	0	1	1	1	0	0	0	0	0	0	4	0	0	0	0	0	0	0	
		3	0	4	1	0	1	0	0	0	0	0	2	1	0	0	0	0	0	0	
		4	0	2	1	0	0	1	0	0	0	0	0	1	2	0	0	0	0	0	
	Year	20/21	0	2	1	0	0	0	0	0	0	0	2	0	1	0	0	0	0	0	
	Episodes	F/N	0	9	9	7	13	8	1	2	0	0	10	5	11	8	5	3	0	0	
North West	Quarter	1	2	1	0	1	0	0	0	0	0	4	1	1	1	0	0	0	0	0	
		2	0	2	0	0	0	0	0	0	0	4	1	0	0	0	0	0	0	0	
		3	0	2	1	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	
		4	3	3	0	0	0	0	0	0	0	2	3	1	1	0	0	0	0	0	
	Year	20/21	1	2	0	0	0	0	0	0	0	2	2	1	0	0	0	0	0	0	
	Episodes	F/N	3	24	15	15	14	8	1	1	0	5	19	20	14	25	6	2	2	0	
East of England	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
		2	0	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	0	0	
		3	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Year	20/21	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	
	Episodes	F/N	0	0	1	0	1	2	0	0	0	0	5	1	2	1	0	1	0	0	
Midlands	Quarter	1	0	1	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
		2	0	1	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	
		3	0	1	0	1	0	0	0	0	0	0	3	1	0	0	0	0	0	0	
		4	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	1	
	Year	20/21	0	1	0	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	
	Episodes	F/N	0	9	9	13	12	7	0	0	0	0	13	13	7	17	6	0	0	1	
London	Quarter	1	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	
		2	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
		3	5	1	0	1	0	0	0	0	0	2	1	0	0	0	0	0	1	0	
		4	1	1	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	
	Year	20/21	2	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
	Episodes	F/N	4	9	2	8	17	7	0	1	0	1	10	6	12	14	9	0	2	0	
South East	Quarter	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		2	2	0	1	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
		3	3	4	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0	0	
		4	0	3	0	1	0	0	0	0	0	0	2	0	0	0	0	0	0	0	
	Year	20/21	1	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
	Episodes	F/N	3	28	16	19	22	6	2	0	0	0	13	14	14	17	7	4	2	0	
South West	Quarter	1	2	0	0	1	0	0	0	0	0	0	2	1	1	0	0	0	0	0	
		2	0	1	0	0	0	0	0	0	0	0	2	0	1	1	0	0	0	0	
		3	2	2	0	1	0	0	1	0	0	0	1	0	1	0	0	0	0	0	
		4	4	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
	Year	20/21	2	1	0	1	0	0	0	0	0	0	1	0	0	1	0	0	0	0	
	Episodes	F/N	4	11	6	13	17	6	5	2	0	0	12	11	9	28	4	2	1	1	

Mean weekly incidence rate per 100,000 Persons.

		Acute Tonsillitis/Pharyngitis (ICD10: J02-J03)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	27	32	13	13	6	2	1	1	1	15	30	15	27	14	5	2	1	0
	2	11	36	12	13	6	2	1	2	1	9	31	16	33	15	5	2	2	0
	3	31	35	13	15	7	2	1	1	1	12	29	14	40	18	5	2	1	0
	4	21	36	11	18	6	2	1	1	0	21	29	18	49	17	5	2	1	1
	5	22	44	32	23	8	2	1	1	1	24	35	45	59	21	5	2	1	1
	6	27	44	23	22	7	2	1	0	0	24	40	32	62	20	6	3	1	1
	7	25	44	16	21	8	2	1	0	1	26	41	22	53	20	5	2	1	1
	8	31	55	21	21	7	2	1	1	1	20	45	30	49	20	5	1	1	1
	9	27	41	14	17	8	2	1	2	0	23	35	18	46	19	5	2	1	0
	10	31	39	12	15	7	2	1	1	0	20	39	18	41	17	5	2	1	0
	11	37	46	11	15	7	2	1	1	1	26	38	17	40	16	5	2	1	0
	12	34	54	20	14	6	2	1	0	2	14	45	31	44	18	4	2	1	1
	13	48	68	21	21	7	2	0	1	0	27	54	25	49	18	6	2	2	2
Quarter	1	22	35	12	14	7	2	1	1	1	12	30	16	34	16	5	2	1	0
	2	25	42	22	22	7	2	1	1	1	25	36	31	57	20	5	2	1	1
	3	27	45	16	18	7	2	1	1	1	22	39	22	47	20	5	2	1	0
	4	39	53	17	17	7	2	1	1	1	22	45	24	44	17	5	2	1	1
Year	20/21	28	44	17	18	7	2	1	1	1	20	38	23	46	18	5	2	1	1
Episodes	F/N	367	2,821	2,901	2,907	2,873	753	130	67	24	247	2,293	3,821	7,431	7,195	1,843	271	109	27

Mean weekly incidence rate per 100,000 Persons.

Acute Tonsillitis/Pharyngitis (ICD10: J02-J03)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	20	43	14	17	7	1	1	0	0	24	32	22	45	16	5	2	1	0
		2	20	42	24	26	8	3	1	0	2	20	32	31	73	23	6	2	1	1
		3	59	52	17	17	9	2	1	1	0	34	55	28	62	23	5	2	0	1
		4	40	64	20	17	8	1	0	0	0	41	47	26	57	18	7	2	3	0
	Year	20/21	35	50	19	19	8	2	1	0	0	30	42	27	59	20	6	2	1	0
	Episodes	F/N	36	273	281	270	269	74	13	3	1	32	216	389	819	651	202	29	14	2
North West	Quarter	1	31	45	17	20	8	3	2	2	3	17	38	24	44	23	6	3	3	2
		2	55	56	29	29	10	3	2	1	0	57	50	47	69	29	7	4	2	1
		3	39	72	24	24	9	2	2	2	0	24	58	35	63	30	8	3	2	0
		4	47	94	26	25	9	2	1	0	0	30	81	38	66	27	8	3	1	3
	Year	20/21	43	68	24	24	9	3	2	1	1	32	58	36	61	27	7	3	2	1
	Episodes	F/N	99	786	761	756	629	172	45	13	3	71	629	1,068	1,869	1,823	470	81	30	9
East of England	Quarter	1	32	26	4	10	4	1	0	0	0	20	24	7	16	7	3	1	0	0
		2	25	30	10	12	4	1	1	0	3	26	34	13	25	6	2	3	0	0
		3	26	23	6	10	5	1	0	0	2	20	9	9	24	8	3	1	0	2
		4	62	24	6	8	3	2	0	0	0	6	33	13	23	8	2	1	1	0
	Year	20/21	37	26	7	10	4	1	0	0	1	18	25	10	22	7	3	2	0	0
	Episodes	F/N	23	82	62	82	73	23	3	0	2	11	78	93	172	140	53	13	1	1
Midlands	Quarter	1	14	31	13	15	8	2	1	1	0	2	39	17	36	21	7	3	2	0
		2	22	41	24	23	8	3	1	0	1	29	35	38	71	26	6	4	2	2
		3	35	43	21	22	7	3	1	2	1	28	46	25	57	25	5	2	1	1
		4	42	45	18	18	7	2	1	1	1	23	49	27	48	20	6	3	1	3
	Year	20/21	29	40	19	20	7	2	1	1	1	21	43	27	53	23	6	3	2	1
	Episodes	F/N	53	371	476	468	398	125	20	15	3	36	374	636	1,188	1,159	307	59	24	9
London	Quarter	1	21	34	10	8	5	2	1	0	0	10	24	11	22	12	5	2	1	0
		2	11	37	16	16	6	3	1	1	0	11	35	23	36	14	5	2	1	0
		3	17	33	10	13	6	2	1	1	0	14	28	14	30	14	7	2	1	1
		4	35	41	13	11	5	2	0	1	2	13	34	15	24	11	5	2	2	0
	Year	20/21	21	36	12	12	6	2	1	1	0	12	30	16	28	13	5	2	1	0
	Episodes	F/N	56	428	344	311	562	111	9	4	1	31	346	417	798	1,190	257	23	8	1
South East	Quarter	1	20	35	13	12	6	1	1	1	1	10	28	13	31	13	3	1	2	0
		2	24	42	23	21	6	2	0	1	1	18	35	26	55	18	5	1	1	0
		3	16	43	16	18	7	2	1	1	2	19	36	18	41	17	4	2	0	0
		4	31	48	13	14	7	2	1	1	1	21	31	22	41	15	4	1	1	0
	Year	20/21	23	42	16	16	6	2	1	1	1	17	32	19	42	16	4	1	1	0
	Episodes	F/N	63	590	631	619	537	147	19	18	8	43	428	734	1,579	1,304	321	41	25	3
South West	Quarter	1	19	24	9	15	7	2	1	2	1	11	20	16	39	16	4	1	0	0
		2	12	34	18	20	8	2	1	1	1	8	24	26	59	20	5	1	1	1
		3	17	36	13	18	9	2	1	0	1	23	28	22	45	18	3	1	0	0
		4	37	38	15	18	7	2	1	1	2	16	35	17	41	16	4	1	0	0
	Year	20/21	22	33	14	18	8	2	1	1	1	14	27	20	46	17	4	1	0	0
	Episodes	F/N	37	291	346	401	405	101	21	14	6	23	222	484	1,006	928	233	25	7	2

Mean weekly incidence rate per 100,000 Persons.

		Upper Respiratory Tract Infections (ICD10: J00-J06)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	124	73	22	20	16	12	15	8	8	81	61	25	37	35	32	23	18	13
	2	104	75	22	21	16	12	13	9	8	87	62	28	46	36	28	19	19	10
	3	141	90	25	23	15	13	14	12	9	115	71	25	53	41	28	23	20	10
	4	199	122	29	27	16	12	13	11	10	190	95	36	64	41	28	19	18	11
	5	430	226	90	39	23	18	17	15	7	385	187	96	89	59	36	28	24	16
	6	511	225	66	40	26	22	21	16	21	380	182	73	94	70	50	36	28	20
	7	420	214	35	31	21	18	17	16	16	339	167	45	73	54	46	29	25	15
	8	369	228	46	32	22	20	22	17	18	331	184	54	70	56	42	31	25	15
	9	306	150	29	26	21	18	19	14	11	271	121	30	64	53	44	32	22	12
	10	236	128	20	24	20	17	17	13	7	174	106	29	60	50	44	28	19	16
	11	296	149	24	23	19	15	17	18	16	212	124	28	57	46	39	31	24	14
	12	464	296	49	25	20	16	17	12	11	368	226	60	63	54	36	30	22	13
	13	536	359	50	30	22	18	16	15	15	430	297	51	71	53	40	32	21	14
Quarter	1	127	83	23	22	16	12	14	9	9	99	66	27	46	38	29	21	19	12
	2	411	202	60	35	22	18	18	14	13	338	165	68	83	58	40	29	24	16
	3	322	178	35	28	21	18	19	15	13	280	143	40	66	54	44	31	22	14
	4	408	248	37	26	20	17	16	15	14	315	201	44	64	51	39	30	22	14
Year	20/21	320	180	39	28	20	16	17	13	12	261	145	45	65	50	38	28	22	14
Episodes	F/N	4,123	11,504	6,743	4,578	8,187	6,115	2,249	1,062	329	3,190	8,823	7,374	10,556	20,037	13,818	3,962	2,059	626

Mean weekly incidence rate per 100,000 Persons.

Upper Respiratory Tract Infections (ICD10: J00-J06)

			M									F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	
North East and Yorkshire	Quarter	1	151	94	25	26	15	13	15	8	10	105	67	35	57	45	35	21	17	21	
		2	433	209	65	39	24	19	24	13	8	372	146	68	97	71	43	35	31	24	
		3	363	210	39	29	24	18	21	11	11	317	152	47	82	61	44	35	27	14	
		4	465	280	54	29	24	16	15	15	10	423	195	50	89	56	43	28	23	11	
	Year	20/21	356	200	46	31	22	16	19	12	10	310	141	50	82	58	41	30	25	17	
	Episodes	F/N	368	1,083	692	434	734	588	265	93	25	326	730	725	1,125	1,901	1,448	434	233	74	
North West	Quarter	1	180	123	33	30	23	20	21	14	16	153	97	38	61	56	43	34	32	19	
		2	576	274	77	46	29	26	26	23	16	509	226	91	102	86	61	46	35	21	
		3	509	285	47	37	30	24	26	20	12	446	215	61	88	84	68	44	38	18	
		4	692	440	58	37	31	22	24	16	23	523	372	75	93	84	61	49	32	22	
	Year	20/21	496	285	54	37	28	23	24	18	17	412	232	67	86	78	59	44	34	20	
	Episodes	F/N	1,137	3,316	1,699	1,155	2,001	1,541	592	242	71	912	2,531	1,980	2,664	5,218	3,734	1,077	547	142	
Midlands	Quarter	1	110	77	26	24	18	11	14	9	11	84	66	26	51	42	33	24	19	8	
		2	327	177	55	38	24	17	18	13	12	328	138	74	96	64	41	31	26	20	
		3	281	143	36	29	20	19	19	16	14	262	130	42	76	61	45	31	23	10	
		4	355	198	36	27	21	17	17	17	12	281	185	47	68	54	40	31	22	19	
	Year	20/21	272	150	38	30	21	16	17	14	12	242	132	47	73	55	40	29	22	14	
	Episodes	F/N	504	1,387	955	713	1,108	880	346	177	49	416	1,158	1,123	1,632	2,828	2,094	633	333	97	
London	Quarter	1	102	72	20	16	12	11	12	9	10	101	55	21	33	29	22	24	17	15	
		2	359	189	72	30	17	17	10	12	11	281	181	71	60	41	38	24	27	20	
		3	296	159	34	22	16	19	21	14	15	225	132	33	50	36	38	35	20	12	
		4	319	219	36	19	15	15	16	15	20	266	165	36	41	34	33	34	22	16	
	Year	20/21	271	162	40	22	15	16	15	13	14	220	135	40	46	35	33	29	22	16	
	Episodes	F/N	716	1,904	1,130	570	1,466	833	172	73	30	556	1,529	1,077	1,316	3,236	1,548	360	163	55	
South East	Quarter	1	125	77	22	17	15	9	11	7	6	83	65	23	42	31	25	16	15	10	
		2	443	196	58	32	20	16	15	14	11	339	162	60	77	56	33	24	19	12	
		3	266	160	33	27	21	16	16	16	18	255	137	31	59	49	38	25	18	17	
		4	372	208	29	23	19	16	14	16	15	253	166	36	57	48	33	25	22	12	
	Year	20/21	304	162	35	25	19	14	14	13	13	233	134	38	59	46	33	22	18	13	
	Episodes	F/N	828	2,263	1,400	959	1,584	1,240	433	254	92	587	1,766	1,420	2,202	3,853	2,740	740	423	152	
South West	Quarter	1	118	69	16	22	16	11	12	10	6	67	48	26	49	38	26	18	17	7	
		2	395	189	46	34	23	16	15	13	12	244	131	54	86	56	33	23	19	13	
		3	284	143	25	31	23	16	18	15	11	221	111	35	62	51	37	24	14	12	
		4	316	172	27	25	20	15	14	12	8	223	138	30	57	45	31	24	17	8	
	Year	20/21	280	145	29	28	20	14	15	12	9	191	108	36	63	48	32	22	17	10	
	Episodes	F/N	478	1,267	718	628	1,093	849	374	195	49	304	893	870	1,388	2,554	1,883	601	306	88	
East of England	Quarter	1	77	48	9	12	9	5	7	7	0	72	43	15	22	16	14	7	13	5	
		2	159	100	23	18	12	10	7	4	25	167	100	32	36	26	16	16	9	9	
		3	144	81	16	14	12	9	12	8	7	154	52	16	32	26	22	17	10	8	
		4	205	126	15	14	10	11	9	5	0	185	86	18	29	25	20	17	8	6	
	Year	20/21	147	90	16	14	11	9	9	6	8	145	70	20	30	23	18	14	10	7	
	Episodes	F/N	92	284	149	119	201	184	67	28	13	89	216	179	229	447	371	117	54	18	

Mean weekly incidence rate per 100,000 Persons.

		Pertussis (ICD10: A37)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.1	0.4	0.1	0.0	0.0	0.0
	2	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0
	3	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0
	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0
	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0
	6	1.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.2	0.0	0.0	0.0	0.0
	7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
	8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.0	0.0	0.0	0.0
	9	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
	10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.3
	11	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
	12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
	13	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
Quarter	1	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.2	0.1	0.0	0.0	0.0
	2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.0	0.1	0.2	0.0	0.0	0.0	0.0
	3	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0
	4	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1
Year	20/21	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0
Episodes	F/N	3.0	2.0	1.0	3.0	3.0	2.0	0.0	0.0	0.0	1.0	2.0	5.0	8.0	60.0	6.0	0.0	0.0	1.0

Mean weekly incidence rate per 100,000 Persons.

			Pertussis (ICD10: A37)																		
			M									F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	
North East and Yorkshire	Quarter	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	
		2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	
		3	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	0.0	0.0	0.0	0.0
		4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Year	20/21	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0
	Episodes	F/N	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	2.0	1.0	0.0	0.0	0.0
North West	Quarter	1	1.8	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.0	0.0	0.0	0.0
		2	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0
		3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
		4	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
	Year	20/21	0.9	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0
	Episodes	F/N	2.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	2.0	9.0	0.0	0.0	0.0	0.0
East of England	Quarter	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0
		2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0
	Year	20/21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
	Episodes	F/N	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0
Midlands	Quarter	1	2.3	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.2	0.0	0.1	0.1	0.0	0.0	0.0
		2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0
		3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		4	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.5
	Year	20/21	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.1
	Episodes	F/N	1.0	1.0	0.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	0.0	7.0	1.0	0.0	0.0	1.0
London	Quarter	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.0	0.0	0.0	0.0
		2	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.0	0.0	0.0	0.0
		3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.4	0.0	0.0	0.0	0.0
		4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Year	20/21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.0	0.0	0.0	0.0
	Episodes	F/N	0.0	0.0	1.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	4.0	27.0	0.0	0.0	0.0	0.0
South East	Quarter	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.0
		2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	0.1	0.0	0.0	0.0	0.0
		3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
		4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0
	Year	20/21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0
	Episodes	F/N	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.0	2.0	8.0	3.0	0.0	0.0	0.0
South West	Quarter	1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0
		2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0
		3	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
		4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Year	20/21	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
	Episodes	F/N	0.0	1.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	1.0	0.0	0.0	0.0

Mean weekly incidence rate per 100,000 Persons.

		Infectious Mononucleosis (ICD10: B27)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	2	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	4	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	5	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	6	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	7	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	8	0	0	0	1	0	0	0	0	0	0	0	0	2	0	0	0	0	0
	9	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	10	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	11	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	12	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	13	0	0	0	1	0	0	0	0	0	0	0	0	2	0	0	0	0	0
Quarter	1	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	2	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	3	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	4	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Year	20/21	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Episodes	F/N	0	2	22	140	50	9	1	0	0	0	4	26	166	76	14	3	1	0

Mean weekly incidence rate per 100,000 Persons.

Infectious Mononucleosis (ICD10: B27)

			M									F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	
North East and Yorkshire	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		2	0	0	0	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
		3	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
		4	0	0	1	1	0	0	0	0	0	0	0	1	2	0	0	0	0	0	
	Year	20/21	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
	Episodes	F/N	0	0	7	14	4	1	0	0	0	0	0	2	17	5	5	0	0	0	
North West	Quarter	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		2	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
		3	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
		4	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
	Year	20/21	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
	Episodes	F/N	0	1	1	29	5	3	0	0	0	0	0	7	30	14	1	2	0	0	
East of England	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
		2	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
		3	0	0	0	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
		4	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Year	20/21	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
	Episodes	F/N	0	1	0	7	2	0	0	0	0	0	0	0	5	1	1	0	0	0	
Midlands	Quarter	1	0	0	0	1	0	0	0	0	0	0	0	0	2	0	0	0	0	0	
		2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
		3	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
		4	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
	Year	20/21	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
	Episodes	F/N	0	0	5	23	8	1	0	0	0	0	0	5	29	6	1	0	0	0	
London	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		2	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
		3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
		4	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
	Year	20/21	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
	Episodes	F/N	0	0	2	9	10	1	0	0	0	0	2	2	22	19	0	0	0	0	
South East	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
		2	0	0	0	1	0	0	0	0	0	0	0	0	2	0	0	0	0	0	
		3	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
		4	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
	Year	20/21	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
	Episodes	F/N	0	0	7	32	8	1	1	0	0	0	2	4	34	13	3	1	0	0	
South West	Quarter	1	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
		2	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
		3	0	0	0	2	0	0	0	0	0	0	0	0	2	1	0	0	0	0	
		4	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
	Year	20/21	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
	Episodes	F/N	0	0	0	26	13	2	0	0	0	0	0	6	29	18	3	0	1	0	

Mean weekly incidence rate per 100,000 Persons.

		Lower Respiratory Tract Infections (ICD10: J20-J22)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	15	6	2	2	5	14	33	66	118	10	5	2	4	8	18	35	53	100
	2	14	3	2	2	5	13	34	62	136	5	3	1	2	6	16	33	52	102
	3	16	14	2	2	4	13	38	71	121	12	6	1	3	5	16	35	52	103
	4	33	21	3	1	4	13	34	71	131	14	11	2	4	7	16	31	55	108
	5	94	62	14	5	6	17	37	65	133	50	33	9	7	14	24	41	57	112
	6	138	53	10	7	10	23	45	85	169	75	29	8	12	20	34	51	76	163
	7	129	48	6	5	7	21	46	82	164	50	30	4	7	14	29	44	69	130
	8	79	53	7	3	7	18	42	74	157	54	30	5	7	14	27	40	63	126
	9	74	29	3	4	9	21	45	72	157	39	20	2	6	15	31	44	69	128
	10	46	22	2	4	8	22	36	72	146	30	13	1	6	13	27	40	61	142
	11	53	25	2	3	6	15	35	76	136	29	16	1	5	10	21	36	63	119
	12	119	79	9	3	8	16	40	61	142	72	42	7	6	14	24	42	60	111
	13	123	88	12	4	9	17	42	70	161	85	63	6	8	15	27	42	60	110
Quarter	1	16	9	2	2	4	13	35	66	125	10	5	1	3	6	16	34	53	102
	2	101	49	9	5	7	19	41	77	149	49	27	6	8	14	26	41	65	132
	3	78	37	4	4	8	20	43	73	156	44	22	3	6	14	29	43	66	128
	4	91	58	7	3	8	17	39	69	146	58	37	4	6	13	24	40	61	117
Year	20/21	72	39	5	3	7	17	39	71	144	41	23	4	6	12	24	40	61	120
Episodes	F/N	932	2,479	953	561	2,788	6,510	5,255	5,623	3,881	499	1,407	601	966	4,797	8,724	5,609	5,749	5,399

Mean weekly incidence rate per 100,000 Persons.

Lower Respiratory Tract Infections (ICD10: J20-J22)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	4	7	2	4	7	18	39	79	159	16	3	1	4	10	25	46	66	117
		2	95	42	13	7	12	29	51	93	174	72	27	6	12	25	41	68	84	168
		3	134	44	8	7	8	25	53	83	199	38	21	4	7	21	39	58	85	143
		4	115	78	11	4	12	24	56	80	197	65	35	4	9	19	36	50	84	132
	Year	20/21	88	43	9	6	10	24	50	84	183	48	22	4	8	19	35	55	80	140
	Episodes	F/N	91	235	129	79	326	856	701	661	465	51	112	54	112	609	1,235	811	760	599
North West	Quarter	1	36	16	4	3	7	21	51	93	165	15	9	2	4	11	29	56	86	131
		2	143	65	12	6	12	31	61	114	185	68	37	9	13	24	48	72	100	166
		3	110	54	7	5	13	30	68	105	212	68	34	4	10	24	51	77	100	159
		4	149	100	12	5	12	25	52	98	190	103	72	8	8	25	44	69	97	166
	Year	20/21	111	60	9	5	11	27	58	102	189	65	39	6	9	21	43	69	96	156
	Episodes	F/N	254	696	275	154	800	1,828	1,397	1,363	788	143	425	176	270	1,427	2,750	1,700	1,536	1,111
East of England	Quarter	1	0	6	0	2	2	8	20	50	91	0	1	0	0	3	5	13	29	72
		2	44	14	2	4	5	10	29	48	105	26	14	2	5	8	11	22	41	87
		3	39	22	2	2	5	16	20	47	107	60	15	1	2	4	10	19	44	84
		4	56	29	2	2	4	9	22	44	98	45	15	3	5	7	7	25	31	78
	Year	20/21	35	18	1	2	4	11	23	47	100	33	11	1	3	6	8	20	37	80
	Episodes	F/N	22	57	14	20	74	223	175	219	161	20	35	13	24	107	171	161	196	214
Midlands	Quarter	1	11	6	2	2	4	13	34	69	125	10	5	2	2	8	18	34	48	115
		2	93	45	7	5	8	17	41	85	149	53	24	7	10	17	28	38	62	159
		3	93	39	3	3	9	21	38	73	145	55	23	2	6	18	31	41	70	140
		4	84	54	7	3	10	20	39	75	123	58	37	5	8	17	23	41	65	120
	Year	20/21	71	37	5	3	8	18	38	75	135	45	23	4	6	15	25	39	62	133
	Episodes	F/N	132	340	119	79	407	982	776	948	545	77	199	94	145	778	1,323	833	913	900
London	Quarter	1	10	6	2	1	2	10	27	49	116	2	3	1	2	2	11	23	45	80
		2	66	36	8	3	4	12	32	67	124	26	20	4	5	6	16	23	54	88
		3	47	25	3	3	4	15	32	55	103	29	18	2	5	7	22	35	55	113
		4	65	42	5	3	4	10	32	54	123	41	23	3	3	5	14	31	43	99
	Year	20/21	47	28	4	3	4	12	31	56	117	25	16	3	4	5	16	28	49	95
	Episodes	F/N	125	327	123	67	362	633	354	325	247	63	181	69	108	488	749	350	370	330
South East	Quarter	1	21	7	1	2	4	10	30	54	118	13	5	1	2	6	13	26	42	92
		2	112	54	9	4	6	14	34	63	142	46	31	5	6	11	18	28	55	121
		3	74	34	4	3	7	16	34	65	139	43	22	3	6	11	21	32	49	124
		4	76	49	5	2	6	13	31	60	151	46	32	3	5	10	18	30	47	102
	Year	20/21	71	36	5	3	6	13	32	61	138	37	23	3	5	9	17	29	48	110
	Episodes	F/N	194	509	182	101	483	1,142	993	1,161	980	94	300	122	178	789	1,448	961	1,107	1,297
South West	Quarter	1	12	14	1	1	5	11	31	61	103	8	3	1	3	6	11	28	42	90
		2	113	56	9	4	6	15	31	60	143	52	27	6	8	14	19	31	47	113
		3	55	35	5	4	6	17	40	63	157	25	18	3	7	13	20	32	52	114
		4	84	38	3	2	7	14	34	58	119	41	26	2	5	11	20	27	48	107
	Year	20/21	67	36	4	3	6	14	34	60	131	32	19	3	6	11	18	29	48	106
	Episodes	F/N	114	315	111	61	336	846	859	946	695	51	155	73	129	599	1,048	793	867	948

Mean weekly incidence rate per 100,000 Persons.

		Acute Otitis Media (ICD10: H650-H651,H660,H669)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	4	2	1	0	0	0	0	0	1	0	3	1	0	0	0	0	1	0
	2	3	3	1	1	0	0	0	0	1	3	1	1	1	1	0	0	0	0
	3	4	2	1	0	0	0	0	0	0	3	2	1	0	0	0	0	0	0
	4	4	3	2	1	0	0	0	1	0	5	2	1	0	1	0	0	0	0
	5	4	3	1	1	0	0	0	0	0	10	2	2	1	1	1	0	0	0
	6	7	6	2	0	1	0	1	0	0	11	5	2	1	1	0	1	0	0
	7	7	4	1	0	0	0	1	1	0	5	2	1	0	1	0	0	1	1
	8	4	5	1	0	0	1	1	0	0	6	3	1	1	1	0	1	0	1
	9	3	2	1	1	0	0	1	0	0	4	2	1	1	0	0	0	0	0
	10	4	3	0	0	0	0	0	0	0	1	3	1	1	1	0	0	0	1
	11	4	4	1	0	0	0	0	0	0	6	2	1	1	1	0	0	1	0
	12	6	4	1	0	0	0	0	0	0	1	6	1	0	0	0	0	0	1
	13	11	4	1	0	0	0	0	1	0	6	5	1	0	1	1	0	0	0
Quarter	1	4	2	1	0	0	0	0	0	1	2	2	1	0	0	0	0	1	0
	2	6	4	2	1	0	0	0	0	0	9	3	1	1	1	0	0	0	0
	3	4	4	1	0	0	0	1	0	0	4	2	1	1	1	0	0	0	0
	4	7	4	1	0	0	0	0	0	0	4	4	1	1	1	0	0	0	0
Year	20/21	5	3	1	0	0	0	0	0	0	5	3	1	1	1	0	0	0	0
Episodes	F/N	66	223	197	71	153	100	62	23	6	60	172	187	100	232	153	48	35	14

Mean weekly incidence rate per 100,000 Persons.

Acute Otitis Media (ICD10: H650-H651,H660,H669)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	4	1	0	0	0	0	1	0	0	3	0	1	0	1	0	0	0
		2	4	5	4	1	0	0	1	1	0	8	5	1	2	1	0	0	0	0
		3	0	8	3	1	0	0	1	0	0	8	2	1	0	1	1	1	0	0
		4	7	5	2	1	0	0	0	0	0	3	5	2	2	1	1	0	1	0
	Year	20/21	3	5	3	0	0	0	1	0	0	5	4	1	1	1	1	0	0	0
	Episodes	F/N	3	29	40	7	10	10	9	3	0	5	20	18	16	24	21	4	4	0
North West	Quarter	1	4	1	2	0	1	0	1	0	1	4	2	2	0	0	0	0	1	1
		2	12	4	2	1	1	0	0	1	1	13	4	2	1	1	1	1	0	1
		3	11	5	2	1	0	0	0	1	0	9	4	2	1	1	0	0	0	0
		4	11	7	1	0	0	0	0	1	0	8	7	3	1	1	0	1	0	0
	Year	20/21	10	4	2	1	1	0	0	0	0	9	4	2	1	1	1	0	0	0
	Episodes	F/N	22	51	54	17	37	28	10	6	2	19	49	63	23	46	32	11	7	3
East of England	Quarter	1	6	3	1	0	0	0	1	0	0	0	1	1	0	0	0	0	0	0
		2	0	5	1	0	0	0	0	0	0	6	0	2	0	1	0	0	1	0
		3	0	1	1	0	0	1	1	1	0	0	0	1	2	0	0	1	0	0
		4	0	2	1	1	0	0	0	0	0	6	1	1	0	0	1	0	0	0
	Year	20/21	2	3	1	0	0	0	0	0	0	3	1	1	0	0	0	0	0	0
	Episodes	F/N	1	9	9	3	1	5	3	1	0	2	2	11	3	7	5	3	1	0
Midlands	Quarter	1	2	2	1	1	0	0	0	0	2	5	2	1	0	1	1	0	1	0
		2	4	1	1	0	0	0	1	1	0	5	4	2	1	0	1	0	0	0
		3	2	0	0	0	1	0	0	0	0	5	2	1	0	1	0	1	0	0
		4	12	2	1	0	0	0	0	0	0	2	3	0	1	0	0	0	0	1
	Year	20/21	5	1	1	0	0	0	0	0	0	4	3	1	0	1	0	0	0	0
	Episodes	F/N	10	12	17	8	17	11	8	3	2	7	24	22	11	32	22	7	5	1
London	Quarter	1	2	2	0	1	0	0	0	1	0	2	1	0	0	0	0	0	0	0
		2	0	2	2	0	0	0	0	0	0	5	2	1	0	0	1	0	1	0
		3	3	4	1	1	0	0	0	0	0	0	2	1	0	0	0	1	1	0
		4	0	3	0	0	0	0	1	0	0	0	3	1	0	1	0	0	0	1
	Year	20/21	1	3	1	0	0	0	0	0	0	2	2	1	0	0	0	0	0	0
	Episodes	F/N	3	32	23	10	24	11	4	1	0	4	24	19	8	38	18	5	3	1
South East	Quarter	1	8	2	1	0	0	0	0	0	1	2	1	1	0	0	0	0	0	0
		2	8	4	1	1	0	0	1	0	0	11	2	2	0	1	0	1	0	0
		3	3	4	1	1	0	0	1	1	1	3	2	0	1	0	0	0	0	1
		4	11	5	1	0	0	0	1	0	0	6	4	1	0	1	0	0	0	1
	Year	20/21	7	4	1	0	0	0	1	0	0	6	2	1	1	1	0	0	0	0
	Episodes	F/N	20	53	31	15	34	17	19	5	2	14	31	32	22	42	29	11	7	5
South West	Quarter	1	2	3	1	1	0	1	0	0	0	0	2	1	1	1	0	0	0	0
		2	7	8	1	1	1	0	0	0	0	16	3	1	1	1	0	0	1	0
		3	5	4	0	0	1	0	0	1	0	5	2	1	1	1	0	0	0	0
		4	2	2	1	0	0	0	0	0	0	2	3	1	0	1	0	0	0	0
	Year	20/21	4	4	1	0	1	0	0	0	0	6	3	1	1	1	0	0	0	0
	Episodes	F/N	7	37	23	11	30	18	9	4	0	9	22	22	17	43	26	7	8	4

4. Vaccine Sensitive Disorders:

Mean weekly incidence rate per 100,000 Persons.

		Measles (ICD10: B05)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Year	20/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Episodes	F/N	1	1	2	0	0	0	0	0	0	4	2	0	1	0	0	0	0	0

Mean weekly incidence rate per 100,000 Persons.

Measles (ICD10: B05)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Year	20/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
North West	Quarter	1	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Year	20/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	1	1	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
East of England	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Year	20/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Midlands	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Year	20/21	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	Episodes	F/N	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
London	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Year	20/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
South East	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Year	20/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	0	1	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0
South West	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Year	20/21	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	Episodes	F/N	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0

Mean weekly incidence rate per 100,000 Persons.

		Mumps (ICD10: B26)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Year	20/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Episodes	F/N	1	5	18	8	16	6	1	2	2	0	3	8	10	22	12	1	1	0

Mean weekly incidence rate per 100,000 Persons.

Mumps (ICD10: B26)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Year	20/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	0	3	2	3	0	0	1	0	0	0	2	1	4	1	0	0	0
North West	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Year	20/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	2	5	1	5	3	1	0	0	0	1	1	2	2	5	0	0	0
East of England	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Year	20/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Midlands	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Year	20/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	1	0	2	2	0	0	0	0	0	1	2	1	4	1	1	1	0
London	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Year	20/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	2	4	1	1	0	0	0	0	0	0	2	2	5	1	0	0	0
South East	Quarter	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
		3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Year	20/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	1	0	3	0	1	1	0	1	2	0	1	1	2	6	3	0	0	0
South West	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Year	20/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	0	2	2	4	2	0	0	0	0	0	0	2	1	1	0	0	0

Mean weekly incidence rate per 100,000 Persons.

		Rubella (ICD10: B06)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Year	20/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Episodes	F/N	0	0	1	0	0	1	0	0	0	0	1	0	0	0	0	0	1	0

Mean weekly incidence rate per 100,000 Persons.

			Rubella (ICD10: B06)																			
			M										F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs		
North East and Yorkshire	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Year	20/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
North West	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Year	20/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
East of England	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Year	20/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Midlands	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Year	20/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
London	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Year	20/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
South East	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Year	20/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
South West	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Year	20/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0

5. Skin Contagions:

Mean weekly incidence rate per 100,000 Persons.

Bullous Dermatoses (ICD10: L10-L14)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	1
	2	0	0	0	0	0	0	1	0	2	0	0	0	0	0	0	0	1	1
	3	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	1	2
	4	0	0	0	0	0	0	1	2	3	0	0	0	0	0	0	0	1	3
	5	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	1	1	3
	6	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	0	1	2
	7	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	1	2
	8	1	0	0	0	0	0	0	1	3	1	0	0	0	0	0	0	1	3
	9	0	0	0	0	0	0	1	1	2	0	0	0	0	0	0	0	1	1
	10	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	1	1
	11	0	0	0	0	0	0	0	1	4	0	0	0	0	0	0	0	1	1
	12	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	1	0	2
	13	0	0	0	0	0	0	1	1	3	0	0	0	0	0	0	0	1	2
Quarter	1	0	0	0	0	0	0	1	1	2	0	0	0	0	0	0	0	1	2
	2	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	0	1	3
	3	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	1	2
	4	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	0	1	2
Year	20/21	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	1	2
Episodes	F/N	2	4	6	3	17	46	58	81	64	1	3	7	12	24	56	43	79	85

Mean weekly incidence rate per 100,000 Persons.

Bullous Dermatoses (ICD10: L10-L14)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	0	0	0	0	0	1	3	2	0	0	0	0	0	0	0	3	2
		2	0	0	0	0	0	0	0	0	3	0	0	0	1	0	0	0	1	3
		3	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	1	2	1
		4	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	1	4
	Year	20/21	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	2	3
	Episodes	F/N	0	0	0	0	0	5	5	5	6	0	0	0	3	4	2	2	15	11
North West	Quarter	1	0	0	0	0	0	0	1	0	2	0	0	0	0	0	0	0	1	1
		2	0	0	0	0	0	0	0	2	3	0	1	0	0	0	0	0	1	2
		3	2	0	0	0	0	0	1	1	2	0	0	0	0	0	0	0	1	3
		4	2	0	0	0	0	0	1	1	4	0	0	0	0	0	0	0	0	1
	Year	20/21	1	0	0	0	0	0	1	1	3	0	0	0	0	0	0	0	1	2
	Episodes	F/N	2	1	3	1	6	9	14	11	11	0	2	2	0	4	10	9	14	12
East of England	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2
		2	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	2	6
		3	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0
		4	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	1	0
	Year	20/21	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	2
	Episodes	F/N	0	0	0	0	0	1	1	4	1	0	0	0	0	3	4	2	3	5
Midlands	Quarter	1	0	0	0	0	0	0	1	1	3	0	0	0	0	0	0	0	1	1
		2	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	0	0	2
		3	0	0	0	0	0	0	0	1	3	2	0	0	0	0	0	0	1	2
		4	0	0	0	0	0	0	1	1	3	0	0	0	0	0	0	0	1	1
	Year	20/21	0	0	0	0	0	0	0	1	3	1	0	0	0	0	0	0	1	2
	Episodes	F/N	0	0	1	2	1	7	9	11	12	1	0	0	1	2	10	5	10	11
London	Quarter	1	0	0	0	0	0	0	1	0	2	0	0	0	0	0	0	0	2	2
		2	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	2	2
		3	0	0	0	0	0	0	0	2	4	0	0	0	0	0	0	0	1	2
		4	0	0	0	0	0	0	0	3	5	0	0	0	0	0	0	0	0	2
	Year	20/21	0	0	0	0	0	0	0	2	3	0	0	0	0	0	0	0	1	2
	Episodes	F/N	0	1	1	0	2	10	4	9	7	0	0	2	1	4	10	0	8	8
South East	Quarter	1	0	0	0	0	0	0	1	1	2	0	0	0	0	0	0	0	1	2
		2	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	1	1	3
		3	0	0	0	0	0	0	0	2	3	0	0	0	0	0	0	0	2	2
		4	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	1	2
	Year	20/21	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	1	2
	Episodes	F/N	0	1	1	0	4	9	13	22	15	0	1	1	3	6	11	12	23	28
South West	Quarter	1	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	1
		2	0	0	0	0	0	0	0	1	6	0	0	0	0	0	0	1	0	2
		3	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0
		4	0	0	0	0	0	0	1	1	2	0	0	0	0	0	0	0	0	1
	Year	20/21	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	0	1
	Episodes	F/N	0	1	0	0	4	5	12	19	12	0	0	2	4	1	9	13	6	10

Mean weekly incidence rate per 100,000 Persons.

		Chickenpox (ICD10: B01)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	3	4	1	0	0	0	0	0	0	6	4	2	0	0	0	0	0	0
	2	0	3	1	0	0	0	1	0	1	3	5	1	0	0	0	1	1	1
	3	2	6	2	0	0	0	0	1	0	3	6	2	0	0	0	0	0	0
	4	6	7	2	1	0	0	0	1	0	10	5	2	0	0	0	0	0	1
	5	9	6	2	0	0	0	0	0	1	8	8	2	0	0	0	0	0	1
	6	7	9	2	0	0	0	0	1	1	6	11	2	0	0	0	0	1	1
	7	7	12	3	0	0	0	0	0	0	11	9	4	0	0	0	1	1	1
	8	8	12	3	0	0	0	1	1	0	14	12	3	0	1	0	0	1	1
	9	10	10	2	0	0	0	0	1	1	9	11	3	0	0	0	0	0	0
	10	7	9	1	0	0	0	0	0	1	10	7	1	0	0	0	0	1	1
	11	4	8	1	0	0	0	0	0	0	5	9	1	0	0	0	1	1	1
	12	6	9	1	0	0	0	1	1	0	4	11	1	0	0	0	0	0	1
	13	8	12	2	0	0	0	1	0	0	4	11	3	0	0	1	1	0	1
Quarter	1	2	5	1	0	0	0	0	0	0	4	5	1	0	0	0	0	0	0
	2	8	8	2	0	0	0	0	1	1	7	8	2	0	0	0	0	1	1
	3	8	11	2	0	0	0	0	0	1	12	11	3	0	0	0	0	1	1
	4	6	9	2	0	0	0	0	0	0	5	9	2	0	0	0	1	0	1
Year	20/21	6	8	2	0	0	0	0	0	0	7	8	2	0	0	0	0	0	1
Episodes	F/N	79	525	321	28	67	63	47	38	13	88	511	339	56	134	115	63	47	31

Mean weekly incidence rate per 100,000 Persons.

Chickenpox (ICD10: B01)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	4	4	1	0	0	0	0	0	0	4	9	1	0	0	0	1	0	0
		2	8	5	2	0	0	0	0	2	0	4	5	3	0	0	0	1	0	1
		3	8	13	4	0	0	0	0	1	0	23	9	2	0	0	0	0	0	0
		4	7	13	1	0	0	0	0	0	0	3	7	1	0	0	0	0	0	0
	Year	20/21	7	9	2	0	0	0	0	1	0	9	7	2	0	0	0	0	0	0
	Episodes	F/N	7	49	33	2	7	3	2	4	0	9	38	27	1	7	6	7	1	1
North West	Quarter	1	4	3	1	0	0	0	1	0	2	4	6	3	0	1	1	0	1	0
		2	12	12	3	0	0	0	0	0	0	7	8	2	1	0	0	1	1	1
		3	7	11	2	0	0	0	1	0	3	13	11	2	1	1	1	0	0	0
		4	6	13	2	0	0	0	0	1	1	7	14	3	0	0	0	1	0	1
	Year	20/21	7	10	2	0	0	0	0	0	1	8	10	3	0	0	0	1	0	0
	Episodes	F/N	17	113	63	7	10	11	11	4	6	17	108	80	12	28	31	13	7	2
East of England	Quarter	1	0	3	0	0	0	0	0	0	0	7	3	0	0	0	0	1	0	0
		2	0	4	2	0	0	0	0	1	0	26	4	2	0	0	0	0	2	2
		3	0	6	3	0	1	0	0	0	0	13	11	4	0	0	0	0	0	0
		4	6	8	0	0	0	0	0	1	0	0	7	1	0	0	0	0	1	0
	Year	20/21	2	5	1	0	0	0	0	0	0	11	6	2	0	0	0	0	1	0
	Episodes	F/N	1	17	14	0	6	1	0	2	0	7	19	16	0	5	3	2	3	1
Midlands	Quarter	1	5	6	3	0	0	0	0	0	0	2	4	2	1	0	0	0	0	0
		2	9	8	2	0	0	0	1	2	0	2	12	3	0	0	0	0	1	1
		3	6	13	2	0	0	0	0	0	1	7	19	5	0	1	0	1	0	1
		4	8	9	1	0	0	0	0	0	0	2	11	2	1	0	0	1	0	1
	Year	20/21	7	9	2	0	0	0	0	1	0	3	11	3	1	0	0	0	0	1
	Episodes	F/N	13	85	52	2	5	7	5	7	1	6	100	73	12	17	15	8	5	5
London	Quarter	1	0	6	1	0	0	1	0	0	0	3	6	1	0	0	0	0	2	0
		2	6	8	2	0	0	0	0	0	2	8	8	2	1	0	0	0	0	0
		3	11	8	3	0	0	1	0	1	0	11	12	4	1	0	1	0	1	0
		4	3	10	1	1	0	0	1	1	0	4	9	1	0	0	1	1	1	0
	Year	20/21	5	8	2	0	0	0	0	0	0	7	9	2	1	0	0	0	1	0
	Episodes	F/N	13	94	51	9	18	20	5	2	1	17	99	51	15	32	18	3	5	0
South East	Quarter	1	3	5	1	0	0	0	1	0	0	5	4	1	0	0	0	0	0	1
		2	6	8	2	0	0	0	0	0	1	7	7	2	0	0	0	1	0	1
		3	6	12	2	0	0	0	0	1	0	13	11	1	1	0	0	0	1	1
		4	9	9	1	0	0	0	1	0	1	1	8	1	0	0	0	1	1	1
	Year	20/21	6	8	1	0	0	0	1	0	0	6	7	1	0	0	0	1	1	1
	Episodes	F/N	17	119	59	4	16	13	19	8	3	16	99	53	8	35	21	20	12	14
South West	Quarter	1	0	3	2	0	0	0	0	1	0	8	3	2	1	0	0	0	1	1
		2	7	7	2	0	0	0	0	1	1	8	8	2	0	0	0	0	1	1
		3	14	9	2	0	0	0	0	1	0	8	6	1	0	0	0	0	1	1
		4	4	2	2	0	0	0	0	0	1	16	6	1	0	0	0	1	0	1
	Year	20/21	6	5	2	0	0	0	0	1	0	10	6	2	0	0	0	0	1	1
	Episodes	F/N	11	48	49	4	5	8	5	11	2	16	48	39	8	10	21	10	14	8

Mean weekly incidence rate per 100,000 Persons.

Herpes Simplex (ICD10: B00)																			
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	2	2	2	1	2	1	1	1	1	1	1	1	6	7	5	2	2	2
	2	2	2	2	2	2	2	1	0	1	2	2	1	8	10	4	3	2	1
	3	1	1	1	2	2	2	2	1	0	0	1	2	8	9	5	3	2	1
	4	3	1	1	1	2	1	1	1	2	0	1	1	8	9	5	2	2	1
	5	3	3	2	2	2	1	1	1	1	2	2	2	6	9	5	2	1	2
	6	2	3	1	1	2	1	1	1	1	2	1	2	7	9	4	2	4	1
	7	0	2	1	1	2	2	1	2	1	2	1	1	7	8	5	2	3	0
	8	2	2	2	2	1	1	1	1	2	1	2	2	7	10	4	2	1	4
	9	1	2	2	2	2	1	1	1	2	3	2	2	6	8	3	2	1	1
	10	1	3	1	1	2	1	1	1	0	4	3	2	8	8	4	2	2	2
	11	1	2	1	2	2	2	1	2	1	1	2	2	8	9	5	1	2	1
	12	1	2	1	1	2	1	1	0	0	1	1	2	7	8	4	2	1	3
	13	2	3	2	1	3	2	2	2	0	2	2	3	8	10	5	3	3	1
Quarter	1	2	1	1	2	2	2	1	1	1	1	2	1	7	8	5	2	2	2
	2	3	2	1	1	2	1	1	1	1	2	1	2	7	9	5	2	3	1
	3	1	2	1	2	2	1	1	1	1	3	2	2	7	9	4	2	1	2
	4	1	2	1	2	2	1	1	1	1	1	2	2	8	9	5	2	2	2
Year	20/21	2	2	1	2	2	1	1	1	1	2	2	2	7	9	4	2	2	2
Episodes	F/N	21	137	246	260	805	503	133	78	28	22	109	295	1,187	3,465	1,601	307	188	78

Mean weekly incidence rate per 100,000 Persons.

Herpes Simplex (ICD10: B00)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	4	2	2	3	1	2	0	1	0	0	1	1	8	8	6	3	1	1
		2	0	5	2	1	2	2	1	2	3	0	2	2	8	10	5	3	1	2
		3	0	2	2	2	1	2	1	0	0	8	5	2	9	10	4	2	0	4
		4	4	3	2	1	2	1	1	2	0	0	4	2	9	11	5	2	1	1
	Year	20/21	2	3	2	2	2	2	1	1	1	2	3	2	8	10	5	2	1	2
	Episodes	F/N	2	15	27	25	60	62	9	9	2	2	15	27	117	312	170	35	8	8
North West	Quarter	1	2	2	2	3	2	2	2	2	0	2	0	2	10	11	5	3	3	4
		2	5	4	2	2	3	2	1	2	2	4	2	3	9	12	6	3	5	1
		3	2	3	2	2	2	1	2	2	3	6	3	3	9	11	5	3	1	3
		4	2	3	2	3	3	2	1	1	1	2	3	4	11	10	6	2	3	2
	Year	20/21	3	3	2	3	2	2	1	2	1	3	2	3	10	11	6	3	3	2
	Episodes	F/N	6	33	68	79	172	106	35	23	6	7	23	93	301	731	356	66	48	17
East of England	Quarter	1	0	1	1	1	2	1	2	0	0	0	1	0	4	4	2	1	0	0
		2	0	0	0	0	0	1	1	1	3	0	0	0	3	4	2	1	2	0
		3	0	3	0	0	0	1	1	0	0	7	0	0	2	3	2	2	0	2
		4	0	0	1	0	0	0	0	1	0	0	1	1	4	5	2	0	1	0
	Year	20/21	0	1	1	0	1	1	1	0	1	2	1	1	3	4	2	1	1	0
	Episodes	F/N	0	3	6	2	14	15	7	2	1	1	2	5	23	76	44	11	3	1
Midlands	Quarter	1	0	2	1	2	2	1	0	0	2	0	3	2	6	7	3	2	2	1
		2	4	3	0	1	2	1	0	0	0	0	0	1	6	8	4	2	2	3
		3	4	2	1	2	1	1	0	2	1	0	0	1	7	8	3	2	2	4
		4	0	2	1	1	2	1	1	1	0	2	3	2	6	8	4	2	2	1
	Year	20/21	2	2	1	2	2	1	0	1	1	1	2	1	6	8	4	2	2	2
	Episodes	F/N	4	21	27	40	97	61	8	8	3	1	14	35	140	391	194	48	28	14
London	Quarter	1	2	1	2	1	2	2	1	1	4	0	4	1	5	7	5	3	1	4
		2	3	1	1	1	2	1	1	0	2	2	2	3	5	6	4	2	4	1
		3	0	4	2	1	2	1	0	1	2	5	2	2	5	8	3	1	2	1
		4	1	3	2	1	2	1	2	1	2	1	2	2	7	8	4	3	2	7
	Year	20/21	2	2	2	1	2	1	1	1	2	2	2	2	6	7	4	2	2	3
	Episodes	F/N	4	29	44	27	180	72	13	4	5	5	26	45	161	671	194	27	16	11
South East	Quarter	1	0	1	1	1	2	1	1	0	0	2	1	2	7	7	4	2	1	1
		2	0	2	1	1	2	1	1	1	1	2	0	2	6	8	4	2	3	1
		3	0	2	1	2	1	1	1	1	2	0	3	1	6	7	4	1	2	1
		4	1	2	1	2	2	1	1	1	1	0	1	2	6	8	4	2	3	2
	Year	20/21	0	2	1	1	2	1	1	1	1	1	1	2	6	7	4	2	2	1
	Episodes	F/N	1	25	46	54	147	101	31	17	6	2	15	60	223	624	335	53	51	13
South West	Quarter	1	5	1	1	2	2	1	1	1	1	3	1	0	9	13	6	3	2	2
		2	2	1	2	1	3	2	1	1	2	3	1	1	12	14	5	2	2	0
		3	0	2	1	2	3	1	1	1	1	3	1	1	9	12	5	2	1	2
		4	2	1	1	1	2	1	1	1	1	2	3	3	10	11	5	3	2	2
	Year	20/21	2	1	1	1	3	1	1	1	1	3	2	1	10	12	5	2	2	2
	Episodes	F/N	4	11	28	33	135	86	30	15	5	4	14	30	222	660	308	67	34	14

Mean weekly incidence rate per 100,000 Persons.

		Herpes Zoster (ICD10: B02)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	1	2	2	2	5	9	10	15	0	2	2	2	3	8	11	17	21
	2	0	1	2	2	3	4	8	8	17	0	1	3	3	5	10	12	14	18
	3	0	1	2	3	3	5	9	11	11	0	1	3	3	4	9	14	13	25
	4	0	1	2	3	3	4	11	11	9	1	1	4	2	4	9	13	14	19
	5	0	1	2	2	3	5	9	10	17	1	1	3	4	4	10	15	14	18
	6	0	1	3	3	3	5	8	10	17	0	1	4	3	5	10	12	12	19
	7	0	1	2	3	3	5	11	9	12	1	2	2	3	4	10	13	13	16
	8	0	1	2	2	2	4	10	9	17	0	1	3	3	4	10	14	15	19
	9	0	1	2	2	3	5	8	9	13	0	1	2	2	4	9	14	12	14
	10	0	1	2	1	3	5	8	7	14	1	0	3	3	5	9	12	14	15
	11	0	3	2	2	3	4	10	7	13	0	0	3	2	4	10	11	12	20
	12	0	1	2	2	2	4	9	10	9	0	2	2	2	3	9	11	11	15
	13	0	1	2	2	2	4	11	7	18	0	1	2	2	4	9	15	14	20
Quarter	1	0	1	2	2	3	5	9	10	14	0	1	3	3	4	9	12	14	21
	2	0	1	3	3	3	5	9	10	15	1	1	3	3	4	10	14	13	19
	3	0	1	2	2	3	5	10	9	15	0	1	3	3	4	10	14	14	17
	4	0	1	2	2	2	4	9	7	13	0	1	2	2	4	10	12	12	17
Year	20/21	0	1	2	2	3	5	9	9	14	0	1	3	3	4	9	13	13	18
Episodes	F/N	0	72	366	353	1,070	1,758	1,235	704	376	4	65	442	437	1,669	3,436	1,815	1,254	819

Mean weekly incidence rate per 100,000 Persons.

Herpes Zoster (ICD10: B02)

			M									F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	
North East and Yorkshire	Quarter	1	0	1	2	2	3	6	8	13	23	0	0	3	5	6	9	15	17	26	
		2	0	2	4	2	2	4	9	11	23	0	2	3	4	6	11	17	12	25	
		3	0	2	2	3	2	5	8	14	17	0	2	3	3	5	11	16	17	16	
		4	0	1	2	2	2	5	10	4	18	0	1	2	3	4	12	17	14	15	
	Year	20/21	0	1	2	2	2	5	9	10	20	0	1	3	4	5	11	16	15	20	
	Episodes	F/N	0	7	35	31	80	174	124	81	51	0	6	40	51	167	385	237	142	87	
North West	Quarter	1	0	1	3	3	3	5	10	12	16	0	3	3	3	5	12	13	18	24	
		2	0	1	3	3	3	6	9	12	18	0	3	3	4	6	11	16	16	16	
		3	0	2	2	3	3	6	13	9	22	2	1	2	4	6	14	16	17	22	
		4	0	2	3	2	3	6	12	11	14	0	2	3	3	5	11	12	15	21	
	Year	20/21	0	1	3	3	3	6	11	11	18	0	2	3	3	5	12	14	16	21	
	Episodes	F/N	0	15	82	81	213	388	263	147	74	1	21	82	106	365	768	353	262	149	
East of England	Quarter	1	0	3	2	3	2	3	6	4	5	0	1	0	2	2	4	7	7	8	
		2	0	1	1	1	1	2	5	7	10	0	1	1	2	0	4	6	8	6	
		3	0	0	1	1	1	2	6	3	2	0	0	1	0	1	3	6	5	9	
		4	0	0	0	1	2	1	2	3	2	0	0	1	2	2	4	6	6	1	
	Year	20/21	0	1	1	1	2	2	5	4	5	0	1	1	2	1	4	6	7	6	
	Episodes	F/N	0	3	9	12	31	39	37	19	8	0	2	8	12	26	74	52	35	16	
Midlands	Quarter	1	0	1	2	1	2	4	9	7	12	0	0	2	3	4	9	13	12	20	
		2	0	1	3	3	2	6	8	10	17	2	0	4	3	4	11	15	11	23	
		3	0	1	2	1	3	4	10	10	12	0	2	2	1	5	8	13	11	15	
		4	0	1	1	2	3	4	6	6	8	0	0	3	2	4	10	11	10	18	
	Year	20/21	0	1	2	2	3	5	8	8	12	1	1	3	2	4	9	13	11	19	
	Episodes	F/N	0	9	53	42	146	255	164	100	49	1	5	66	53	221	499	278	163	129	
London	Quarter	1	0	0	1	2	2	4	12	7	15	0	1	2	1	3	6	10	14	18	
		2	0	0	1	3	3	5	10	6	6	0	0	1	1	3	7	10	11	13	
		3	0	0	1	1	2	3	12	7	15	0	0	2	2	3	7	12	12	13	
		4	0	1	1	1	2	3	11	5	7	1	1	1	2	2	8	10	13	16	
	Year	20/21	0	0	1	2	2	4	11	6	11	0	1	1	2	3	7	10	12	15	
	Episodes	F/N	0	4	29	46	213	208	128	36	23	1	7	37	50	264	335	128	93	52	
South East	Quarter	1	0	1	2	2	3	5	9	11	12	0	1	3	3	5	10	11	15	22	
		2	0	1	3	3	3	5	9	10	12	2	1	4	3	5	11	11	14	18	
		3	0	1	2	3	3	5	9	9	11	0	0	3	3	4	10	13	12	15	
		4	0	2	3	2	2	5	10	8	21	0	1	2	2	4	9	12	12	17	
	Year	20/21	0	1	2	2	3	5	9	9	14	0	1	3	3	4	10	12	13	18	
	Episodes	F/N	0	20	95	90	222	403	286	180	100	1	9	110	99	361	832	387	303	213	
South West	Quarter	1	0	1	2	3	3	6	7	10	13	0	2	5	3	4	9	14	13	18	
		2	0	2	3	3	3	5	11	11	14	0	3	4	4	5	9	15	15	20	
		3	0	1	2	2	2	5	9	6	17	0	1	4	3	6	9	15	16	20	
		4	0	2	3	2	3	4	10	9	10	0	1	4	2	5	9	13	13	19	
	Year	20/21	0	2	3	2	3	5	9	9	13	0	2	4	3	5	9	14	14	19	
	Episodes	F/N	0	14	63	51	165	291	233	141	71	0	15	99	66	265	543	380	256	173	

Mean weekly incidence rate per 100,000 Persons.

		Skin / Subcutaneous Infection (ICD10: L00-L08)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	138	77	56	36	44	50	71	94	148	152	66	57	58	61	63	71	111	198
	2	114	69	61	48	54	57	76	96	160	131	77	66	72	75	74	75	121	202
	3	127	83	66	56	54	61	71	94	154	140	84	74	79	77	74	84	113	187
	4	143	81	72	60	61	65	80	109	151	127	87	78	84	84	81	90	114	190
	5	132	75	74	60	52	60	74	103	135	136	80	83	82	78	74	80	106	180
	6	144	88	72	55	51	53	74	97	136	125	92	71	77	73	62	70	110	178
	7	151	92	68	48	45	51	71	85	141	154	80	70	67	65	58	63	108	190
	8	132	94	67	47	45	50	62	83	139	138	87	74	69	64	57	64	97	167
	9	147	75	48	40	38	43	55	73	116	108	78	54	59	53	48	59	85	155
	10	178	86	55	51	44	45	64	85	139	153	81	65	70	60	52	63	97	177
	11	155	83	60	55	48	52	67	97	154	142	76	63	74	66	59	70	100	189
	12	171	89	57	52	45	47	68	91	148	121	83	62	68	59	61	65	102	175
	13	150	93	70	54	47	53	73	103	151	121	89	77	73	63	63	69	108	180
Quarter	1	126	77	61	48	51	57	73	97	154	140	76	66	71	71	70	77	114	195
	2	140	82	72	57	53	58	76	99	144	133	85	77	78	77	70	78	111	183
	3	149	86	58	45	42	46	61	79	125	132	83	64	65	59	53	62	93	169
	4	162	88	61	54	46	50	68	96	150	131	82	67	71	62	60	68	103	180
Year	20/21	145	83	63	51	48	53	69	93	143	134	81	68	71	67	63	71	105	181
Episodes	F/N	1,868	5,336	10,952	8,370	19,841	19,863	9,267	7,316	3,856	1,638	4,947	11,305	11,634	26,829	22,929	10,006	9,882	8,177

Mean weekly incidence rate per 100,000 Persons.

Skin / Subcutaneous Infection (ICD10: L00-L08)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	154	79	67	53	59	63	76	93	185	117	80	74	82	78	73	81	123	173
		2	123	86	75	68	64	62	79	107	166	160	88	85	83	87	72	90	103	193
		3	162	100	64	55	52	52	67	87	129	151	81	67	63	65	56	66	107	181
		4	126	95	72	59	54	56	73	96	175	158	83	74	75	76	71	74	105	159
	Year	20/21	141	90	70	59	57	58	74	96	164	147	83	75	76	76	68	78	109	176
	Episodes	F/N	146	489	1,051	832	1,936	2,089	1,035	754	417	155	430	1,089	1,044	2,491	2,382	1,137	1,037	753
North West	Quarter	1	162	87	73	60	68	77	92	115	195	211	89	90	87	91	92	106	137	269
		2	202	109	97	67	69	74	96	131	192	203	96	98	97	103	94	105	157	240
		3	177	109	72	58	56	59	79	100	152	196	97	79	80	80	73	86	128	222
		4	234	115	80	76	62	67	88	121	175	206	116	92	95	84	80	87	154	234
	Year	20/21	195	106	81	66	64	69	89	117	178	204	100	89	90	89	84	96	144	241
	Episodes	F/N	447	1,229	2,525	2,031	4,545	4,693	2,150	1,556	746	452	1,091	2,647	2,776	5,991	5,381	2,375	2,308	1,715
East of England	Quarter	1	45	34	34	18	25	29	32	52	67	79	27	27	31	36	34	35	59	91
		2	32	42	33	25	25	29	38	60	80	77	39	34	32	34	39	41	59	93
		3	79	44	27	16	15	22	37	41	62	94	36	29	26	24	24	27	42	74
		4	56	55	23	22	21	28	31	40	77	83	42	28	26	30	25	28	53	85
	Year	20/21	53	44	29	20	21	27	34	48	72	83	36	29	29	31	31	33	53	86
	Episodes	F/N	33	139	273	168	400	564	263	224	115	51	111	262	222	594	632	269	285	228
Midlands	Quarter	1	115	84	60	45	54	55	77	94	149	119	81	63	74	79	75	82	118	174
		2	148	71	60	54	54	58	75	107	151	89	90	75	74	78	71	76	108	187
		3	130	76	54	40	41	45	55	77	128	108	86	66	63	57	53	60	94	165
		4	136	90	58	53	46	49	62	91	133	111	74	63	68	64	58	74	98	182
	Year	20/21	132	80	58	48	48	52	67	92	140	107	83	67	69	69	64	73	104	177
	Episodes	F/N	245	741	1,451	1,152	2,596	2,826	1,366	1,159	563	184	725	1,579	1,556	3,549	3,355	1,562	1,541	1,198
London	Quarter	1	123	79	65	47	42	49	81	91	110	133	79	63	65	58	58	76	104	193
		2	131	80	71	59	45	56	72	79	139	135	91	73	84	62	65	83	118	172
		3	159	89	60	45	36	41	63	70	107	126	92	64	69	52	51	66	102	143
		4	166	76	61	50	40	44	71	82	136	115	79	66	72	51	56	73	105	178
	Year	20/21	145	81	64	50	41	47	72	81	123	127	85	66	73	55	57	74	107	172
	Episodes	F/N	384	953	1,791	1,321	4,000	2,532	816	467	261	320	968	1,766	2,073	5,120	2,719	918	803	597
South East	Quarter	1	114	75	55	41	46	50	67	97	159	144	70	67	63	69	69	72	115	204
		2	121	79	68	52	49	52	72	89	134	110	80	73	70	75	65	71	100	162
		3	147	81	52	42	36	43	54	77	121	111	77	60	58	55	47	53	84	158
		4	139	83	55	44	42	46	65	100	163	111	74	59	62	59	55	62	91	179
	Year	20/21	131	80	57	45	43	48	64	91	145	119	75	65	63	64	59	64	97	176
	Episodes	F/N	357	1,115	2,270	1,711	3,610	4,103	1,983	1,737	1,029	299	995	2,442	2,373	5,347	4,951	2,120	2,225	2,077
South West	Quarter	1	126	68	62	52	52	56	65	100	149	105	73	55	71	72	66	62	105	184
		2	144	79	74	58	56	57	72	92	123	117	81	72	78	83	66	66	101	187
		3	139	80	59	40	48	49	59	75	131	117	75	63	71	61	51	57	78	176
		4	186	79	58	54	50	47	66	95	141	107	74	62	70	63	55	56	88	175
	Year	20/21	150	77	63	51	51	52	66	91	136	111	76	63	73	70	59	60	93	180
	Episodes	F/N	256	670	1,591	1,155	2,754	3,056	1,654	1,419	725	177	627	1,520	1,590	3,737	3,509	1,625	1,683	1,609

Mean weekly incidence rate per 100,000 Persons.

		Scabies (ICD10: B86)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	1	2	0	1	1	0	1	0	1	2	1	0	1	1	0	1	0	1
	2	1	1	1	1	1	0	0	0	1	0	1	1	1	1	0	0	0	1
	3	2	1	1	1	1	1	1	0	1	1	2	1	2	1	1	0	1	0
	4	3	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	0	1
	5	3	1	1	1	0	0	0	0	0	5	1	1	2	1	1	0	1	2
	6	0	1	2	1	1	1	1	2	1	0	1	1	2	1	1	1	1	1
	7	2	1	1	2	1	1	1	1	2	3	1	1	2	1	1	0	1	3
	8	0	1	1	1	1	0	0	0	1	2	1	1	2	1	1	0	0	2
	9	0	1	2	2	1	0	0	1	1	2	1	1	1	1	1	1	1	0
	10	3	0	1	2	1	0	0	0	1	1	1	1	2	0	1	1	1	1
	11	0	1	1	1	1	1	1	1	1	1	1	0	1	1	1	1	1	0
	12	3	3	1	2	1	0	0	0	0	0	1	1	1	1	0	0	1	0
	13	2	1	1	1	0	1	0	1	2	1	2	1	2	1	1	0	1	2
Quarter	1	2	1	1	1	1	1	1	0	1	1	1	1	1	1	1	0	1	1
	2	2	1	1	1	1	1	1	1	1	2	1	1	2	1	1	1	1	2
	3	1	1	1	2	1	0	0	1	1	2	1	1	2	1	1	0	1	1
	4	2	2	1	1	1	1	0	1	1	1	1	1	2	1	1	0	1	1
Year	20/21	2	1	1	1	1	1	1	1	1	2	1	1	2	1	1	0	1	1
Episodes	F/N	20	71	180	237	273	198	74	52	32	19	62	154	258	324	240	67	73	49

Mean weekly incidence rate per 100,000 Persons.

Scabies (ICD10: B86)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	4	1	1	1	1	1	1	0	0	4	2	1	3	1	1	0	1	0
		2	4	4	2	3	2	1	1	1	0	4	4	1	4	2	1	1	0	0
		3	8	1	1	2	1	1	1	1	0	4	1	1	4	1	1	1	0	1
		4	4	2	2	2	1	1	1	0	0	0	1	1	2	1	1	1	1	0
	Year	20/21	5	2	2	2	1	1	1	1	0	3	2	1	3	1	1	0	0	0
	Episodes	F/N	5	10	26	26	43	30	9	4	0	3	11	12	40	42	25	7	4	1
North West	Quarter	1	0	2	1	1	1	1	1	1	1	2	3	2	1	1	1	1	1	2
		2	5	0	2	2	1	1	1	0	1	2	1	2	3	2	1	1	1	3
		3	0	1	2	2	1	1	1	2	1	7	2	3	3	1	1	1	2	2
		4	3	4	2	2	1	1	1	1	4	3	3	4	3	1	1	1	2	1
	Year	20/21	2	2	2	2	1	1	1	1	2	4	2	3	3	1	1	1	1	2
	Episodes	F/N	5	23	63	50	72	55	14	12	7	8	26	82	79	96	66	19	24	14
East of England	Quarter	1	0	0	0	0	0	0	0	0	3	0	0	0	1	0	0	0	0	0
		2	0	0	0	0	0	0	1	0	3	0	0	0	1	0	0	0	0	0
		3	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Year	20/21	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	0	3	2	0	1	2	0	2	0	0	0	2	1	4	0	1	0
Midlands	Quarter	1	2	0	0	2	0	1	2	1	5	0	0	1	1	1	0	1	2	3
		2	0	1	1	1	0	1	3	4	5	2	0	0	1	1	1	1	2	3
		3	2	1	1	2	1	0	1	1	1	2	0	1	2	0	1	0	1	3
		4	0	1	0	2	0	0	1	1	0	0	1	0	1	1	1	1	1	1
	Year	20/21	1	1	1	2	1	0	1	2	3	1	0	1	1	1	1	1	1	2
	Episodes	F/N	2	7	15	36	34	26	29	21	11	2	3	16	28	33	43	16	19	15
London	Quarter	1	2	3	1	2	1	1	1	0	0	0	1	1	1	1	0	0	1	0
		2	0	2	2	1	1	1	1	0	0	5	1	1	2	1	1	1	1	0
		3	0	1	3	2	1	0	0	1	0	0	1	1	2	1	0	0	0	1
		4	3	1	1	2	1	1	1	1	2	0	1	1	2	1	1	0	1	0
	Year	20/21	1	2	2	2	1	1	1	1	0	1	1	1	1	1	1	0	1	0
	Episodes	F/N	3	20	43	46	69	30	8	3	1	3	12	26	42	76	25	4	4	1
South East	Quarter	1	3	1	1	1	1	0	0	0	1	0	0	0	1	1	0	0	0	1
		2	2	0	0	2	0	0	0	0	1	2	0	0	1	0	0	0	0	1
		3	0	1	0	2	0	0	0	0	0	0	0	0	1	0	0	0	1	0
		4	1	0	1	1	0	0	0	1	1	0	0	0	1	0	1	0	1	0
	Year	20/21	1	0	0	2	0	0	0	0	1	0	0	0	1	0	0	0	1	1
	Episodes	F/N	4	7	18	58	28	28	4	8	4	1	1	6	30	36	39	13	12	6
South West	Quarter	1	2	0	0	1	0	1	1	0	1	5	2	0	2	1	1	0	0	0
		2	0	0	0	0	0	1	0	0	1	0	1	1	2	1	1	0	0	1
		3	0	0	0	1	1	0	0	0	2	0	1	1	2	0	1	0	0	1
		4	0	1	1	1	0	0	0	1	2	0	0	0	1	1	0	1	1	2
	Year	20/21	1	0	0	1	1	0	0	0	1	1	1	0	2	1	1	0	0	1
	Episodes	F/N	1	4	12	19	27	28	8	4	7	2	9	12	37	40	38	8	9	12

Mean weekly incidence rate per 100,000 Persons.

		Skin symptoms (ICD10: R20-R23)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	492	147	62	56	42	57	98	146	199	415	142	77	104	85	79	102	152	190
	2	456	136	62	73	51	71	121	174	224	385	147	88	123	106	104	132	186	218
	3	408	131	68	79	54	73	135	180	230	408	136	91	147	117	107	145	185	217
	4	394	125	70	88	58	85	147	211	260	345	129	98	155	122	121	167	217	236
	5	355	117	73	91	57	74	130	192	285	355	135	98	166	120	112	143	201	216
	6	385	134	70	89	58	76	141	198	286	402	152	102	178	126	113	145	196	213
	7	470	150	75	84	56	76	132	193	253	403	153	100	184	132	112	139	190	225
	8	491	173	81	95	56	76	132	203	277	459	191	108	199	128	113	140	193	206
	9	478	149	59	81	48	59	104	147	209	438	162	82	152	99	87	110	136	181
	10	605	195	77	102	58	74	122	171	252	558	184	111	196	133	109	129	163	213
	11	591	184	91	109	64	82	138	213	292	543	191	118	207	139	121	157	211	239
	12	591	185	81	93	59	77	140	205	273	512	188	105	187	130	113	152	202	231
	13	653	239	100	96	67	90	162	243	324	525	253	132	176	143	135	170	229	271
Quarter	1	451	138	65	70	50	68	120	170	221	400	140	87	127	104	98	129	176	212
	2	385	129	72	89	57	77	137	198	276	367	141	99	168	124	114	149	201	220
	3	491	161	71	89	53	70	121	174	241	453	173	97	180	119	103	127	167	199
	4	622	203	89	100	63	82	143	215	291	541	208	117	190	137	121	156	208	244
Year	20/21	491	159	75	87	56	75	131	190	258	443	167	101	167	121	110	141	189	219
Episodes	F/N	6,324	10,178	12,934	14,376	23,129	28,121	17,468	15,009	6,951	5,426	10,119	16,647	27,236	48,540	39,766	19,875	17,775	9,883

Mean weekly incidence rate per 100,000 Persons.

			Skin symptoms (ICD10: R20-R23)																	
			M								F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	428	128	69	78	55	69	118	176	241	360	146	88	133	114	97	134	189	216
		2	318	138	83	92	58	85	136	204	272	384	142	107	181	135	110	145	194	219
		3	466	171	81	98	53	82	133	193	224	435	183	101	186	134	113	127	180	207
		4	587	205	95	106	73	91	147	234	297	557	217	128	208	157	138	169	222	264
	Year	20/21	453	161	83	94	60	82	134	203	259	439	173	106	178	135	115	144	197	227
	Episodes	F/N	469	874	1,245	1,326	2,042	2,939	1,876	1,597	660	462	896	1,545	2,451	4,419	4,031	2,117	1,868	972
North West	Quarter	1	576	161	81	89	61	80	135	185	248	518	146	114	148	127	126	162	209	236
		2	492	175	88	111	71	90	158	215	292	502	168	121	194	155	141	181	241	266
		3	581	197	84	107	67	81	132	188	257	534	217	122	219	147	126	155	207	255
		4	821	250	113	131	82	102	176	256	328	736	282	154	244	178	154	198	260	287
	Year	20/21	623	197	92	110	71	89	151	212	283	576	206	129	203	153	137	175	230	262
	Episodes	F/N	1,429	2,291	2,878	3,408	5,037	5,997	3,655	2,826	1,181	1,276	2,247	3,810	6,250	10,252	8,742	4,319	3,691	1,863
East of England	Quarter	1	180	70	31	31	27	50	82	111	145	237	85	40	59	53	53	60	114	140
		2	159	72	34	51	36	50	97	130	178	231	74	51	75	62	73	70	117	152
		3	249	81	35	44	38	49	73	129	169	268	102	54	93	64	62	63	102	74
		4	311	135	38	44	35	48	78	124	180	172	109	52	84	73	72	99	103	157
	Year	20/21	225	90	35	43	34	49	83	124	168	226	93	49	78	63	65	73	109	131
	Episodes	F/N	141	286	326	353	644	1,032	636	578	270	139	284	439	600	1,217	1,342	603	584	348
Midlands	Quarter	1	348	126	58	63	46	61	109	149	201	337	131	84	126	89	89	114	159	176
		2	347	111	61	79	49	65	122	175	266	280	138	93	152	107	107	138	177	181
		3	430	145	68	78	49	59	105	155	233	408	159	87	161	103	95	115	153	161
		4	514	178	81	93	55	73	126	189	259	488	190	106	175	122	113	149	177	217
	Year	20/21	413	141	67	79	50	65	116	168	241	382	156	93	154	106	101	130	167	185
	Episodes	F/N	766	1,303	1,685	1,891	2,672	3,553	2,370	2,109	970	658	1,365	2,204	3,467	5,443	5,336	2,788	2,473	1,251
London	Quarter	1	513	148	75	71	45	62	108	164	166	415	158	95	144	100	90	116	151	215
		2	463	123	79	89	54	70	127	159	231	403	136	102	181	118	107	156	185	203
		3	597	162	77	85	47	59	113	150	206	513	181	104	190	114	96	122	159	181
		4	654	192	100	93	56	71	134	181	250	592	205	120	177	126	106	159	201	215
	Year	20/21	560	157	83	85	51	66	121	164	214	485	171	106	173	115	100	139	175	204
	Episodes	F/N	1,478	1,848	2,334	2,240	4,981	3,511	1,377	948	453	1,224	1,941	2,823	4,940	10,635	4,738	1,718	1,309	708
South East	Quarter	1	440	139	57	62	46	69	123	176	232	402	136	80	111	103	97	125	180	225
		2	370	122	66	81	55	78	140	221	287	340	134	92	161	123	110	147	208	223
		3	489	160	65	85	51	70	127	186	249	422	163	90	166	114	101	132	166	207
		4	611	219	86	92	59	81	147	227	306	499	192	108	176	129	118	147	215	252
	Year	20/21	482	162	69	80	53	75	135	203	269	418	157	93	154	117	107	138	193	227
	Episodes	F/N	1,314	2,264	2,734	3,072	4,440	6,403	4,143	3,883	1,914	1,053	2,080	3,511	5,795	9,775	8,986	4,549	4,406	2,688
South West	Quarter	1	433	137	61	72	56	70	131	184	238	371	137	75	126	107	101	138	179	220
		2	308	119	69	93	61	84	140	206	305	298	149	100	171	131	121	153	211	239
		3	375	157	66	95	60	75	126	172	269	427	157	96	184	125	102	127	163	213
		4	568	183	78	106	69	88	143	219	312	438	187	111	196	140	119	142	203	245
	Year	20/21	425	150	69	92	62	80	135	196	282	386	158	96	170	127	111	140	190	230
	Episodes	F/N	727	1,312	1,732	2,086	3,313	4,686	3,411	3,068	1,503	614	1,306	2,315	3,733	6,799	6,591	3,781	3,444	2,053

Mean weekly incidence rate per 100,000 Persons.

		Impetigo (ICD10 : L01)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	13	9	7	1	1	1	1	1	1	14	9	5	4	3	2	1	1	2
	2	10	10	6	2	1	1	0	0	1	5	9	6	4	2	2	1	1	1
	3	11	14	5	2	1	1	1	1	1	5	9	7	4	3	2	1	1	1
	4	8	11	7	1	1	0	0	1	0	5	13	8	4	3	1	1	0	1
	5	10	14	7	2	1	1	0	1	0	4	14	8	4	3	1	1	1	1
	6	10	15	8	1	1	1	0	1	1	8	16	7	4	3	1	1	1	1
	7	9	14	8	1	1	1	0	1	2	11	13	7	4	3	1	0	0	1
	8	22	14	9	2	1	1	0	1	0	11	13	9	3	3	1	1	1	1
	9	15	14	6	2	1	1	0	0	1	9	13	6	3	2	1	0	0	0
	10	8	16	7	2	1	1	0	0	0	11	12	8	4	2	1	1	1	1
	11	14	15	6	2	1	1	1	0	1	12	12	7	4	2	1	0	1	1
	12	10	14	7	2	1	0	1	1	0	9	11	6	3	2	2	1	1	1
	13	9	13	6	2	1	1	1	1	1	7	11	10	3	2	1	0	1	1
Quarter	1	11	11	6	2	1	1	1	1	1	8	9	6	4	3	2	1	1	1
	2	10	13	8	1	1	1	0	1	1	7	14	8	4	3	1	1	1	1
	3	15	15	7	2	1	1	0	1	0	9	13	7	3	3	1	0	1	1
	4	10	15	7	2	1	1	1	1	1	10	11	8	4	2	1	1	1	1
Year	20/21	12	13	7	2	1	1	1	1	1	8	12	7	4	3	1	1	1	1
Episodes	F/N	150	852	1,188	286	399	235	71	50	21	104	731	1,198	600	1,016	496	92	65	42

Mean weekly incidence rate per 100,000 Persons.

Impetigo (ICD10: L01)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	12	11	6	2	2	1	2	0	0	4	9	11	4	4	2	1	1	0
		2	8	13	8	3	1	1	0	1	2	12	17	8	6	5	1	1	1	1
		3	43	22	7	3	1	1	0	1	0	15	17	11	5	4	1	0	2	2
		4	0	13	10	1	1	1	1	1	0	14	10	11	4	3	2	1	0	1
	Year	20/21	15	15	8	2	1	1	1	1	0	11	13	10	5	4	2	1	1	1
	Episodes	F/N	16	79	119	30	43	29	14	6	1	12	69	148	64	128	60	9	11	4
North West	Quarter	1	18	14	7	2	1	1	1	0	1	9	15	8	5	4	2	2	1	2
		2	20	21	11	2	2	1	1	1	1	9	20	11	6	3	2	1	1	1
		3	12	26	9	3	1	1	1	1	2	6	20	9	5	3	1	1	1	1
		4	21	20	8	3	1	1	1	1	2	17	15	9	5	3	2	0	1	1
	Year	20/21	18	20	9	3	1	1	1	1	1	10	17	9	5	3	2	1	1	1
	Episodes	F/N	41	236	273	81	90	50	17	7	6	23	190	272	155	212	105	21	15	9
East of England	Quarter	1	0	3	5	0	0	0	1	1	0	0	1	4	1	2	0	1	0	5
		2	0	8	3	0	0	0	1	0	0	6	3	5	0	1	1	0	0	0
		3	7	8	3	0	0	0	0	0	0	20	1	1	2	1	0	0	1	0
		4	12	6	2	1	0	1	0	0	0	6	4	3	2	1	1	1	0	1
	Year	20/21	5	6	3	0	0	0	0	0	0	8	2	3	1	1	1	1	0	2
	Episodes	F/N	3	19	31	4	2	4	2	1	0	5	7	27	10	21	13	5	1	4
Midlands	Quarter	1	18	11	6	1	1	1	0	1	1	10	11	5	5	4	1	1	1	1
		2	4	9	6	1	1	1	0	1	0	0	11	8	3	3	1	0	1	2
		3	9	10	7	1	1	1	0	1	1	9	14	7	3	3	1	1	1	2
		4	10	15	6	2	1	1	1	1	0	11	13	7	4	3	2	1	0	2
	Year	20/21	10	11	6	1	1	1	0	1	0	8	12	7	4	3	1	1	0	1
	Episodes	F/N	19	106	160	30	49	42	6	9	2	13	107	157	84	161	68	17	6	10
London	Quarter	1	5	8	3	1	1	0	1	0	0	3	6	4	1	1	1	0	0	1
		2	8	6	6	1	1	0	0	1	2	7	12	4	3	1	0	2	0	0
		3	12	6	5	2	1	0	0	0	0	6	9	3	1	2	1	0	0	0
		4	7	8	5	1	1	0	1	0	0	7	7	5	1	1	1	0	1	1
	Year	20/21	8	7	5	1	1	0	1	0	0	6	8	4	2	1	1	1	0	1
	Episodes	F/N	21	80	133	27	67	20	6	1	1	15	96	98	45	115	41	7	2	2
South East	Quarter	1	12	13	6	3	1	0	0	0	1	7	11	7	3	3	2	0	1	1
		2	11	13	8	2	1	0	1	1	2	10	14	8	5	3	1	1	1	0
		3	18	12	7	1	1	1	0	1	0	6	12	7	4	2	1	0	1	1
		4	9	15	6	2	1	1	1	0	2	7	11	9	4	2	1	0	1	0
	Year	20/21	12	13	7	2	1	1	0	1	1	8	12	8	4	3	1	0	1	1
	Episodes	F/N	34	187	267	74	85	52	15	15	9	19	158	292	151	217	105	16	18	10
South West	Quarter	1	5	12	6	1	1	0	0	1	1	19	7	4	4	3	2	1	0	0
		2	10	16	10	2	2	1	0	1	1	5	17	10	4	4	2	1	0	0
		3	14	18	9	3	1	1	0	0	0	15	13	10	4	3	2	0	1	0
		4	9	20	8	2	1	1	1	1	0	5	13	10	4	2	1	1	1	0
	Year	20/21	9	17	8	2	1	1	0	1	0	11	13	8	4	3	2	1	1	0
	Episodes	F/N	16	145	205	40	63	38	11	11	2	17	104	204	91	162	104	17	12	3

Mean weekly incidence rate per 100,000 Persons.

		Peripheral Neuropathy (ICD10: G50-G64,G70-G72)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
6. Disorders Affecting the Nervous System:	4 weekly 1	3	0	0	3	10	18	22	27	18	1	1	1	5	16	24	25	29	27
	2	0	1	0	3	11	22	25	26	18	5	0	1	7	20	30	31	41	24
	3	4	1	1	2	12	22	28	33	29	2	1	1	7	22	32	35	38	31
	4	4	0	1	3	12	22	28	31	24	2	1	2	6	20	32	34	41	30
	5	3	0	1	4	12	23	28	37	23	2	1	1	7	22	33	35	39	32
	6	4	1	1	4	13	26	29	41	36	1	1	2	8	27	38	38	45	33
	7	4	2	2	3	13	25	30	33	29	1	1	2	8	24	36	34	40	34
	8	3	2	2	5	14	24	30	28	31	2	0	2	7	25	37	34	42	29
	9	1	1	1	3	11	21	23	24	21	4	1	2	6	21	28	28	29	23
	10				4	13	23	26	30	24	4	1	2	9	25	32	30	36	24
	11	4	1	1	5	14	24	31	37	27	1	1	2	8	26	37	36	42	30
	12	2	1	1	4	14	24	32	32	34	0	1	1	7	24	33	34	42	34
	13	3	1	1	4	14	27	36	41	38	2	1	2	7	25	38	39	47	42
Quarter	1	3	1	1	3	11	21	25	29	22	3	0	1	6	19	29	31	36	27
	2	4	1	1	3	12	24	28	36	29	2	1	2	7	23	35	35	42	32
	3	2	1	1	3	13	23	27	27	24	3	1	2	7	23	33	32	35	27
	4	3	1	1	4	14	25	32	36	32	1	1	2	8	25	36	35	43	34
Year	20/21	3	1	1	3	13	23	28	32	27	2	1	2	7	23	33	33	39	30
Episodes	F/N	36	59	184	568	5,164	8,737	3,789	2,536	728	27	53	265	1,139	9,075	12,029	4,709	3,689	1,359

Mean weekly incidence rate per 100,000 Persons.

Peripheral Neuropathy (ICD10: G50-G64,G70-G72)

			M									F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	
North East and Yorkshire	Quarter	1	4	0	0	4	13	26	26	29	29	0	1	1	7	24	32	28	37	33	
		2	8	0	1	3	17	26	31	31	34	0	1	2	7	29	37	37	39	32	
		3	8	2	2	3	17	28	25	27	19	0	1	1	7	32	35	34	31	18	
		4	0	1	1	6	19	29	34	35	22	0	0	2	7	33	39	38	42	35	
	Year	20/21	5	1	1	4	17	27	29	31	26	0	1	2	7	29	36	34	38	29	
	Episodes	F/N	5	4	18	60	561	980	409	242	66	0	3	25	99	960	1,262	501	356	126	
North West	Quarter	1	9	1	0	4	13	23	29	31	28	4	0	1	7	22	33	33	37	22	
		2	5	0	1	4	15	27	27	36	24	4	0	2	9	28	41	36	46	41	
		3	5	2	1	3	16	27	30	31	39	9	1	2	8	27	39	39	42	32	
		4	5	1	1	4	17	29	36	38	32	2	1	3	7	31	44	39	49	40	
	Year	20/21	6	1	1	4	15	26	30	34	31	5	1	2	8	27	40	37	43	34	
	Episodes	F/N	14	12	29	119	1,087	1,780	737	450	129	10	8	54	232	1,814	2,522	910	696	242	
East of England	Quarter	1	0	1	1	3	5	13	8	11	18	0	1	1	5	10	18	17	12	19	
		2	6	1	1	4	7	13	15	17	18	6	0	0	3	12	15	17	26	17	
		3	0	0	0	1	7	12	13	18	7	0	0	1	1	10	13	17	19	14	
		4	0	1	2	3	8	10	16	17	10	0	0	0	3	14	14	16	16	16	
	Year	20/21	2	1	1	3	7	12	13	16	13	2	0	1	3	11	15	17	18	16	
	Episodes	F/N	1	3	11	23	129	247	102	74	21	1	1	7	24	220	309	139	99	43	
Midlands	Quarter	1	0	1	1	2	12	20	20	25	22	2	0	1	5	18	27	25	34	18	
		2	2	1	2	2	14	23	25	37	28	0	2	2	6	22	33	30	38	31	
		3	4	1	2	4	14	23	28	30	30	5	1	1	6	22	29	25	27	22	
		4	2	2	2	3	15	24	31	36	25	2	1	2	9	26	34	33	44	30	
	Year	20/21	2	1	2	3	14	23	26	32	26	2	1	2	7	22	31	29	36	25	
	Episodes	F/N	4	13	40	70	729	1,243	539	407	105	4	11	38	148	1,136	1,627	614	537	171	
London	Quarter	1	2	0	1	3	7	19	23	31	15	5	1	1	6	16	30	33	38	27	
		2	2	0	1	3	9	19	29	31	31	2	1	2	6	19	35	42	42	32	
		3	0	2	1	4	9	21	28	25	19	3	1	1	7	18	32	36	29	20	
		4	4	1	1	3	9	22	34	31	36	1	1	2	7	19	36	34	34	36	
	Year	20/21	2	1	1	3	9	20	29	30	26	3	1	2	7	18	34	37	36	29	
	Episodes	F/N	5	8	22	82	838	1,081	330	172	54	7	10	41	187	1,663	1,589	453	267	100	
South East	Quarter	1	0	1	1	2	11	19	25	31	17	0	0	1	5	19	28	33	37	35	
		2	2	1	1	3	12	24	31	41	32	2	2	2	8	23	32	38	45	29	
		3	0	1	1	3	12	21	27	27	20	2	1	2	8	25	32	29	35	32	
		4	3	0	1	4	14	24	31	37	35	0	2	2	7	25	33	34	43	38	
	Year	20/21	1	1	1	3	12	22	29	34	26	1	1	2	7	23	31	33	40	34	
	Episodes	F/N	3	10	38	122	1,037	1,880	877	648	187	2	14	67	269	1,935	2,648	1,096	918	397	
South West	Quarter	1	2	1	1	2	13	24	33	33	22	5	0	1	7	21	30	37	42	27	
		2	5	2	1	3	14	27	32	38	31	0	1	2	7	27	39	35	45	34	
		3	0	1	1	4	14	26	29	27	25	0	0	2	7	25	35	36	44	32	
		4	2	0	1	6	17	27	32	40	44	2	1	1	11	27	36	39	48	32	
	Year	20/21	2	1	1	4	15	26	32	35	31	2	1	1	8	25	35	37	45	31	
	Episodes	F/N	4	9	26	92	783	1,526	795	543	166	3	6	33	180	1,347	2,072	996	816	280	

Mean weekly incidence rate per 100,000 Persons.

		Meningitis and Encephalitis (ICD10: A170 - A171; A 390; A83 - A85; A87; G00 - G05)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0
	2	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
	3	0	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	0
	4	3	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0
	5	3	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0
	6	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	7	3	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	8	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
	11	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	12	1	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	1
	13	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Quarter	1	1	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0
	2	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0
	3	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Year	20/21	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Episodes	F/N	21	6	7	21	53	69	33	17	10	9	6	12	28	88	65	23	24	13

Mean weekly incidence rate per 100,000 Persons.

Meningitis and Encephalitis (ICD10: A170 - A171; A 390; A83 - A85; A87; G00 - G05)

			M									F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	
North East and Yorkshire	Quarter	1	0	0	0	0	0	0	0	0	2	4	0	0	0	0	0	0	0	1	1
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
		3	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		4	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	
	Year	20/21	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	0	0	4	5	7	5	1	1	1	0	2	0	7	7	2	3	2	
North West	Quarter	1	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	1	0	
		2	2	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	1	
		3	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		4	2	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	2	
	Year	20/21	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	
	Episodes	F/N	4	1	3	2	8	11	7	3	5	1	2	2	5	25	10	4	6	5	
East of England	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		2	6	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Year	20/21	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Episodes	F/N	1	0	0	0	0	3	1	0	0	0	0	0	0	3	4	0	0	0	
Midlands	Quarter	1	2	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	0	0	
		2	2	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	1	0	
		3	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	
		4	2	1	0	1	0	0	0	0	0	2	0	0	0	0	0	0	0	1	
	Year	20/21	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	
	Episodes	F/N	3	2	1	4	5	8	5	2	2	4	1	1	4	7	14	1	4	3	
London	Quarter	1	3	0	0	0	0	0	0	0	0	2	0	0	0	0	0	1	1	1	
		2	2	0	0	0	0	0	0	0	0	2	0	0	0	0	1	0	0	0	
		3	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	
		4	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	
	Year	20/21	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
	Episodes	F/N	3	1	1	2	10	10	3	2	0	2	1	3	4	18	10	6	2	1	
South East	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		2	2	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	
		3	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		4	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
	Year	20/21	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Episodes	F/N	7	1	2	7	17	17	9	4	1	0	2	2	7	19	12	5	4	2	
South West	Quarter	1	2	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	
		2	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		3	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	
		4	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	
	Year	20/21	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
	Episodes	F/N	3	1	0	2	8	13	3	5	1	1	0	2	8	9	8	5	5	0	

Mean weekly incidence rate per 100,000 Persons.

		Musculoskeletal Symptoms (ICD10: R25-R29)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	13	8	3	1	2	5	17	33	99	14	5	1	2	3	7	17	39	102
	2	13	9	2	2	3	6	19	43	125	9	7	2	4	5	9	21	44	123
	3	11	10	3	2	3	7	20	42	109	14	7	3	5	4	9	22	49	112
	4	10	11	4	3	3	7	19	43	112	11	7	3	4	4	10	22	52	121
	5	10	10	5	3	3	7	19	38	104	10	9	4	4	6	10	23	51	118
	6	9	12	6	3	3	6	19	41	130	13	9	4	5	5	10	21	49	114
	7	10	12	4	2	3	6	18	41	108	10	6	3	4	5	10	22	48	109
	8	14	11	4	4	3	7	18	42	110	10	6	4	6	5	9	19	49	133
	9	10	9	2	2	2	6	16	37	116	4	6	2	3	4	7	18	44	111
	10	15	11	4	2	3	7	17	40	102	11	6	2	5	5	11	16	43	115
	11	14	10	4	3	3	7	20	49	111	10	9	3	4	5	9	22	47	136
	12	12	13	7	2	2	8	16	35	102	13	10	4	5	5	10	18	52	122
	13	10	11	5	3	3	6	23	45	113	17	13	4	5	5	10	25	50	116
Quarter	1	12	9	3	2	3	6	18	40	110	11	6	2	4	4	9	20	45	115
	2	11	11	5	3	3	7	19	41	117	11	8	3	4	5	10	22	50	115
	3	13	10	3	3	3	6	17	40	110	8	6	3	4	5	9	19	46	116
	4	12	11	5	3	3	7	19	43	107	13	10	3	5	5	10	21	49	124
Year	20/21	12	10	4	2	3	7	18	41	111	11	8	3	4	5	9	20	48	118
Episodes	F/N	151	668	712	411	1,090	2,477	2,458	3,217	2,986	134	469	479	686	1,911	3,365	2,875	4,478	5,311

Mean weekly incidence rate per 100,000 Persons.

			M										F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs		
North East and Yorkshire	Quarter	1	12	10	3	2	4	6	18	38	108	8	6	3	4	5	9	17	52	110		
		2	8	17	4	3	4	7	23	51	145	8	6	4	3	6	11	23	60	137		
		3	20	8	2	2	3	6	20	42	107	8	10	3	5	6	11	23	57	135		
		4	0	15	7	3	4	7	18	48	106	28	13	4	4	5	12	24	58	118		
	Year	20/21	10	13	4	2	4	7	20	45	116	13	9	4	4	5	11	22	57	125		
	Episodes	F/N	10	69	59	33	119	240	279	353	296	14	47	53	55	177	378	321	537	534		
North West	Quarter	1	9	11	4	2	3	7	24	46	103	19	8	2	5	5	10	28	44	93		
		2	16	11	7	3	4	9	21	39	97	18	9	5	5	6	12	26	52	107		
		3	23	14	3	4	4	7	19	35	94	18	6	2	5	7	12	20	54	94		
		4	18	13	5	3	3	9	22	42	95	17	14	4	7	6	13	25	55	122		
	Year	20/21	17	12	5	3	3	8	21	41	97	18	9	4	6	6	12	25	52	105		
	Episodes	F/N	38	142	148	100	244	565	516	541	406	40	102	106	170	392	764	612	828	746		
East of England	Quarter	1	0	5	3	2	2	4	11	41	109	13	5	4	2	3	6	17	43	135		
		2	6	17	2	3	3	5	16	46	143	0	5	4	5	4	8	22	43	108		
		3	0	9	3	1	2	5	15	33	100	7	8	3	3	2	5	18	38	95		
		4	6	13	4	5	3	4	17	36	110	6	7	2	2	5	6	19	48	146		
	Year	20/21	3	11	3	3	2	4	15	39	115	7	7	3	3	4	6	19	43	121		
	Episodes	F/N	2	35	27	22	46	92	114	181	185	4	20	27	23	69	129	156	231	322		
Midlands	Quarter	1	9	9	2	2	3	6	17	39	87	7	7	2	4	5	8	12	36	91		
		2	2	9	3	2	2	5	18	32	73	14	7	3	3	4	9	14	38	92		
		3	0	6	3	2	2	5	14	31	86	5	3	3	3	5	8	13	32	76		
		4	10	10	6	1	3	6	19	32	88	11	8	4	4	5	7	15	33	79		
	Year	20/21	5	8	4	2	3	5	17	33	84	9	6	3	4	5	8	14	35	84		
	Episodes	F/N	10	77	88	44	135	299	354	416	337	16	55	70	81	237	437	293	514	570		
London	Quarter	1	13	10	3	2	1	5	29	49	126	7	4	2	3	4	8	26	49	122		
		2	8	11	5	3	2	6	23	48	143	7	7	2	5	4	13	27	57	134		
		3	17	11	4	3	2	6	21	45	116	6	6	2	5	4	8	22	53	115		
		4	10	10	6	2	2	7	24	54	102	10	11	2	4	4	11	29	62	157		
	Year	20/21	12	11	4	3	2	6	24	49	121	8	7	2	4	4	10	26	55	132		
	Episodes	F/N	31	125	122	69	180	322	276	283	257	19	81	58	124	376	470	325	416	460		
South East	Quarter	1	12	9	3	2	3	5	15	33	99	10	7	1	3	3	7	16	37	113		
		2	17	10	5	3	2	5	14	39	106	10	10	3	3	5	7	20	43	98		
		3	9	10	3	2	2	7	15	39	113	10	5	3	3	5	7	17	40	118		
		4	20	11	5	2	2	6	16	41	99	7	6	3	4	4	7	19	44	124		
	Year	20/21	15	10	4	2	2	6	15	38	104	9	7	3	3	4	7	18	41	113		
	Episodes	F/N	40	141	162	90	204	499	457	732	741	23	94	97	125	359	603	591	949	1,339		
South West	Quarter	1	22	10	4	1	4	7	16	40	144	16	7	3	4	4	10	23	56	147		
		2	10	8	5	2	3	9	19	42	148	16	8	3	6	6	10	23	61	146		
		3	12	10	3	2	4	8	16	50	141	0	7	2	5	6	9	20	49	162		
		4	4	8	5	3	2	8	22	49	141	14	12	3	5	7	10	20	54	146		
	Year	20/21	12	9	4	2	3	8	18	45	144	11	8	3	5	6	10	21	55	150		
	Episodes	F/N	20	79	106	53	162	460	462	711	764	18	70	68	108	301	584	577	1,003	1,340		

7. Genitourinary System Disorders:

Mean weekly incidence rate per 100,000 Persons.

Urinary Tract Infections (ICD10: N30,N390)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	17	4	2	2	2	6	14	30	54	17	14	7	18	18	17	24	42	79
	2	6	2	1	2	3	5	14	39	79	20	10	9	20	20	20	28	54	80
	3	15	3	1	2	2	6	13	29	70	21	16	8	28	23	20	31	49	82
	4	13	3	1	1	2	6	17	34	77	26	14	9	29	21	22	32	56	86
	5	28	5	2	2	2	6	16	35	80	20	14	8	28	25	24	33	52	95
	6	19	2	1	1	3	7	18	34	72	25	15	11	27	27	23	32	58	86
	7	18	4	3	2	3	6	15	36	75	23	13	9	30	25	23	34	53	87
	8	21	3	1	2	3	6	17	33	84	26	20	12	29	24	23	32	55	92
	9	20	4	1	2	2	5	16	36	71	21	14	8	22	23	20	28	49	73
	10	19	4	1	2	3	6	15	34	68	23	16	12	24	21	20	23	49	82
	11	17	4	1	2	2	7	17	36	68	14	16	9	24	25	20	29	52	89
	12	13	4	2	1	3	6	16	34	86	19	14	10	24	21	20	28	55	82
	13	19	4	1	1	2	6	16	37	68	23	12	11	24	22	20	27	54	95
Quarter	1	13	3	1	2	2	6	14	33	69	21	14	8	22	21	19	28	49	81
	2	20	4	1	2	2	6	16	34	77	23	14	9	28	24	23	32	55	90
	3	21	4	1	2	2	6	16	35	74	22	15	10	26	24	22	30	52	82
	4	16	4	1	2	2	6	16	35	73	19	15	10	24	23	20	27	53	87
Year	20/21	17	4	1	2	2	6	16	35	73	21	15	9	25	23	21	29	52	85
Episodes	F/N	225	230	242	267	991	2,207	2,104	2,726	1,972	262	884	1,562	4,098	9,142	7,591	4,135	4,923	3,829

Mean weekly incidence rate per 100,000 Persons.


Urinary Tract Infections (ICD10: N30,N390)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	12	5	1	1	3	7	17	41	72	24	13	10	26	21	18	26	47	81
		2	12	3	1	2	3	7	18	31	90	28	14	10	31	23	23	31	47	99
		3	24	9	1	1	3	9	14	33	73	34	18	10	33	24	21	30	53	78
		4	22	3	3	1	4	8	18	45	69	34	20	12	35	25	18	36	54	83
	Year	20/21	17	5	2	1	3	7	17	38	76	30	17	11	31	23	20	31	50	85
	Episodes	F/N	18	27	23	18	108	268	237	298	193	32	86	154	431	759	704	454	478	364
North West	Quarter	1	15	3	2	3	3	6	15	34	70	21	18	11	27	28	23	37	61	88
		2	20	3	1	2	3	6	19	34	74	38	13	10	34	36	27	36	68	84
		3	25	3	2	3	3	6	18	31	68	24	19	15	31	32	29	34	63	86
		4	15	6	1	3	3	7	21	32	75	15	19	13	29	28	24	32	65	96
	Year	20/21	18	4	1	3	3	6	18	33	72	24	17	12	30	31	26	35	64	88
	Episodes	F/N	42	47	45	78	217	422	441	433	301	54	191	360	936	2,071	1,644	856	1,028	630
East of England	Quarter	1	6	1	2	1	1	3	14	29	52	13	11	5	15	13	10	21	37	71
		2	32	5	0	0	1	5	18	37	70	13	12	7	19	13	11	16	36	83
		3	20	3	0	0	1	4	14	27	70	27	13	5	19	12	14	16	31	56
		4	6	0	1	2	1	3	12	36	62	6	11	4	12	13	13	15	40	89
	Year	20/21	16	2	1	1	1	4	14	32	64	15	12	5	16	12	12	17	36	75
	Episodes	F/N	10	7	8	7	18	80	111	150	102	9	36	47	125	239	250	138	193	199
Midlands	Quarter	1	7	4	2	2	2	5	16	28	51	10	13	8	21	17	17	24	38	68
		2	15	4	3	1	2	5	15	29	67	10	9	9	25	23	21	33	53	93
		3	17	5	1	2	3	5	13	35	70	5	11	8	24	23	19	26	48	87
		4	10	2	2	0	3	5	16	34	68	28	11	8	25	20	20	25	50	86
	Year	20/21	12	4	2	1	3	5	15	32	64	13	11	8	24	21	19	27	47	84
	Episodes	F/N	23	34	46	29	142	280	312	396	259	23	95	201	539	1,071	1,023	572	702	565
London	Quarter	1	11	1	1	3	2	5	13	32	62	22	10	5	18	17	17	30	46	69
		2	14	5	1	2	2	7	16	32	76	23	12	6	22	21	24	30	58	75
		3	20	3	1	1	2	6	13	43	55	22	10	6	19	20	21	31	48	62
		4	15	2	1	1	2	5	15	27	73	13	8	9	17	20	17	28	50	60
	Year	20/21	15	3	1	2	2	6	14	33	67	20	10	7	19	19	20	30	50	66
	Episodes	F/N	40	31	33	44	171	311	163	193	141	50	114	178	537	1,803	947	367	377	231
South East	Quarter	1	18	3	1	1	2	6	13	35	78	34	13	9	22	22	22	27	53	92
		2	27	2	1	1	2	7	15	38	87	23	18	10	28	25	22	34	56	96
		3	25	4	2	2	2	5	15	39	83	30	16	10	26	23	21	33	53	90
		4	18	5	1	2	2	7	17	37	78	21	18	11	21	24	19	28	53	83
	Year	20/21	22	3	1	1	2	6	15	37	82	27	16	10	24	24	21	31	54	90
	Episodes	F/N	60	49	59	55	198	525	461	709	580	68	218	379	909	1,976	1,769	1,013	1,225	1,065
South West	Quarter	1	17	5	2	1	3	5	13	34	74	13	16	8	24	21	18	27	48	79
		2	22	3	2	2	3	6	15	36	71	18	21	11	33	22	24	33	54	87
		3	17	3	1	1	2	4	18	34	78	15	18	11	28	25	21	27	52	80
		4	19	5	1	2	2	6	14	36	74	18	15	11	28	22	22	23	49	99
	Year	20/21	19	4	1	2	3	5	15	35	74	16	17	10	28	23	21	27	51	87
	Episodes	F/N	32	35	28	36	137	321	379	547	396	26	144	243	621	1,223	1,254	735	920	775


Appendix E

COVID-19 incidence, disparities in presentation, and data tables for the first wave of infection during the period of this report

Weekly disease incidence by region




Weekly disease incidence by age group




COVID-19


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group



Conurbation, Urban and Rural Living



Mean weekly incidence rate per 100,000 Persons.

COVID-19

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	1	4	9	18	30	30	64	238	6	0	4	19	35	53	26	78	311
	2	4	3	2	6	10	14	15	28	70	5	2	3	10	18	21	13	29	90
	3	4	2	3	6	8	9	10	13	23	3	2	3	8	12	13	8	11	31
	4	1	1	3	16	12	11	8	10	19	0	5	4	16	16	12	6	10	29
	5	2	8	11	49	30	21	13	13	20	7	6	13	56	35	29	11	11	29
	6	19	20	44	268	107	108	72	56	72	30	18	43	366	136	132	59	45	94
	7	51	48	105	280	234	260	161	135	200	64	52	108	362	323	308	144	127	255
	8	67	64	144	198	160	189	114	143	252	54	60	140	268	255	246	105	128	326
	9	170	151	222	471	525	530	302	294	486	130	153	226	667	690	636	277	290	595
	10	110	147	109	210	294	357	225	241	437	104	138	111	299	402	435	201	236	638
	11	51	49	37	69	94	120	75	60	101	32	46	37	93	125	146	61	60	155
	12	21	18	43	38	45	50	25	20	33	18	21	41	46	62	59	19	18	35
	13	7	6	14	28	24	22	15	9	13	3	7	15	26	28	27	12	9	14
Episodes	F/N	539	2,712	10,553	22,080	53,389	53,326	11,624	6,956	4,247	455	2,534	10,145	29,744	70,516	62,893	10,874	8,059	9,362
Quarter	1	3	2	3	7	12	17	17	33	102	4	2	3	13	21	27	15	37	133
	2	14	15	32	143	78	78	49	42	59	18	16	32	185	100	95	42	37	73
	3	114	115	170	330	349	378	224	229	389	100	112	171	460	481	459	202	222	506
	4	36	36	38	58	76	91	57	49	84	25	36	38	76	101	111	48	47	122
Year	20/21	42	42	61	134	129	141	87	88	158	37	42	61	183	176	173	77	85	208

Mean weekly incidence rate per 100,000 Persons.

COVID-19

			F									M									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	
East of England	Episodes	F/N	19	109	467	1,052	2,562	2,496	421	337	471	15	121	467	883	2,001	2,167	447	300	223	
	Quarter	1	7	1	5	8	17	23	19	35	141	0	1	3	3	11	15	17	41	96	
		2	0	11	16	82	44	39	14	15	44	6	9	12	59	32	30	17	21	40	
		3	87	87	162	406	402	358	146	169	424	72	117	154	319	311	310	165	162	319	
		4	32	43	28	54	71	66	27	33	102	19	26	32	47	68	59	35	34	101	
	Year	20/21	31	36	52	137	134	121	51	63	177	24	38	50	107	106	103	58	64	139	
London	Episodes	F/N	102	590	1,862	4,871	15,767	9,941	1,530	937	596	144	660	2,044	3,510	12,819	8,947	1,545	752	276	
	Quarter	1	0	1	2	4	9	15	24	39	84	3	1	2	3	5	15	25	31	66	
		2	21	10	21	80	63	59	32	20	20	9	16	25	75	50	44	33	24	32	
		3	116	164	233	544	536	659	379	370	489	179	175	239	411	413	523	417	401	362	
		4	23	31	24	54	71	101	60	71	95	25	32	25	44	53	82	65	65	63	
	Year	20/21	40	52	70	171	170	210	124	125	171	55	56	73	133	131	167	136	130	130	
Midlands	Episodes	F/N	95	367	1,671	4,367	10,126	9,417	1,767	1,284	1,445	82	423	1,625	3,519	7,604	8,119	1,908	1,244	720	
	Quarter	1	12	0	5	14	25	31	17	37	156	2	2	4	12	14	14	17	36	122	
		2	24	16	35	208	108	100	38	31	78	15	15	36	168	86	83	45	39	69	
		3	140	110	184	453	512	451	207	232	491	119	114	168	317	362	386	244	257	416	
		4	40	39	54	98	134	126	63	45	129	38	49	48	86	98	104	63	60	107	
	Year	20/21	55	42	71	194	197	179	82	87	214	44	46	65	147	142	148	93	99	179	
North East and Yorkshire	Episodes	F/N	28	198	962	2,596	6,227	6,335	1,179	825	933	30	204	950	1,862	4,661	5,433	1,232	699	466	
	Quarter	1	0	3	5	18	24	31	15	36	129	4	2	4	11	14	20	18	32	147	
		2	16	20	47	211	152	132	74	70	128	8	17	36	163	113	118	77	75	84	
		3	64	78	162	425	452	435	193	198	489	83	106	157	287	315	356	201	205	428	
		4	24	51	52	106	137	128	42	46	130	22	27	55	70	108	113	56	44	78	
	Year	20/21	27	38	66	188	191	181	80	87	218	29	38	63	132	138	152	88	89	183	
North West	Episodes	F/N	100	523	2,393	8,984	17,321	16,139	2,819	1,956	1,926	141	501	2,425	6,296	12,898	13,389	3,072	1,625	826	
	Quarter	1	6	5	6	23	38	46	21	50	157	4	4	5	14	19	30	26	49	126	
		2	35	40	77	451	250	233	109	93	160	23	25	72	319	185	187	122	108	129	
		3	116	95	177	580	582	550	255	275	590	133	92	174	400	398	430	275	271	433	
		4	25	50	62	119	160	180	70	71	177	82	49	57	88	121	141	84	63	106	
	Year	20/21	45	48	81	291	258	253	114	122	270	61	43	78	204	181	198	127	122	198	
South East	Episodes	F/N	68	540	1,993	5,522	12,781	12,546	2,177	1,789	2,686	92	563	2,142	4,254	9,357	10,625	2,363	1,516	1,197	
	Quarter	1	5	2	2	10	22	24	12	41	180	3	1	2	4	12	15	14	29	109	
		2	3	7	11	101	42	41	14	17	50	6	10	14	81	36	33	21	15	35	
		3	74	127	170	423	467	442	190	216	563	98	114	174	319	340	373	215	224	437	
		4	25	27	28	56	81	88	48	40	120	27	34	26	43	57	74	56	48	93	
	Year	20/21	27	41	53	147	153	149	66	78	227	34	40	54	111	112	124	77	79	168	
South West	Episodes	F/N	43	207	797	2,352	5,732	6,019	981	931	1,305	35	240	900	1,756	4,049	4,646	1,057	820	539	
	Quarter	1	0	0	2	9	13	19	5	19	55	0	1	2	2	7	10	9	19	57	
		2	16	5	14	87	49	44	15	12	33	24	9	17	77	40	35	20	16	33	
		3	81	69	95	290	297	277	104	143	410	43	76	98	206	204	221	110	143	280	
		4	11	25	22	48	69	68	22	32	91	15	23	27	29	51	52	30	33	42	
	Year	20/21	27	25	33	107	107	102	36	51	146	20	27	36	78	75	79	42	52	101	