

RSC Communicable and Respiratory Disease Report for England

Key Statistics:

Week Number/Year..... 45/2024
 Week Starting - Ending..... 04/11/2024 - 10/11/2024
 No. of Practices..... 1,671
 Population..... 17,561,804

National (England)

- **Acute Respiratory Infections:** increased from **253.3** in week 44 to **280.6** in week 45.
- **Influenza-like illness:** increased from **3.6** in week 44 to **3.8** in week 45.
- **Exacerbations of Chronic Lung Disease:** increased from **21.1** in week 44 to **22.9** in week 45.
- **Lower Respiratory Tract Infections:** increased from **93.5** in week 44 to **104.6** in week 45.
- **Upper Respiratory Tract Infections:** increased from **149.0** in week 44 to **165.2** in week 45.
- **COVID-19:** decreased from **3.0** in week 44 to **2.3** in week 45.

Regional (North, South, London and Midlands and East)

- **Acute Respiratory Infections:** increased from **195.8** in week 44 to **216.9** in week 45 in the London region, increased from **310.5** in week 44 to **341.6** in week 45 in the North region, increased from **231.5** in week 44 to **261.0** in week 45 in the South region, and increased from **271.9** in week 44 to **297.8** in week 45 in the Midlands And East region.
- **Influenza-like illness:** increased from **3.9** in week 44 to **4.2** in week 45 in the London region, decreased from **4.9** in week 44 to **4.5** in week 45 in the North region, increased from **3.1** in week 44 to **3.4** in week 45 in the South region, and increased from **2.6** in week 44 to **3.3** in week 45 in the Midlands And East region.
- **Exacerbations of Chronic Lung Disease:** increased from **13.1** in week 44 to **13.3** in week 45 in the London region, increased from **28.2** in week 44 to **31.5** in week 45 in the North region, increased from **19.7** in week 44 to **22.2** in week 45 in the South region, and increased from **22.5** in week 44 to **23.0** in week 45 in the Midlands And East region.
- **Lower Respiratory Tract Infections:** increased from **54.3** in week 44 to **63.2** in week 45 in the London region, increased from **124.4** in week 44 to **136.8** in week 45 in the North region, increased from **87.0** in week 44 to **98.7** in week 45 in the South region, and increased from **103.4** in week 44 to **114.4** in week 45 in the Midlands And East region.
- **Upper Respiratory Tract Infections:** increased from **132.8** in week 44 to **145.4** in week 45 in the London region, increased from **172.4** in week 44 to **190.8** in week 45 in the North region, increased from **135.3** in week 44 to **151.8** in week 45 in the South region, and increased from **156.6** in week 44 to **173.4** in week 45 in the Midlands And East region.
- **COVID-19:** decreased from **1.4** in week 44 to **1.2** in week 45 in the London region, decreased from **2.8** in week 44 to **2.3** in week 45 in the North region, decreased from **3.9** in week 44 to **3.2** in week 45 in the South region, and decreased from **3.3** in week 44 to **2.1** in week 45 in the Midlands And East region.

Comment:

Overall rates of acute respiratory infections (ARI) have increased in all regions, but are at or below the seasonal average (page 6). Rates of influenza-like illness (ILI) have increased in most regions, but remain at or below the seasonal average (pages 2 and 3), while rates of COVID-19 have decreased in all regions (page 5).


Exacerbations of chronic lung disease (ECLD) remain above the seasonal average (page 7). There has been a rapid increase in lower respiratory tract infections (LRTI, page 7) among children aged under 1, driven largely by bronchiolitis (page 9). Rates of scabies (page 15) remain above the seasonal average.

This report includes a respiratory virology update. SARS-CoV-2 and RSV are the predominant circulating viruses detected by the UK Health Security Agency (UKHSA) Reference Virology Lab. Rates presented in this report are the number of new cases per 100,000 people by condition and region, with age-band also reported for acute respiratory infections (pages 3 to 11). The second Friday report which started in the pandemic has now ceased. The RCGP Weekly Return has reverted to reporting weekly.


2024 Focus


Please see page 19 for explanatory notes on the data.

(A) Influenza-like illness: national incidence rate 2024 by region




(B) RCGP/UKHSA Influenza Virology Swab Surveillance 2024



(C) RCGP/UKHSA RSV, Influenza and SARS-CoV-2 Virology Swab Surveillance 2024 by viral strain

The weekly virology samples displayed are offset from the ISO Week (Graph C).

*No specified subtype, or coinfection with H1N1 and H3N2.

(D) Influenza-like illness: national incidence rate 2024 by age band


(E) Influenza-like illness: national incidence rate 2024 by age band

This table shows the level of intensity of ILI by age band. MEM thresholds have been calculated separately for each age band - the ranges are shown in the table Threshold levels by age band.

Table 1	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
1-4yrs	0.9	0.9	1.0	0.8	1.4	1.5	1.4	1.5	1.5	1.0	1.0	1.6	1.0	1.3	0.9	0.1	0.9	0.6
5-14yrs	1.6	2.0	1.7	1.2	1.1	0.4	1.1	1.2	1.0	1.0	0.6	0.9	0.8	0.4	0.3	0.3	0.2	0.4
15-64yrs	3.5	3.3	2.1	2.8	2.1	1.9	2.2	2.6	2.3	1.9	1.8	2.3	2.1	2.3	1.7	1.3	1.2	1.2
65+yrs	2.1	2.3	0.8	1.7	1.2	1.3	1.3	1.4	1.5	1.0	1.6	2.2	2.1	2.1	1.4	1.0	1.0	1.0
All ages	2.9	2.8	1.7	2.3	1.8	1.6	1.9	2.2	2.0	1.6	1.6	2.0	1.9	2.0	1.5	1.1	1.0	1.1



	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
1-4yrs	0.6	0.7	0.9	3.0	2.1	2.2	2.6	4.2	4.3	4.0	1.9							
5-14yrs	0.2	0.4	0.4	1.2	1.8	1.5	1.5	1.7	2.0	1.3	1.9							
15-64yrs	1.0	1.7	1.8	2.5	2.8	3.6	4.0	4.4	4.1	4.1	4.3							
65+yrs	0.9	0.8	1.6	1.8	1.7	2.9	3.3	3.7	3.5	3.3	3.4							
All ages	0.9	1.3	1.5	2.3	2.5	3.2	3.6	3.9	3.8	3.6	3.8							

Table 2	Below Threshold ¹	Threshold to Medium ²	Medium to High ³	High to Very High ⁴	Above Very High ⁵
1-4yrs	<8.05	8.05 to 15.57	15.58 to 23.50	23.51 to 28.19	28.20+
5-14yrs	<6.53	6.53 to 15.55	15.56 to 32.18	32.19 to 44.39	44.40+
15-64yrs	<12.23	12.23 to 24.53	24.54 to 45.08	45.09 to 58.99	59.00+
65+yrs	<9.62	9.62 to 16.69	16.70 to 35.98	35.99 to 50.52	50.53+
All Ages	<10.25	10.25 to 21.69	21.70 to 38.77	38.78 to 50.11	50.12+

Threshold levels¹Below baseline threshold²baseline threshold breach to < 40th percentile³40th to <90th percentile⁴90th to <97.5th percentile⁵97.5th+ percentile**(F) Acute Bronchitis and Bronchiolitis: national incidence rate 2024 by age band****Weekly Influenza-like illness and Acute Bronchitis and Bronchiolitis incidence rates per 100,000 persons**


Influenza-like illness		Acute Bronchitis and Bronchiolitis		Influenza-like illness		Acute Bronchitis and Bronchiolitis	
<1yr	5.0	427.2		London	4.2	4.6	
1-4yrs	1.9	45.9		North	4.5	8.7	
5-14yrs	1.9	0.6		South	3.4	8.1	
15-24yrs	4.1	1.1		Midlands And East	3.3	7.5	
25-44yrs	4.2	1.9		National	3.8	7.4	
45-64yrs	4.5	2.9					
65-74yrs	3.7	4.3					
75-84yrs	3.5	4.6					
85+yrs	2.1	3.4					
All ages	3.8	7.4					

**The <1yr age band is not presented (Graph F).


(G) COVID-19: national incidence rate 2024 by region**(H) COVID-19: national incidence rate 2024 by age band**

1. Respiratory Infections

(I) Acute Respiratory Infections (ARI): national incidence rate 2024 by region




(J) Acute Respiratory Infections (ARI): national incidence rate 2024 by age band




1. Respiratory Infections - *by region*

5yr Avg National South
 North Midlands And East
 London


Influenza-like illness (ILI)
 Weekly incidence (per 100,000 all ages) by region
 for 2024 compared with 5 year average



Exacerbations of Chronic Lung Disease (ECLD)
 Weekly incidence (per 100,000 all ages) by region
 for 2024 compared with 5 year average




Lower Respiratory Tract Infections (LRTI)
 Weekly incidence (per 100,000 all ages) by region
 for 2024 compared with 5 year average


1. Respiratory Infections - *by age band*

5yr Avg All ages 5-14yrs
 <1yr 15-64yrs
 1-4yrs 65+yrs


Influenza-like illness (ILI)
 Weekly incidence (per 100,000 all regions) by age band
 for 2024 compared with 5 year average



Exacerbations of Chronic Lung Disease (ECLD)
 Weekly incidence (per 100,000 all regions) by age band
 for 2024 compared with 5 year average




Lower Respiratory Tract Infections (LRTI)
 Weekly incidence (per 100,000 all regions) by age band
 for 2024 compared with 5 year average




1. Respiratory Infections - *by region*

5yr Avg National South
 North Midlands And East
 London


Upper Respiratory Tract Infections (URTI)
 Weekly incidence (per 100,000 all ages) by region
 for 2024 compared with 5 year average



Exacerbations of Chronic Lung Disease (ECLD) - Asthma Exacerbations
 Weekly incidence (per 100,000 all ages) by region
 for 2024 compared with 5 year average




Exacerbations of Chronic Lung Disease (ECLD) - COPD Exacerbations
 Weekly incidence (per 100,000 all ages) by region
 for 2024 compared with 5 year average


1. Respiratory Infections - *by age band*

5yr Avg All ages 5-14yrs
 <1yr 15-64yrs
 1-4yrs 65+yrs


Upper Respiratory Tract Infections (URTI)
 Weekly incidence (per 100,000 all regions) by age band
 for 2024 compared with 5 year average



Exacerbations of Chronic Lung Disease (ECLD) - Asthma Exacerbations
 Weekly incidence (per 100,000 all regions) by age band
 for 2024 compared with 5 year average




Exacerbations of Chronic Lung Disease (ECLD) - COPD Exacerbations
 Weekly incidence (per 100,000 all regions) by age band
 for 2024 compared with 5 year average




1. Respiratory Infections - *by region*



Lower Respiratory Tract Infections (LRTI) - Pneumonia
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average




Lower Respiratory Tract Infections (LRTI) - Acute Bronchitis
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average




Lower Respiratory Tract Infections (LRTI) - Bronchiolitis
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average

1. Respiratory Infections - *by age band*


Lower Respiratory Tract Infections (LRTI) - Pneumonia
Weekly incidence (per 100,000 all regions) by age band
for 2024 compared with 5 year average




Lower Respiratory Tract Infections (LRTI) - Acute Bronchitis
Weekly incidence (per 100,000 all regions) by age band
for 2024 compared with 5 year average




Lower Respiratory Tract Infections (LRTI) - Bronchiolitis
Weekly incidence (per 100,000 all regions) by age band
for 2024 compared with 5 year average




1. Respiratory Infections - *by region*


Upper Respiratory Tract Infections (URTI) - Croup
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average




Upper Respiratory Tract Infections (URTI) - Tonsillitis/Pharyngitis
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average




Upper Respiratory Tract Infections (URTI) - Otitis Media
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average

1. Respiratory Infections - *by age band*


Upper Respiratory Tract Infections (URTI) - Croup
Weekly incidence (per 100,000 all regions) by age band
for 2024 compared with 5 year average




Upper Respiratory Tract Infections (URTI) - Tonsillitis/Pharyngitis
Weekly incidence (per 100,000 all regions) by age band
for 2024 compared with 5 year average




Upper Respiratory Tract Infections (URTI) - Otitis Media
Weekly incidence (per 100,000 all regions) by age band
for 2024 compared with 5 year average




1. Respiratory Infections - *by region*




Upper Respiratory Tract Infections (URTI) - Sinusitis
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average




Upper Respiratory Tract Infections (URTI) - Laryngitis
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average




1. Respiratory Infections - *by age band*



Upper Respiratory Tract Infections (URTI) - Sinusitis
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average




Upper Respiratory Tract Infections (URTI) - Laryngitis
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average




2. Water & Food Borne Disorders

5yr Avg National North London South Midlands And East


Infectious Intestinal Disease (ICD10: A00-A09)
Weekly incidence (per 100,000 **all ages**) by region
for 2024 compared with 5 year average




Infectious Intestinal Disease (ICD10: A00-A09)
Weekly incidence (per 100,000 **0-4 years**) by region
for 2024 compared with 5 year average



Non-Infective Enteritis & Colitis (ICD10: K50-K52)
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average




Viral Hepatitis (ICD10: B15-B19)
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average




3. Environmentally Sensitive Disorders

5yr Avg National North London South Midlands And East


Asthma (ICD10: J45-J46)
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average



Disorders of Conjunctiva (ICD10: H10-H13)
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average




Hayfever/Allergic Rhinitis (ICD10: J30)
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average




4. Vaccine Sensitive Disorders

5yr Avg National North London South Midlands And East


Measles (ICD10: B05)
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average




Mumps (ICD10: B26)
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average



Rubella (ICD10: B06)
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average




Whooping Cough (ICD10: A37)
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average




5. Skin Contagions

Bullous Dermatoses (ICD10: L10-L14)
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average




Chickenpox (ICD10: B01)
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average




5. Skin Contagions (Continued)

5yr Avg National North London South Midlands And East


Herpes Simplex (ICD10: B00)
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average




Herpes Zoster (ICD10: B02)
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average




Infections of Skin & Subcutaneous Tissue (ICD10: L00-L08)
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average




Scabies (ICD10: B86)
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average



Symptoms involving Skin & Oth Integument Tiss (ICD10: R20-R23)
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average




Impetigo (ICD10: L01)
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average




6. Disorders Affecting the Nervous System

■ 5yr Avg ■ National ■ North ■ London ■ South ■ Midlands And East


Disorders of The Peripheral Nervous System (ICD10: G50-G64,G70-G72)
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average



Meningitis/Encephalitis (ICD10: A170-A171,A390,A38-A85,A87,G00-G05)
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average




Symptoms Involving Nervous & Musculoskeletal (ICD10: R25-R29)
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average



7. Genitourinary System Disorders


Urinary Tract Infection/Cystitis (ICD10: N30,N390)
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average




8. Other Disorders

5yr Avg National North London South Midlands And East

Strep Sore Throat, Scarletina and Peritonsillar Abscess (ICD10: A38,J020,J36)
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average



Infectious Mononucleosis (ICD10: B27)
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average



8. Tabular Summary by Disease

	Week beginning Week ending		04/11/2024 10/11/2024		28/10/2024 03/11/2024		21/10/2024 27/10/2024		14/10/2024 20/10/2024	
Disease Name	Rate	Numer	Rate	Numer	Rate	Numer	Rate	Numer	Rate	Numer
Acute Bronchitis	2.5	432	2.1	356	2.0	339	1.9	301		
Acute respiratory infections (ARI)	280.6	49,275	253.3	43,708	264.9	43,926	269.6	42,021		
Allergic Rhinitis	5.8	1,025	5.9	1,011	5.9	972	6.2	973		
Asthma	11.2	1,970	9.8	1,685	9.7	1,613	11.0	1,712		
Bronchiolitis	5.0	879	3.6	626	3.1	507	2.7	427		
Bullous Dermatoses	0.2	41	0.2	28	0.1	21	0.2	32		
Chickenpox	2.7	473	2.4	415	2.9	475	2.4	380		
Conjunctival Disorders	12.2	2,134	11.4	1,973	12.2	2,016	11.9	1,857		
COVID-19	2.3	406	3.0	516	4.5	739	5.7	883		
Croup	3.7	643	3.8	651	4.2	691	4.0	620		
ECLD - Asthma exacerbations	15.0	2,637	13.5	2,338	13.8	2,290	14.6	2,276		
ECLD - COPD exacerbations	8.1	1,431	7.8	1,344	7.9	1,309	8.1	1,255		
Exacerbations of chronic lung disease	22.9	4,018	21.1	3,642	21.4	3,555	22.5	3,513		
Herpes Simplex	2.7	475	2.4	413	2.6	435	3.0	474		
Herpes Zoster	5.0	873	5.0	860	5.3	883	5.0	787		
Impetigo	4.3	752	3.5	596	4.0	662	4.2	662		
Infectious Intestinal Diseases	7.3	1,278	6.4	1,096	6.9	1,147	7.2	1,119		
Infectious Mononucleosis	0.4	62	0.2	29	0.3	45	0.2	36		
Influenza-like illness	3.8	665	3.6	618	3.8	625	3.9	612		
Laryngitis	1.2	206	1.0	179	1.0	172	1.2	183		
Lower respiratory tract infections	104.6	18,371	93.5	16,130	95.0	15,749	95.6	14,893		
Measles	0.0	6	0.0	8	0.0	7	0.0	5		
Meningitis and Encephalitis	0.1	19	0.1	20	0.1	12	0.1	19		
Mumps	0.1	14	0.1	15	0.1	9	0.1	8		
Non-infective Enteritis and Colitis	2.9	505	2.5	433	3.0	495	2.8	438		
Otitis Media	20.4	3,587	18.4	3,176	19.2	3,188	18.7	2,913		
Peripheral Nervous Disease	18.6	3,271	16.6	2,862	18.0	2,984	18.9	2,944		
Pneumonia	3.6	634	3.4	582	3.7	614	3.5	547		
Rubella	0.0	1	0.0	2	0.0	1	0.0	0		
Scabies	3.7	649	3.8	662	3.3	544	3.1	477		
Sinusitis	17.9	3,152	16.7	2,884	16.0	2,656	17.4	2,711		
Skin and Subcutaneous Tissue Infections	85.1	14,948	85.3	14,717	85.9	14,249	89.3	13,916		
Strep Throat and Peritonsillar Abscess	1.2	204	1.1	186	1.3	213	1.2	187		
Symptoms involving musculoskeletal	14.9	2,610	13.8	2,383	14.7	2,430	15.3	2,381		
Symptoms involving Skin and Integument Tissues	116.4	20,441	110.2	19,019	113.7	18,848	115.4	17,987		
Tonsillitis/Pharyngitis	31.3	5,496	27.0	4,665	29.3	4,859	30.0	4,678		
Upper respiratory tract infections	165.2	29,014	149.0	25,708	156.4	25,932	159.0	24,775		
Urinary Tract Infections	27.5	4,822	24.5	4,225	25.4	4,205	25.6	3,994		
Viral Hepatitis	0.3	50	0.2	38	0.3	43	0.4	57		
Whooping Cough	0.2	31	0.2	32	0.3	48	0.3	44		
Practice Count		1,671		1,645		1,589		1,521		
Denom		17,561,804		17,256,820		16,579,817		15,584,494		

FURTHER INFORMATION:

About the report

Focus

The first two pages of data within this report focus on influenza-like illness and virology data, in order to provide information about seasonal influenza and early warnings of any epidemic.

Rate calculation

Each weekly incidence rate is presented per 100,000 population. All presentations are for males and females, and for all age bands, unless otherwise stated.

The denominator used for this report is taken from our most recent extract of data from GP practice systems, and includes all patients currently registered with eligible practices. The denominator varies week-on-week as patients register and deregister; it may also be the case that all patients from an individual practice are excluded because of problems with the data extraction from that practice in a specific week. As stated above, patients who have withheld consent for data-sharing are excluded.

In addition to the national rate, we present data for the four NHS England regions: North; Midlands and East; South; and London.

Five-year averages

Weekly rates are set against a five-year average (navy blue lines), previously we reported against a ten-year average. The change to a five-year average was made because longer-term trends in the incidence of disease have led to weekly rates for certain diseases becoming increasingly divergent from their ten-year average. The use of five-year averages lessens this effect and enables more meaningful comparison.

Threshold calculation for influenza-like illness (ILI)

We are now using the Moving Epidemic Method (MEM) to calculate threshold and intensity levels for influenza-like illness (Graph A, page 2 and Table E, page 4 of this report). MEM works by identifying seasonal epidemic peaks and then calculates thresholds and intensity levels based on the pre and post epidemic values. This allows us to report the severity of ILI against multiple thresholds, rather than a simple comparison with the five-year average as the wide variation in ILI year on year, especially during the seasonal peak, makes the average less representative.

In addition to the All Ages thresholds, we have also calculated thresholds for four age bands: those aged 1-4, 5-14, 15-64 and those aged 65 and over. ILI incidence rates vary among different age bands, and the age-specific thresholds allow us to highlight epidemics where ILI disproportionately affects a particular age band.

This methodology is used by the European Centre for Disease Prevention and Control to standardise reporting of influenza activity across Europe, and is also in use by the UK Health Security Agency. Full details of the methodology can be found in: Vega *et al.* (2012) Influenza surveillance in Europe: establishing epidemic thresholds by the moving epidemic method. Influenza and Other Respiratory Viruses 7(4), 546–558.

Both the *all-ages* thresholds and the *age-specific* thresholds are shown in Table E, page 4. Five years of data were used for *all-ages* and *age-specific* thresholds calculation (winter seasons 2015/16, 2016/17, 2017/18, 2018/19 and 2022/23, excluding 2019/20, 2020/21 and 2021/22).

About the Royal College of General Practitioners (RCGP) Research and Surveillance Centre (RSC)

Acknowledgement:

Staff from the Data Science department at the National Physical Laboratory (<https://www.npl.co.uk/data-science>) assisted in the provision of and extension of the primary care national surveillance reports during the 2020 SARS-CoV-2 pandemic; as well as adding resilience.

What we do

The RCGP RSC was established in 1957, with the current name in use since 2009. The Centre is an internationally renowned source of information, analysis and interpretation concerning the onset, patterns, prevalence and trends over time of morbidity in primary care. The RSC is an active research and surveillance unit that collects and monitors data; its most important research is the surveillance of influenza and the monitoring of vaccine effectiveness.

The RSC data and analytics hub is housed at the Oxford-Royal College of General Practitioners Research and Surveillance Centre.

Further information about the RSC can be found on our website:

<http://www.rcgp.org.uk/rsc>

Our data extraction process and information governance

Data are extracted twice weekly from practice systems by Magentus data management and EMIS-X Analytics (EXA) on the RCGP's behalf. Patients who have withheld consent for data sharing are excluded from the extraction process.

Data are pseudonymised as close to source as possible. Data are held on secure servers at the RCGP data and analytics hub at the Oxford-Royal College of General Practitioners Research and Surveillance Centre. Both Magentus data management and the University of Oxford are Registered and compliant with the Data Protection Act and fully compliant with all relevant NHS Digital data information governance best practice.

What the data is used for

The RCGP RSC has been providing reports weekly about health and disease, called the Weekly Returns Service (WRS) since 1964. The WRS monitors the number of patients consulting with new episodes of illness classified by diagnosis in England and provides weekly incidence rates per 100,000 population for these new episodes of illness. It is the key primary care element of the national disease monitoring systems run by the UK Health Security Agency. The bulletin can be found at the following URL:

<https://www.gov.uk/government/collections/syndromic-surveillance-systems-and-analyses>

In addition to the WRS, the data is used for other research studies. Any other uses of the data for research follow ethical approval or agreement from NIHR proportionate review, and where relevant Health Research Authority Confidential Advisory Group advice that further approval is not needed. Full details can be found on our website:

<http://www.rcgp.org.uk/rsc>

For further information

For further information about the work of the RSC, or if you would like to be included on our email notification list, please contact:

RCGP Research & Surveillance Centre
Policy, Research and Campaigns
Royal College of General Practitioners
30 Euston Square, London, NW1 2FB
Tel: switchboard 020 3188 7400

Director: Professor Simon de Lusignan

MedicalDirectorRSC@rcgp.org.uk

University of Oxford
Nuffield Department of Primary Care Health Sciences
Gibson Building
Radcliffe Observatory
Woodstock Road
Oxford OX2 6GG

